LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America



Painted Steel Laboratory Furniture

Trust • Create • Discover

History - Since 1951

Institutional Casework Inc. (ICI Scientific) is uniquely positioned to serve your complete project needs from steel, stainless steel, or custom wood laboratory and science casework to equipment, fixtures, work surfaces and fumes hoods.

ICI is privately owned, ensuring a primary focus on quality. This focus enables us to build a strong connection with our customers, employees, distributors and suppliers.

Introducing ICI Scientific - specifically designed and positioned to meet the requirements of Tier One laboratory specifications. ICI Scientific brings your preliminary concept to life; assisting from design through installation in partnership with our world-wide distributor network; delivering post-sale service and support through the lifetime of our products.

ICI Scientific is your single source for a complete laboratory. With brands steeped in a rich history, ICI Scientific is uniquely positioned to provide the complete laboratory project. Being privately owned, we ensure our primary focus is on quality, without the distraction of fluctuating stocks. We are focused on building a strong connection with employees, dealers, distributors, customers and end users.

All levels of laboratories and learning environments are created at ICI through flexibility, function, innovation and design.

American Made

ICI's multiple manufacturing facilities comprise 450,000 sq. ft. with 250 associates; ICI Scientific is a global provider of American Made products.



Table of Contents








Category	Page Numbers
Standard Construction Details	4-6
CornerStone Cabinet Styles	7
Steel Cabinet Information	8
CornerStone Color Options	9
Steel Sitting Height Base Cabinets	10-22
Steel ADA Height Base Cabinets	23-34
Steel Standing Height Base Cabinets	35-48
Steel Wall Cabinets	49-86
Steel Tall Cabinets	87-97
Steel Base Cabinet Fillers	98
Steel Knee Space Panels	99
Steel Wall Cabinet Fillers	100-101
Steel Tall Cabinet Fillers	102
Steel Accessories	103-108
Steel Suspended Cabinets	109-116
Steel Mobile Cabinets	117-122
Steel Table Frames	123-124
Steel Table Assemblies	125-126
Steel Legs	127-131
Stainless Steel Sinks	132-133
Lab References and Standards	134-135

Base Cabinet Construction




Standard Product Features

- Modular design allows for simple field conversion from inset to overlay, door and drawer re-configurations and hardware component changes.
- Durable construction provides SEFA 8 Metal compliant load-bearing capacity for years of dependable usage.
- Flush overlay styling in steel or wood fronts; inset styling offered in steel
- 16 standard steel colors; urethane powder coating provides reliable chemical and abrasion resistance.
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes
- SEFA 8 Metal tested and approved by an independent third party.
- Manual, soft-closing
- File drawer suspension available - both 100 and 150 lb. capacity.
- Mobile interlock drawers 100 lb. capacity.


Drawer Mod Code	Drawer Head Height
3M	3.649”
4M	4.909”
6M	7.429”
8M	9.949”
9M	11.209”
10M	12.469”
Door Mod Code	**Door Height**
15M	18.769”
18M	22.549”
20M	25.069”
22M	27.589”
24M	30.109”
28M	35.149”
33M	40.189”
38M	47.749”
63M	79.249”

Wall Cabinet Construction




Standard Features

- 18 gauge steel cabinet top
- 20 gauge steel shelf
- 18 gauge steel cabinet side
- Rubber door bumpers, 4 each door
- Nylon roller catch
- 18 gauge steel cabinet bottom
- Zinc plated adjustable shelf clip
- Shelf clip mounting slots
- 18 gauge stile
- 20 gauge reinforcing channel, 1 each door
- 5 knuckle stainless steel hinges, 2 each door
- 11 gauge steel corner gusset, 4 each cabinet
- All wall cabinets furnished with a hanging rail
- Rear fillers are required at end of wall cabinet runs and sold separately
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes



LAB SETUP AMERICA

Tall Cabinet Construction



Standard Door Features

- 20 gauge interior and 18 gauge exterior panels
- Interior filled with sound deadening material
- 14 gauge steel reinforcement added at hinge locations
- 20 gauge horizontal reinforcement channel, one each door
- 3/4” thick veneer clad particleboard core with 3mm thick veneer edge banding in red oak, white maple, bamboo or other exotic veneers
- Door equipped with nylon roller catch
- Double doors with locks feature elbow catch on left door
- Stainless steel 2 3/4”, 5 knuckle institutional hinges (2 per base unit and wall case door, 3 per upper and tall case door)

Whether your laboratory is in a university or research facility, ICI Scientific Steel Casework will provide a lifetime of strength and beauty.

- Design Options: Three distinct designs allow you to tailor the appearance of your laboratory. All cabinet component parts of the sectional units are manufactured ensuring uniformity, interchangeability and accurate alignment
- Field Convertible: This design allows for conversion of cabinet door and drawer front styles, drawer suspension and cabinet horizontal and vertical rails, with use of simple hand tools.

Inset Steel

Provides slimline styling for your laboratory



Full Flush Overlay Steel

Offers a current, updated design



Full Flush Overlay Vertical Grain Match Wood

Combines the strength of steel and the aesthetics of wood



Catalog Number Explanation

Code	Description
R	Recessed Pulls
L	With Locks
JPUP	Flush Overlay Painted Steel Fronts
JPTP	Inset painted Steel Fronts and Open Cabinets
JPVP	Flush Overlay Alternate Fronts
JP	All Filler, Frames and Tables
K	Locks with Security Panels
FB	Finished Back
CK	Conversion Kit
LC	Conversion Kit with Locks

Code	Description
Pulls	
W1	Stainless Steel 4” O.C. Wire Pull
W2	Chrome Plated 4” O.C. Wire Pull
W3	Aluminum 4” O.C. Wire Pull (Standard)
R2	Black Plastic Recessed (Standard)
R3	Chameleon Plastic Recessed
R4	Sliding Black Plastic Recessed
R7	Stainless Steel Recessed
Slides	
SLIDE1	100 lb. Full Extension (Standard)
SLIDE3	100 lb. Soft Close Full Extension
SLIDE5	150 lb. Full Extension
SLIDE6	150 lb. Soft Close Full Extension
SLIDE7	Mobile Interlock Slide (not available in 150lb extension or soft close)
Glass	
LAM	Laminated Glass
TMP	Tempered Glass
FLT	Float Glass (Standard)

Inset Examples


Catalog Number	Description
JPTP176-18	Base Cabinet, Sitting Height, 1 LH Door
JPKSH-ADJ	Knee Space Panel, Adjustable to 48”, Standing Height
JPTP181-30	Sink Cabinet, 2 Door
JPTP201-2416	Wall Cabinet, 16” Deep, Open Face
JPTP203-3016	Wall Cabinet, 16” Deep, 2 Solid Swinging Doors
JPFRL-06	Rear Base Cabinet Filler, Sitting Height, 6” Wide
JPKSL-36	Knee Space Panel, Sitting Height 36” Wide

Flush Overlay Metal Front Examples

Catalog Number	Description
JPUP307-42	Tall Cabinet, 22” Deep, 42” Wide, 2 Glass Swinging Doors
JPUP232-306L	Wall Cabinet, 16” Deep, 30” Wide, 2 Solid Swinging Doors with Locks
JPUP125-18L	Base Cabinet, Standing Height, 3 Drawer with Locks

Flush Overlay Non-Metal Front Examples


Catalog Number	Description
JPVP106-48	Base Cabinet, Standing Height, 2 Door 2 Drawer, 48” Wide
JPVP206-48	Wall Cabinet, 12” Deep, 2 Glass Swinging Doors
JPVP232-306T	Wall Cabinet 16” Deep, 2 Solid Swinging Doors with Locks
JPVP196-18T	Base Cabinet, Standing Height, 1 LH Door, Recessed Pull with Locks



472
Pearl White

scientific
WWW.ICISCIENTIFIC.COM

472
Pearl White



Some of our more popular “two tone” selections are shown on each side. The top is the cabinet color and the bottom color represents doors and drawer faces. Note the option of wood doors/drawer faces. We offer “two tones” and “textured” at an additional cost; but limit two colors per project.


Please request samples from your ICI Dealer.

If you select a color other than these standards, ICI will match your selection. Check with your ICI Dealer since we have hundreds of color formulas on file. Your ICI Dealer will confirm availability and advise should there be an up-charge.

*Slate gray is available without texture. All colors are available with texture.


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Cabinets




Cat. No.	Length
JP161-12	12”
JP161-15	15”
JP161-18	18”
JP161-21	21”
JP161-24	24”




Cat. No.	Length
JP161-30	30” L
JP161-36	36” L
JP161-42	42” L
JP161-48	48” L


Door Cabinets




Cat. No.	Length
Left Hinged	
JP176-12	12”
JP176-15	15”
JP176-18	18”
JP176-21	21”
JP176-24	24”



Cat. No.	Length
Right Hinged	
JP175-12	12”
JP175-15	15”
JP175-18	18”
JP175-21	21”
JP175-24	24”




Cat. No.	Length
JP163-30	30”
JP163-36	36”
JP163-42	42”
JP163-48	48”




Cat. No.	Length
JP160-30	30”
JP160-36	36”
JP160-42	42”
JP160-48	48”


Drawer Cabinets




Cat. No.	Length
JP071-15	15”
JP071-18	18”
JP071-21	21”
JP071-24	24”



Cat. No.	Length
JP070-15	15”
JP070-18	18”
JP070-21	21”
JP070-24	24”




Cat. No.	Length
JP174-15	15”
JP174-18	18”
JP174-21	21”
JP174-24	24”



Cat. No.	Length
JP174-30	30”
JP174-36	36”
JP174-42	42”
JP174-48	48”


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Cabinets




Cat. No.	Length
JP172-15	15”
JP172-18	18”
JP172-21	21”
JP172-24	24”




Cat. No.	Length
JP172-30	30”
JP172-36	36”
JP172-42	42”
JP172-48	48”




Cat. No.	Length
JP173-15	15”
JP173-18	18”
JP173-21	21”
JP173-24	24”




Cat. No.	Length
JP173-30	30”
JP173-36	36”
JP173-42	42”
JP173-48	48”




Cat. No.	Length
JP178-30	30”
JP178-36	36”
JP178-42	42”
JP178-48	48”




Cat. No.	Length
JP179-30	30”
JP179-36	36”
JP179-42	42”
JP179-48	48”




Cat. No.	Length
JP180-30	30”
JP180-36	36”
JP180-42	42”
JP180-48	48”




Cat. No.	Length
JP086-30	30”
JP086-36	36”
JP086-42	42”
JP086-48	48”




Cat. No.	Length
JP087-30	30” L
JP087-36	36” L
JP087-42	42” L
JP087-48	48” L



Cat. No.	Length
JP088-30	30” L
JP088-36	36” L
JP088-42	42” L
JP088-48	48” L




Cat. No.	Length
JP089-30	30” L
JP089-36	36” L
JP089-42	42” L
JP089-48	48” L



Cat. No.	Length
JP090-30	30” L
JP090-36	36” L
JP090-42	42” L
JP090-48	48” L


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Cabinets




Cat. No.	Length
JP022-15*	15”
JP022-18*	18”
JP022-21*	21”
JP022-24*	24”



Cat. No.	Length
JP022-30*	30”
JP022-36*	36”
JP022-42*	42”
JP022-48*	48”




Cat. No.	Length
JP039-15*	15”
JP039-18*	18”
JP039-21*	21”
JP039-24*	24”




Cat. No.	Length
JP039-30*	30”
JP039-36*	36”
JP039-42*	42”
JP039-48*	48”


Combination Cabinets




Cat. No.	Length
Left Hinged	
JP169-15	15”
JP169-18	18”
JP169-21	21”
JP169-24	24”




Cat. No.	Length
Right Hinged	
JP168-15	15”
JP168-18	18”
JP168-21	21”
JP168-24	24”




Cat. No.	Length
JP165-30	30”
JP165-36	36”
JP165-42	42”
JP165-48	48”




Cat. No.	Length
JP166-30	30”
JP166-36	36”
JP166-42	42”
JP166-48	48”




Cat. No.	Length
Right Cabinet	
JP072-30	30”
JP072-36	36”
JP072-42	42”
JP072-48	48”



Cat. No.	Length
Left Cabinet	
JP073-30	30”
JP073-36	36”
JP073-42	42”
JP073-48	48”




Cat. No.	Length
Right Cabinet	
JP074-30	30”
JP074-36	36”
JP074-42	42”
JP074-48	48”



Cat. No.	Length
Left Cabinet	
JP075-30	30”
JP075-36	36”
JP075-42	42”
JP075-48	48”


*Custom height drawers. Only available on this cabinet


Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Combination Cabinets






Cat. No.	Length
Right Cabinet	
JP076-30	30”
JP076-36	36”
JP076-42	42”
JP076-48	48”


Cat. No.	Length
Left Cabinet	
JP077-30	30”
JP077-36	36”
JP077-42	42”
JP077-48	48”

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink supports sold separately


Sink Cabinets




Cat. No.	Length
Left Hinged	
JP092-12	12”
JP092-15	15”
JP092-18	18”
JP092-21	21”
JP092-24	24”




Cat. No.	Length
Right Hinged	
JP091-12	12”
JP091-15	15”
JP091-18	18”
JP091-21	21”
JP091-24	24”




Cat. No.	Length
JP093-30	30”
JP093-36	36”
JP093-42	42”
JP093-48	48”




Cat. No.	Length
JP093-60	60” L




Cat. No.	Length
JP094-52	52” L
JP094-58	58” L
JP094-60	60” L




Plan view of Sink Cabinet with Inset Doors



Plan view of Sink Cabinet with Overlay Door




Plan view




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JP095-32

Corner Cabinet




Cat. No.
Right Hinged - No Shelf
JP096-32




Cat. No.
Right Hinged
with 2 Turntable Shelves
JP097-32

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Corner Sink Cabinet




Cat. No. Right Hinged
JP096-SE



Plan view of Corner Sink Cabinet with Inset Door




Plan view of Corner Sink Cabinet with Overlay Door



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Dead End Cabinets



Cat. No.	Length
Right Cabinet	
JP099-36	36”
JP099-42	42”
JP099-48	48”


Cat. No.	Length
Left Cabinet	
JP098-36	36”
JP098-42	42”
JP098-48	48”

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JP154-12	12”
JP154-15	15”
JP154-18	18”
JP154-21	21”
JP154-24	24”




Cat. No.	Length
Right Hinged	
JP157-12	12”
JP157-15	15”
JP157-18	18”
JP157-21	21”
JP157-24	24”



Cat. No.	Length
JP157-30	30”
JP157-36	36”
JP157-42	42”
JP157-48	48”




Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JP145-15	15”
JP145-18	18”
JP145-21	21”
JP145-24	24”




Cat. No.	Length
Right Hinged	
JP146-15	15”
JP146-18	18”
JP146-21	21”
JP146-24	24”



Cat. No.	Length
JP146-30	30”
JP146-36	36”
JP146-42	42”
JP146-48	48”


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JP145-15-E	15”
JP145-18-E	18”
JP145-21-E	21”
JP145-24-E	24”

Cat. No.	Length
Right Hinged	
JP146-15-E	15”
JP146-18-E	18”
JP146-21-E	21”
JP146-24-E	24”


Cat. No.	Length
JP146-30-E	30”
JP146-36-E	36”
JP146-42-E	42”
JP146-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JPPVPC1316	18” wide cabinet
JPPVPC1916	24” wide cabinet
JPPVPC2516	30” wide cabinet
JPPVPC3116	36” wide cabinet
JPPVPC3716	42” wide cabinet
JPPVPC4316	48” wide cabinet




Section

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- Includes a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Must be used in collaboration with a FUMEHOOD-VK or other
- Includes ACID label


Acid Storage Base Cabinets




Cat. No.	Length
Left Hinged	
JP042-12	12”
JP042-18	18”
JP042-24	24”



Cat. No.	Length
Right Hinged	
JP041-12	12”
JP041-18	18”
JP041-24	24”




Cat. No.	Length
JP041-30	30” L
JP041-36	36” L
JP041-42	42” L
JP041-48	48” L



Inside View Acid Cabinet

LAB SETUP AMERICA


Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection
- Slam latch handle shown

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165˚F.



Cat. No.	Length
Left Hinged Slam Latch Handle	
JP044-18SL	18”
JP044-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP044-18SLA	18”
JP044-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP044-18SLAS	18”
JP044-24SLAS	24”




Cat. No.	Length
Right Hinged Slam Latch Handle	
JP043-18SL	18”
JP043-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP043-18SLA	18”
JP043-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP043-18SLAS	18”
JP043-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JP043-30SL	30”
JP043-36SL	36”
JP043-42SL	42”
JP043-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JP043-30SLA	30”
JP043-36SLA	36”
JP043-42SLA	42”
JP043-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP043-30SLAS	30”
JP043-36SLAS	36”
JP043-42SLAS	42”
JP043-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JP043-30SLASY	30”
JP043-36SLASY	36”
JP043-42SLASY	42”
JP043-48SLASY	48”

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Base Cabinets




Cat. No.	Length
JP901-12	12”
JP901-15	15”
JP901-18	18”
JP901-21	21”
JP901-24	24”




Cat. No.	Length
JP901-30	30”
JP901-36	36”
JP901-42	42”
JP901-48	48”


Door Base Cabinets




Cat. No.	Length
Left Hinged	
JP996-12	12”
JP996-15	15”
JP996-18	18”
JP996-21	21”
JP996-24	24”



Cat. No.	Length
Right Hinged	
JP995-12	12”
JP995-15	15”
JP995-18	18”
JP995-21	21”
JP995-24	24”




Cat. No.	Length
JP903-30	30”
JP903-36	36”
JP903-42	42”
JP903-48	48”




Cat. No.	Length
JP900-30	30”
JP900-36	36”
JP900-42	42”
JP900-48	48”


Drawer Base Cabinets



Cat. No.	Length
JP925-15	15”
JP925-18	18”
JP925-21	21”
JP925-24	24”



Cat. No.	Length
JP999-15	15”
JP999-18	18”
JP999-21	21”
JP999-24	24”




Cat. No.	Length
JP928-15	15”
JP928-18	18”
JP928-21	21”
JP928-24	24”



Cat. No.	Length
JP928-30	30”
JP928-36	36”
JP928-42	42”
JP928-48	48”


LAB SETUP AMERICA

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets




Cat. No.	Length
JP930-15	15”
JP930-18	18”
JP930-21	21”
JP930-24	24”




Cat. No.	Length
JP931-15	15”
JP931-18	18”
JP931-21	21”
JP931-24	24”




Cat. No.	Length
JP931-30	30”
JP931-36	36”
JP931-42	42”
JP931-48	48”




Cat. No.	Length
JP924-30	30”
JP924-36	36”
JP924-42	42”
JP924-48	48”




Cat. No.	Length
JP934-30	30”
JP934-36	36”
JP934-42	42”
JP934-48	48”




Cat. No.	Length
JP937-30	30”
JP937-36	36”
JP937-42	42”
JP937-48	48”




Cat. No.	Length
JP927-30	30”
JP927-36	36”
JP927-42	42”
JP927-48	48”




Cat. No.	Length
JP938-30	30”
JP938-36	36”
JP938-42	42”
JP938-48	48”




Cat. No.	Length
JP949-12*	12”
JP949-15*	15”
JP949-18*	18”
JP949-21*	21”
JP949-24*	24”



Cat. No.	Length
JP949-30*	30”
JP949-36*	36”
JP949-42*	42”
JP949-48*	48”



Cat. No.	Length
JP922-12*	12”
JP922-15*	15”
JP922-18*	18”
JP922-21*	21”
JP922-24*	24”




Cat. No.	Length
JP922-30*	30”
JP922-36*	36”
JP922-42*	42”
JP922-48*	48”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets



Cat. No.	Length
JP939-12*	12”
JP939-15*	15”
JP939-18*	18”
JP939-21*	21”
JP939-24*	24”




Cat. No.	Length
JP939-30*	30”
JP939-36*	36”
JP939-42*	42”
JP939-48*	48”




Cat. No.	Length
JP926-15	15”
JP926-18	18”
JP926-21	21”
JP926-24	24”


Combination Base Cabinets




Cat. No.	Length
Left Hinged	
JP919-15	15”
JP919-18	18”
JP919-21	21”
JP919-24	24”




Cat. No.	Length
Right Hinged	
JP918-15	15”
JP918-18	18”
JP918-21	21”
JP918-24	24”




Cat. No.	Length
JP906-30	30”
JP906-36	36”
JP906-42	42”
JP906-48	48”




Cat. No.	Length
JP905-30	30”
JP905-36	36”
JP905-42	42”
JP905-48	48”




Cat. No.	Length
Left Cabinet	
JP948-30	30”
JP948-36	36”
JP948-42	42”
JP948-48	48”



Cat. No.	Length
Right Cabinet	
JP917-30	30”
JP917-36	36”
JP917-42	42”
JP917-48	48”



Cat. No.	Length
Left Cabinet	
JP936-30	30”
JP936-36	36”
JP936-42	42”
JP936-48	48”




Cat. No.	Length
Right Cabinet	
JP913-30	30”
JP913-36	36”
JP913-42	42”
JP913-48	48”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No.	Length
Left Cabinet	
JP916-30	30”
JP916-36	36”
JP916-42	42”
JP916-48	48”




Cat. No.	Length
Right Cabinet	
JP910-30	30”
JP910-36	36”
JP910-42	42”
JP910-48	48”



Cat. No.	Length
Left Cabinet	
JP935-30	30”
JP935-36	36”
JP935-42	42”
JP935-48	48”




Cat. No.	Length
Right Cabinet	
JP912-30	30”
JP912-36	36”
JP912-42	42”
JP912-48	48”




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports sold separately


Sink Base Cabinets




Cat. No.	Length
JP981ACC-36	36” L
JP981ACC-42	42” L
JP981ACC-48	48” L
JP981ACC-54	54” L




Cat. No.	Length
JP981ACC-58	58” L
JP981ACC-60	60” L
JP981ACC-66	66” L
JP981ACC-72	72” L




Section View of ADA Sink Cabinet with sink




Cat. No.	Length
Left Hinged	
JP994-12	12”
JP994-15	15”
JP994-18	18”
JP994-21	21”
JP994-24	24”




Cat. No.	Length
Right Hinged	
JP993-12	12”
JP993-15	15”
JP993-18	18”
JP993-21	21”
JP993-24	24”




Cat. No.	Length
JP981-30	30”
JP981-36	36”
JP981-42	42”
JP981-48	48”




Cat. No.	Length
JP981-60	60”



Cat. No.	Length
JP986-52	52”
JP986-58	58”
JP986-60	60”





Plan view of Sink Cabinet with Inset Doors



Plan view of Sink Cabinet with Overlay Door


Steel ADA Height Base Cabinets






- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JP997-32

Corner Cabinet




Cat. No.
Right Hinged - No Shelf
JP990-32




Cat. No
Right Hinged
with 2 Turntable Shelves
JP991-32

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Dead Corner Cabinets




Cat. No.	Length
Right Cabinet	
JP998-36	36”
JP998-42	42”
JP998-48	48”




Cat. No.	Length
Left Cabinet	
JP992-36	36”
JP992-42	42”
JP992-48	48”

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JP964-12	12”
JP964-15	15”
JP964-18	18”
JP964-21	21”
JP964-24	24”




Cat. No.	Length
Right Hinged	
JP967-12	12”
JP967-15	15”
JP967-18	18”
JP967-21	21”
JP967-24	24”




Cat. No.	Length
JP967-30	30”
JP967-36	36”
JP967-42	42”
JP967-48	48”



Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JP954-15	15”
JP954-18	18”
JP954-21	21”
JP954-24	24”




Cat. No.	Length
Right Hinged	
JP955-15	15”
JP955-18	18”
JP955-21	21”
JP955-24	24”




Cat. No.	Length
JP955-30	30”
JP955-36	36”
JP955-42	42”
JP955-48	48”

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**

Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JP954-15-E	15”
JP954-18-E	18”
JP954-21-E	21”
JP954-24-E	24”




Elevation




Elevation with no doors or front panel

Cat. No.	Length
Right Hinged	
JP955-15-E	15”
JP955-18-E	18”
JP955-21-E	21”
JP955-24-E	24”




Elevation



Elevation with no doors or front panel


Cat. No.	Length
JP955-30-E	30”
JP955-36-E	36”
JP955-42-E	42”
JP955-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JPPVPC1316	18” wide cabinet
JPPVPC1916	24” wide cabinet
JPPVPC2516	30” wide cabinet
JPPVPC3116	36” wide cabinet
JPPVPC3716	42” wide cabinet
JPPVPC4316	48” wide cabinet




Section

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- They have a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker


Acid Storage Base Cabinets




Cat. No.	Length
Left Hinged	
JP942-12	12”
JP942-18	18”
JP942-24	24”



Cat. No.	Length
Right Hinged	
JP941-12	12”
JP941-18	18”
JP941-24	24”




Cat. No.	Length
JP941-30	30”
JP941-36	36”
JP941-42	42”
JP941-48	48”



Inside View Acid Cabinet

LAB SETUP AMERICA


Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.



Cat. No.	Length
Left Hinged Slam Latch Handle	
JP944-18SL	18”
JP944-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP944-18SLA	18”
JP944-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP944-18SLAS	18”
JP944-24SLAS	24”




Cat. No.	Length
Right Hinged Slam Latch Handle	
JP943-18SL	18”
JP943-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP943-18SLA	18”
JP943-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP943-18SLAS	18”
JP943-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JP943-30SL	30”
JP943-36SL	36”
JP943-42SL	42”
JP943-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JP943-30SLA	30”
JP943-36SLA	36”
JP943-42SLA	42”
JP943-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP943-30SLAS	30”
JP943-36SLAS	36”
JP943-42SLAS	42”
JP943-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JP943-30SLASY	30”
JP943-36SLASY	36”
JP943-42SLASY	42”
JP943-48SLASY	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Base Cabinets




Cat. No.	Length
JP101-12	12”
JP101-15	15”
JP101-18	18”
JP101-21	21”
JP101-24	24”




Cat. No.	Length
JP101-30	30”
JP101-36	36”
JP101-42	42”
JP101-48	48”


Door Base Cabinets




Cat. No.	Length
Left Hinged	
JP196-12	12”
JP196-15	15”
JP196-18	18”
JP196-21	21”
JP196-24	24”



Cat. No.	Length
Right Hinged	
JP195-12	12”
JP195-15	15”
JP195-18	18”
JP195-21	21”
JP195-24	24”




Cat. No.	Length
JP103-30	30”
JP103-36	36”
JP103-42	42”
JP103-48	48”




Cat. No.	Length
JP100-30	30”
JP100-36	36”
JP100-42	42”
JP100-48	48”


Drawer Base Cabinets




Cat. No.	Length
JP125-15	15”
JP125-18	18”
JP125-21	21”
JP125-24	24”



Cat. No.	Length
JP126-15	15”
JP126-18	18”
JP126-21	21”
JP126-24	24”




Cat. No.	Length
JP199-15	15”
JP199-18	18”
JP199-21	21”
JP199-24	24”



Cat. No.	Length
JP122-15	15”
JP122-18	18”
JP122-21	21”
JP122-24	24”


LAB SETUP AMERICA

Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets



Cat. No.	Length
JP128-15	15”
JP128-18	18”
JP128-21	21”
JP128-24	24”




Cat. No.	Length
JP128-30	30”
JP128-36	36”
JP128-42	42”
JP128-48	48”




Cat. No.	Length
JP130-15	15”
JP130-18	18”
JP130-21	21”
JP130-24	24”



Cat. No.	Length
JP130-30	30”
JP130-36	36”
JP130-42	42”
JP130-48	48”




Cat. No.	Length
JP131-15	15”
JP131-18	18”
JP131-21	21”
JP131-24	24”




Cat. No.	Length
JP131-30	30”
JP131-36	36”
JP131-42	42”
JP131-48	48”




Cat. No.	Length
JP121-30	30”
JP121-36	36”
JP121-42	42”
JP121-48	48”




Cat. No.	Length
JP124-30	30”
JP124-36	36”
JP124-42	42”
JP124-48	48”



Cat. No.	Length
JP137-30	30”
JP137-36	36”
JP137-42	42”
JP137-48	48”



Cat. No.	Length
JP129-30	30”
JP129-36	36”
JP129-42	42”
JP129-48	48”




Cat. No.	Length
JP134-30	30”
JP134-36	36”
JP134-42	42”
JP134-48	48”




Cat. No.	Length
JP123-30	30”
JP123-36	36”
JP123-42	42”
JP123-48	48”

Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets




Cat. No.	Length
JP149-15	15”
JP149-18	18”
JP149-21	21”
JP149-24	24”




Cat. No.	Length
JP149-30	30”
JP149-36	36”
JP149-42	42”
JP149-48	48”




Cat. No.	Length
JP159-30	30”
JP159-36	36”
JP159-42	42”
JP159-48	48”




Cat. No.	Length
JP127-30	30”
JP127-36	36”
JP127-42	42”
JP127-48	48”




Cat. No.	Length
JP138-30	30”
JP138-36	36”
JP138-42	42”
JP138-48	48”




Cat. No.	Length
JP139-30	30”
JP139-36	36”
JP139-42	42”
JP139-48	48”



Cat. No.	Length
JP142-15*	15”
JP142-18*	18”
JP142-21*	21”
JP142-24*	24”



Cat. No.	Length
JP142-30*	30”
JP142-36*	36”
JP142-42*	42”
JP142-48*	48”




Cat. No.	Length
JP153-15	15”
JP153-18	18”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No.	Length
Left Hinged	
JP119-15	15”
JP119-18	18”
JP119-21	21”
JP119-24	24”




Cat. No.	Length
Right Hinged	
JP118-15	15”
JP118-18	18”
JP118-21	21”
JP118-24	24”




Cat. No.	Length
JP105-30	30”
JP105-36	36”
JP105-42	42”
JP105-48	48”




Cat. No.	Length
JP106-30	30”
JP106-36	36”
JP106-42	42”
JP106-48	48”




Cat. No.	Length
Left Hinged	
JP133-15	15”
JP133-18	18”
JP133-21	21”
JP133-24	24”




Cat. No.	Length
Right Hinged	
JP132-15	15”
JP132-18	18”
JP132-21	21”
JP132-24	24”




Cat. No.	Length
JP108-30	30”
JP108-36	36”
JP108-42	42”
JP108-48	48”




Cat. No.	Length
Left Cabinet	
JP148-30	30”
JP148-36	36”
JP148-42	42”
JP148-48	48”



Cat. No.	Length
Right Cabinet	
JP117-30	30”
JP117-36	36”
JP117-42	42”
JP117-48	48”




Cat. No.	Length
Left Cabinet	
JP136-30	30”
JP136-36	36”
JP136-42	42”
JP136-48	48”




Cat. No.	Length
Right Cabinet	
JP113-30	30”
JP113-36	36”
JP113-42	42”
JP113-48	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No. Left Cabinet	Length
JP140-30	30”
JP140-36	36”
JP140-42	42”
JP140-48	48”




Cat. No. Right Cabinet	Length
JP114-30	30”
JP114-36	36”
JP114-42	42”
JP114-48	48”




Cat. No. Left Cabinet	Length
JP147-30	30”
JP147-36	36”
JP147-42	42”
JP147-48	48”




Cat. No. Right Cabinet	Length
JP115-30	30”
JP115-36	36”
JP115-42	42”
JP115-48	48”




Cat. No. Left Cabinet	Length
JP116-30	30”
JP116-36	36”
JP116-42	42”
JP116-48	48”




Cat. No. Right Cabinet	Length
JP110-30	30”
JP110-36	36”
JP110-42	42”
JP110-48	48”




Cat. No. Left Cabinet	Length
JP120-30	30”
JP120-36	36”
JP120-42	42”
JP120-48	48”



Cat. No. Right Cabinet	Length
JP111-30	30”
JP111-36	36”
JP111-42	42”
JP111-48	48”




Cat. No. Left Cabinet	Length
JP135-30	30”
JP135-36	36”
JP135-42	42”
JP135-48	48”



Cat. No. Right Cabinet	Length
JP112-30	30”
JP112-36	36”
JP112-42	42”
JP112-48	48”


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports are sold separately


Sink Base Cabinets




Cat. No.	Length
Left Hinged	
JP194-12	12”
JP194-15	15”
JP194-18	18”
JP194-21	21”
JP194-24	24”




Cat. No.	Length
Right Hinged	
JP193-12	12”
JP193-15	15”
JP193-18	18”
JP193-21	21”
JP193-24	24”




Cat. No.	Length
JP181-30	30”
JP181-36	36”
JP181-42	42”
JP181-48	48”




Cat. No.	Length
JP181-60	60”




Cat. No.	Length
JP186-52	52”
JP186-58	58”
JP186-60	60”




Plan view of Sink Cabinet with Inset Doors




Plan view of Sink Cabinet with Overlay Door






- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JP197-32

Corner Cabinet




Cat. No.
Right Hinged - No Shelf
JP190-32



Cat. No.
Right Hinged
with 2 Turntable Shelves
JP191-32


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Corner Sink Cabinet




Cat. No. Right Hinged
JP190-SE



Plan view of Corner Sink Cabinet with Inset Door




Plan view of Corner Sink Cabinet with Overlay Door




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Dead Corner Base Cabinets




Cat. No.	Length
Right Cabinet	
JP198-36	36”
JP198-42	42”
JP198-48	48”




Cat. No.	Length
Left Cabinet	
JP192-36	36”
JP192-42	42”
JP192-48	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JP184-12	12”
JP184-15	15”
JP184-18	18”
JP184-21	21”
JP184-24	24”




Cat. No.	Length
Right Hinged	
JP187-12	12”
JP187-15	15”
JP187-18	18”
JP187-21	21”
JP187-24	24”




Cat. No.	Length
JP187-30	30”
JP187-36	36”
JP187-42	42”
JP187-48	48”
JP187-60	60”



Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JP177-15	15”
JP177-18	18”
JP177-21	21”
JP177-24	24”




Cat. No.	Length
Right Hinged	
JP182-15	15”
JP182-18	18”
JP182-21	21”
JP182-24	24”



Cat. No.	Length
JP182-30	30”
JP182-36	36”
JP182-42	42”
JP182-48	48”


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JP177-15-E	15”
JP177-18-E	18”
JP177-21-E	21”
JP177-24-E	24”

Cat. No.	Length
Right Hinged	
JP182-15-E	15”
JP182-18-E	18”
JP182-21-E	21”
JP182-24-E	24”


Cat. No.	Length
JP182-30-E	30”
JP182-36-E	36”
JP182-42-E	42”
JP182-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JPPVPC1316	18” wide cabinet
JPPVPC1916	24” wide cabinet
JPPVPC2516	30” wide cabinet
JPPVPC3116	36” wide cabinet
JPPVPC3716	42” wide cabinet
JPPVPC4316	48” wide cabinet




Section

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- They have a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker


Acid Storage Base Cabinets



Cat. No.	Length
Left Hinged	
JP185-12	12”
JP185-18	18”
JP185-24	24”




Cat. No.	Length
Right Hinged	
JP188-12	12”
JP188-18	18”
JP188-24	24”



Cat. No.	Length
JP188-30	30”
JP188-36	36”
JP188-42	42”
JP188-48	48”


Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165˚F.




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JP183-18SL	18”
JP183-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP183-18SLA	18”
JP183-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP183-18SLAS	18”
JP183-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JP189-18SL	18”
JP189-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP189-18SLA	18”
JP189-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP189-18SLAS	18”
JP189-24SLAS	24”



Cat. No.	Length
Slam Latch Handle	
JP189-30SL	30”
JP189-36SL	36”
JP189-42SL	42”
JP189-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JP189-30SLA	30”
JP189-36SLA	36”
JP189-42SLA	42”
JP189-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP189-30SLAS	30”
JP189-36SLAS	36”
JP189-42SLAS	42”
JP189-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JP189-30SLASY	30”
JP189-36SLASY	36”
JP189-42SLASY	42”
JP189-48SLASY	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

19.298” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP268-15	JP268-1516	15”
JP268-18	JP268-1816	18”
JP268-21	JP268-2116	21”
JP268-24	JP268-2416	24”

25.598” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP228-15	JP228-1516	15”
JP228-18	JP228-1816	18”
JP228-21	JP228-2116	21”
JP228-24	JP228-2416	24”

30.638” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP201-15	JP201-1516	15”
JP201-18	JP201-1816	18”
JP201-21	JP201-2116	21”
JP201-24	JP201-2416	24”

35.678” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP238-15	JP238-1516	15”
JP238-18	JP238-1816	18”
JP238-21	JP238-2116	21”
JP238-24	JP238-2416	24”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

41.978” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP248-15	JP248-1516	15”
JP248-18	JP248-1816	18”
JP248-21	JP248-2116	21”
JP248-24	JP248-2416	24”

48.278” High Wall Cabinet - Open Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JP258-15	JP258-1516	15”
JP258-18	JP258-1816	18”
JP258-21	JP258-2116	21”
JP258-24	JP258-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

19.298” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP268-30	JP268-3016	30”
JP268-36	JP268-3616	36”
JP268-42	JP268-4216	42”
JP268-48	JP268-4816	48”

25.598” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP228-30	JP228-3016	30”
JP228-36	JP228-3616	36”
JP228-42	JP228-4216	42”
JP228-48	JP228-4816	48”

30.638” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP201-30	JP201-3016	30”
JP201-36	JP201-3616	36”
JP201-42	JP201-4216	42”
JP201-48	JP201-4816	48”

35.678” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP238-30	JP238-3016	30”
JP238-36	JP238-3616	36”
JP238-42	JP238-4216	42”
JP238-48	JP238-4816	48”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

41.978” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP248-30	JP248-3016	30”
JP248-36	JP248-3616	36”
JP248-42	JP248-4216	42”
JP248-48	JP248-4816	48”

48.278” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP258-30	JP258-3016	30”
JP258-36	JP258-3616	36”
JP258-42	JP258-4216	42”
JP258-48	JP258-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP260-15	JP260-1516	15”
JP260-18	JP260-1816	18”
JP260-21	JP260-2116	21”
JP260-24	JP260-2416	24”

25.598” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP221-15	JP221-1516	15”
JP221-18	JP221-1816	18”
JP221-21	JP221-2116	21”
JP221-24	JP221-2416	24”

30.638” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP217-15	JP217-1516	15”
JP217-18	JP217-1816	18”
JP217-21	JP217-2116	21”
JP217-24	JP217-2416	24”


35.678” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP230-15	JP230-1516	15”
JP230-18	JP230-1816	18”
JP230-21	JP230-2116	21”
JP230-24	JP230-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP240-15	JP240-1516	15”
JP240-18	JP240-1816	18”
JP240-21	JP240-2116	21”
JP240-24	JP240-2416	24”

48.278” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP250-15	JP250-1516	15”
JP250-18	JP250-1816	18”
JP250-21	JP250-2116	21”
JP250-24	JP250-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP261-15	JP261-1516	15”
JP261-18	JP261-1816	18”
JP261-21	JP261-2116	21”
JP261-24	JP261-2416	24”

25.598” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP222-15	JP222-1516	15”
JP222-18	JP222-1816	18”
JP222-21	JP222-2116	21”
JP222-24	JP222-2416	24”

30.638” High Wall Cabinet - Solid Door Cabinet, Left Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP218-15	JP218-1516	15”
JP218-18	JP218-1816	18”
JP218-21	JP218-2116	21”
JP218-24	JP218-2416	24”


35.678” High Wall Cabinet - Solid Door Cabinet, Left Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP231-15	JP231-1516	15”
JP231-18	JP231-1816	18”
JP231-21	JP231-2116	21”
JP231-24	JP231-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP241-15	JP241-1516	15”
JP241-18	JP241-1816	18”
JP241-21	JP241-2116	21”
JP241-24	JP241-2416	24”

48.278” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP251-15	JP251-1516	15”
JP251-18	JP251-1816	18”
JP251-21	JP251-2116	21”
JP251-24	JP251-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP262-30	JP262-3016	30”
JP262-36	JP262-3616	36”
JP262-42	JP262-4216	42”
JP262-48	JP262-4816	48”

25.598” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP220-30	JP220-3016	30”
JP220-36	JP220-3616	36”
JP220-42	JP220-4216	42”
JP220-48	JP220-4816	48”

30.638” High Wall Cabinet - Solid Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JP203-30	JP203-3016	30”
JP203-36	JP203-3616	36”
JP203-42	JP203-4216	42”
JP203-48	JP203-4816	48”


35.678” High Wall Cabinet - Solid Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JP232-30	JP232-3016	30”
JP232-36	JP232-3616	36”
JP232-42	JP232-4216	42”
JP232-48	JP232-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP242-30	JP242-3016	30”
JP242-36	JP242-3616	36”
JP242-42	JP242-4216	42”
JP242-48	JP242-4816	48”

48.278” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP252-30	JP252-3016	30”
JP252-36	JP252-3616	36”
JP252-42	JP252-4216	42”
JP252-48	JP252-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP263-15	JP263-1516	15”
JP263-18	JP263-1816	18”
JP263-21	JP263-2116	21”
JP263-24	JP263-2416	24”

25.598” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP223-15	JP223-1516	15”
JP223-18	JP223-1816	18”
JP223-21	JP223-2116	21”
JP223-24	JP223-2416	24”

30.638” High Wall Cabinet - Framed Glass Door, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP210-15	JP210-1516	15”
JP210-18	JP210-1816	18”
JP210-21	JP210-2116	21”
JP210-24	JP210-2416	24”


35.678” High Wall Cabinet - Framed Glass Door, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JP233-15	JP233-1516	15”
JP233-18	JP233-1816	18”
JP233-21	JP233-2116	21”
JP233-24	JP233-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP243-15	JP243-1516	15”
JP243-18	JP243-1816	18”
JP243-21	JP243-2116	21”
JP243-24	JP243-2416	24”

48.278” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP253-15	JP253-1516	15”
JP253-18	JP253-1816	18”
JP253-21	JP253-2116	21”
JP253-24	JP253-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP264-15	JP264-1516	15”
JP264-18	JP264-1816	18”
JP264-21	JP264-2116	21”
JP264-24	JP264-2416	24”

25.598” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP224-15	JP224-1516	15”
JP224-18	JP224-1816	18”
JP224-21	JP224-2116	21”
JP224-24	JP224-2416	24”

30.638” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP211-15	JP211-1516	15”
JP211-18	JP211-1816	18”
JP211-21	JP211-2116	21”
JP211-24	JP211-2416	24”

35.678” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP234-15	JP234-1516	15”
JP234-18	JP234-1816	18”
JP234-21	JP234-2116	21”
JP234-24	JP234-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP244-15	JP244-1516	15”
JP244-18	JP244-1816	18”
JP244-21	JP244-2116	21”
JP244-24	JP244-2416	24”

48.278” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JP254-15	JP254-1516	15”
JP254-18	JP254-1816	18”
JP254-21	JP254-2116	21”
JP254-24	JP254-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP265-30	JP265-3016	30”
JP265-36	JP265-3616	36”
JP265-42	JP265-4216	42”
JP265-48	JP265-4816	48”

25.598” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP225-30	JP225-3016	30”
JP225-36	JP225-3616	36”
JP225-42	JP225-4216	42”
JP225-48	JP225-4816	48”

30.638” High Wall Cabinet - Framed Glass Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JP206-30	JP206-3016	30”
JP206-36	JP206-3616	36”
JP206-42	JP206-4216	42”
JP206-48	JP206-4816	48”


35.678” High Wall Cabinet - Framed Glass Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JP235-30	JP235-3016	30”
JP235-36	JP235-3616	36”
JP235-42	JP235-4216	42”
JP235-48	JP235-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP245-30	JP245-3016	30”
JP245-36	JP245-3616	36”
JP245-42	JP245-4216	42”
JP245-48	JP245-4816	48”

48.278” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JP255-30	JP255-3016	30”
JP255-36	JP255-3616	36”
JP255-42	JP255-4216	42”
JP255-48	JP255-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP266-30	JP266-3016	30”
JP266-36	JP266-3616	36”
JP266-42	JP266-4216	42”
JP266-48	JP266-4816	48”

25.598” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP226-30	JP226-3016	30”
JP226-36	JP226-3616	36”
JP226-42	JP226-4216	42”
JP226-48	JP226-4816	48”

30.638” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP205-30	JP205-3016	30”
JP205-36	JP205-3616	36”
JP205-42	JP205-4216	42”
JP205-48	JP205-4816	48”

35.678” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP236-30	JP236-3016	30”
JP236-36	JP236-3616	36”
JP236-42	JP236-4216	42”
JP236-48	JP236-4816	48”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP246-30	JP246-3016	30”
JP246-36	JP246-3616	36”
JP246-42	JP246-4216	42”
JP246-48	JP246-4816	48”

48.278” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP256-30	JP256-3016	30”
JP256-36	JP256-3616	36”
JP256-42	JP256-4216	42”
JP256-48	JP256-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

19.298” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP267-30	JP267-3016	30”
JP267-36	JP267-3616	36”
JP267-42	JP267-4216	42”
JP267-48	JP267-4816	48”

25.598” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP227-30	JP227-3016	30”
JP227-36	JP227-3616	36”
JP227-42	JP227-4216	42”
JP227-48	JP227-4816	48”

30.638” High Wall Cabinet - Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JP219-30	JP219-3016	30”
JP219-36	JP219-3616	36”
JP219-42	JP219-4216	42”
JP219-48	JP219-4816	48”


35.678” High Wall Cabinet - Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JP237-30	JP237-3016	30”
JP237-36	JP237-3616	36”
JP237-42	JP237-4216	42”
JP237-48	JP237-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

41.978” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP247-30	JP247-3016	30”
JP247-36	JP247-3616	36”
JP247-42	JP247-4216	42”
JP247-48	JP247-4816	48”

48.278” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP257-30	JP257-3016	30”
JP257-36	JP257-3616	36”
JP257-42	JP257-4216	42”
JP257-48	JP257-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP269-30	JP269-3016	30”
JP269-36	JP269-3616	36”
JP269-42	JP269-4216	42”
JP269-48	JP269-4816	48”

25.598” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP229-30	JP229-3016	30”
JP229-36	JP229-3616	36”
JP229-42	JP229-4216	42”
JP229-48	JP229-4816	48”

30.638” High Wall Cabinet - Framed Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JP208-30	JP208-3016	30”
JP208-36	JP208-3616	36”
JP208-42	JP208-4216	42”
JP208-48	JP208-4816	48”


35.678” High Wall Cabinet - Framed Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JP239-30	JP239-3016	30”
JP239-36	JP239-3616	36”
JP239-42	JP239-4216	42”
JP239-48	JP239-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP249-30	JP249-3016	30”
JP249-36	JP249-3616	36”
JP249-42	JP249-4216	42”
JP249-48	JP249-4816	48”

48.278” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JP259-30	JP259-3016	30”
JP259-36	JP259-3616	36”
JP259-42	JP259-4216	42”
JP259-48	JP259-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP286-30	JP286-3016	30”

30.638” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP287-30	JP287-3016	30”

35.678” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge



Cat. No.		Length
13” Deep	16” Deep	
JP288-30	JP288-3016	30”


41.978” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge



Cat. No.		Length
13” Deep	16” Deep	
JP202-30	JP202-3016	30”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP289-30	JP289-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP282-30	JP282-3016	30”

30.638” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP283-30	JP283-3016	30”

35.678” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP284-30	JP284-3016	30”

41.978” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP200-30	JP200-3016	30”

LAB SETUP AMERICA




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP285-30	JP285-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP294-30	JP294-3016	30”

30.638” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP295-30	JP295-3016	30”

35.678” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP296-30	JP296-3016	30”

41.978” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP299-30	JP299-3016	30”

LAB SETUP AMERICA




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP297-30	JP297-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP290-30	JP290-3016	30”

30.638” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP291-30	JP291-3016	30”

35.678” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge



Cat. No.		Length
13” Deep	16” Deep	
JP292-30	JP292-3016	30”


41.978” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge



Cat. No.		Length
13” Deep	16” Deep	
JP298-30	JP298-3016	30”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.


48.278” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JP293-30	JP293-3016	30”



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JP270-25	JP270-2516

30.638” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JP271-25	JP271-2516

35.678” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JP272-25	JP272-2516

41.978” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JP204-25	JP204-2516


LAB SETUP AMERICA



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet


48.278” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	**16” Deep**
JP273-25	JP273-2516



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP274-25	JP274-2516

30.638” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP275-25	JP275-2516

35.678” High Wall Cabinet - Solid Door, Right Hinge Only



Cat. No.	
13” Deep	16” Deep
JP276-25	JP276-2516


41.978” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP207-25	JP207-2516

LAB SETUP AMERICA


Steel Wall Cabinets



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet


48.278” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	**16” Deep**
JP277-25	JP277-2516



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP278-25	JP278-2516

30.638” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP279-25	JP279-2516

35.678” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP280-25	JP280-2516

41.978” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JP209-25	JP209-2516


LAB SETUP AMERICA



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

48.278” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	**16” Deep**
JP281-25	JP281-2516




- Pass Thru wall cabinets are 30.638” tall
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Glass Sliding Door Wall Cabinets come standard with float glass

30.638” High Wall Cabinet - Solid Swinging Door Pass-Thru Cabinets




Cat. No.		Length
13” Deep	16” Deep	
JPTPT203-30	JPTPT203-3016	30”
JPTPT203-36	JPTPT203-3616	36”
JPTPT203-42	JPTPT203-4216	42”
JPTPT203-48	JPTPT203-4816	48”

30.638” High Wall Cabinet - Glass Sliding Door Pass-Thru Cabinets




Cat. No.		Length
13” Deep	16” Deep	
JPTPT219-30	JPTPT219-3016	30”
JPTPT219-36	JPTPT219-3616	36”
JPTPT219-42	JPTPT219-4216	42”
JPTPT219-48	JPTPT219-4816	48”

Steel Wall Cabinets



- (2) mirrored interior sides
- (1) UV Light, ensures up to a 99.2% kill rate of germs, bacteria, mold, fungus and virus contaminants from eye wear surfaces.
- (8) adjustable shelves each hole up to (5) goggles or (6) safety glasses
- Lock prevents accidental exposure to UV rays and secures storage
- Timer control with 4 settings (2 minute, 5 minute, 10 minute and 15 minute)
- Goggles and glasses not included


Goggle Cabinet



Cat. No.	Dimensions
JPTP614-240L	24” x 34”




Open Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP351-18	JP338-18	JP301-18	JP348-18	18”
JP351-24	JP338-24	JP301-24	JP348-24	24”
JP351-30	JP338-30	JP301-30	JP348-30	30”
JP351-36	JP338-36	JP301-36	JP348-36	36”
JP351-42	JP338-42	JP301-42	JP348-42	42”
JP351-48	JP338-48	JP301-48	JP348-48	48”

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Door Tall Cabinet - Left Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP320-18	JP331-18	JP314-18	JP341-18	18”
JP320-24	JP331-24	JP314-24	JP341-24	24”

Solid Door Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP319-18	JP330-18	JP313-18	JP340-18	18”
JP319-24	JP330-24	JP313-24	JP340-24	24”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Swinging Door Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP353-30	JP332-30	JP303-30	JP342-30	30”
JP353-36	JP332-36	JP303-36	JP342-36	36”
JP353-42	JP332-42	JP303-42	JP342-42	42”
JP353-48	JP332-48	JP303-48	JP342-48	48”

Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Sliding Door Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP355-30	JP336-30	JP305-30	JP346-30	30”
JP355-36	JP336-36	JP305-36	JP346-36	36”
JP355-42	JP336-42	JP305-42	JP346-42	42”
JP355-48	JP336-48	JP305-48	JP346-48	48”




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass Door Cabinet - Left Hinged



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP322-18	JP334-18	JP316-18	JP344-18	18”
JP322-24	JP334-24	JP316-24	JP344-24	24”

Framed Glass Door Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP321-18	JP333-18	JP315-18	JP343-18	18”
JP321-24	JP333-24	JP315-24	JP343-24	24”

Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass Swinging Door Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP357-30	JP335-30	JP307-30	JP345-30	30”
JP357-36	JP335-36	JP307-36	JP345-36	36”
JP357-42	JP335-42	JP307-42	JP345-42	42”
JP357-48	JP335-48	JP307-48	JP345-48	48”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Sliding Tall Cabinets come standard with float glass

Framed Glass Sliding Door Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP358-30	JP337-30	JP308-30	JP347-30	30”
JP358-36	JP337-36	JP308-36	JP347-36	36”
JP358-42	JP337-42	JP308-42	JP347-42	42”
JP358-48	JP337-48	JP308-48	JP347-48	48”


LAB SETUP AMERICA

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass and Solid Door Instrument Cabinet - Left Hinged



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP324-18	JP362-18	JP318-18	JP365-18	18”
JP324-24	JP362-24	JP318-24	JP365-24	24”

Framed Glass and Solid Door Instrument Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP323-18	JP361-18	JP317-18	JP364-18	18”
JP323-24	JP361-24	JP317-24	JP364-24	24”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass


Framed Glass and Solid Door Instrument Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP359-30	JP363-30	JP309-30	JP366-30	30”
JP359-36	JP363-36	JP309-36	JP366-36	36”
JP359-42	JP363-42	JP309-42	JP366-42	42”
JP359-48	JP363-48	JP309-48	JP366-48	48”


LAB SETUP AMERICA

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Swinging Door Wardrobe Cabinet - Left Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP671-18	JP674-18	JP624-18	JP677-18	18”
JP671-24	JP674-24	JP624-24	JP677-24	24”

Swinging Door Wardrobe Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP670-18	JP673-18	JP623-18	JP676-18	18”
JP670-24	JP673-24	JP623-24	JP676-24	24”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Swinging Door Wardrobe Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JP672-30	JP675-30	JP622-30	JP678-30	30”
JP672-36	JP675-36	JP622-36	JP678-36	36”
JP672-42	JP675-42	JP622-42	JP678-42	42”
JP672-48	JP675-48	JP622-48	JP678-48	48”

Steel Base Cabinet Fillers

Base Filler with Toe Space




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between adjacent base cabinets or between a cabinet and the wall
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JPFFL-01	JPFFA-01	JPFFH-01	1”	No
JPFFL-03	JPFFA-03	JPFFH-03	3”	No
JPFFL-06	JPFFA-06	JPFFH-06	6”	++
JPFFL-ADJ*	JPFFA-ADJ*	JPFFH-ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


Rear/Center Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back-to-back base cabinets or to close space at the rear of the cabinet
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JPFRL-01	JPFRA-01	JPFRH-01	1”	No
JPFRL-02	JPFRA-02	JPFRH-02	2”	No
JPFRL-06	JPFRA-06	JPFRH-06	6”	No
JPFRL-07	JPFRA-07	JPFRH-07	7”	No
JPFRL-08	JPFRA-08	JPFRH-08	8”	No
JPFRL-14	JPFRA-14	JPFRH-14	14”	No
JPFRL-ADJ	JPFRA-ADJ	JPFRH-ADJ	1” - 18”	Yes
JPFRL-20	JPFRA-20	JPFRH-20	20”	No

Base Corner Filler




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two cabinets in a corner
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JPFCL-01	JPFCA-01	JPFCH-01	1”	No
JPFCL-03	JPFCA-03	JPFCH-03	3”	No
JPFCL-06	JPFCA-06	JPFCH-06	6”	++
JPFCL-ADJ*	JPFCA-ADJ*	JPFCH-ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

* Cut to fit and includes slip fit trim angle


Knee Space Panel for use with Apron Rail



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron rail
- Custom fillers available, contact your ICI Representative

Cat. No.			Length
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”	
JPKSL-12	JPKSA-12	JPKSH-12	12”
JPKSL-15	JPKSA-15	JPKSH-15	15”
JPKSL-18	JPKSA-18	JPKSH-18	18”
JPKSL-21	JPKSA-21	JPKSH-21	21”
JPKSL-24	JPKSA-24	JPKSH-24	24”
JPKSL-30	JPKSA-30	JPKSH-30	30”
JPKSL-36	JPKSA-36	JPKSH-36	36”
JPKSL-42	JPKSA-42	JPKSH-42	42”
JPKSL-48	JPKSA-48	JPKSH-48	48”
JPKSL-54	JPKSA-54	JPKSH-54	54”
JPKSL-60	JPKSA-60	JPKSH-60	60”
JPKSL-66	JPKSA-66	JPKSH-66	66”
JPKSL-72	JPKSA-72	JPKSH-72	72”
JPKSL-ADJ*	JPKSA-ADJ*	JPKSH-ADJ*	1” - 48”

Knee Space Panel for use with Apron Frame



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron frame
- Custom fillers available, contact your ICI Representative

Cat. No.			Length
Sitting Height 23.038”	ADA Height 28.078”	Standing Height 30.598”	
JPKSL-1204	JPKSA-1204	JPKSH-1204	12”
JPKSL-1504	JPKSA-1504	JPKSH-1504	15”
JPKSL-1804	JPKSA-1804	JPKSH-1804	18”
JPKSL-2104	JPKSA-2104	JPKSH-2104	21”
JPKSL-2404	JPKSA-2404	JPKSH-2404	24”
JPKSL-3004	JPKSA-3004	JPKSH-3004	30”
JPKSL-3604	JPKSA-3604	JPKSH-3604	36”
JPKSL-4204	JPKSA-4204	JPKSH-4204	42”
JPKSL-4804	JPKSA-4804	JPKSH-4804	48”
JPKSL-5404	JPKSA-5404	JPKSH-5404	54”
JPKSL-6004	JPKSA-6004	JPKSH-6004	60”
JPKSL-6604	JPKSA-6604	JPKSH-6604	66”
JPKSL-7204	JPKSA-7204	JPKSH-7204	72”
JPKSL-ADJ04*	JPKSA-ADJ04*	JPKSH-ADJ04*	1” - 48”

* Cut to fit and includes slip fit trim angle

LAB SETUP AMERICA


Wall Rear Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back of wall cabinet and the wall

Cat. No.						Length	
19.298" Tall	25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		Slip Joint
JPFWR-18	JPFWR-24	JPFWR-30	JPFWR-36	JPFWR-42	JPFWR-48	1"	No

Wall Front Filler




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets
- Note: modified fillers should only ordered in 1/8" increments

Cat. No.						Length	
19.298" Tall	25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		Slip Joint
13" Deep							
JPFWL-1801	JPFWL-2401	JPFWL-3001	JPFWL-3601	JPFWL-4201	JPFWL-4801	1"	No
JPFWL-1803	JPFWL-2403	JPFWL-3003	JPFWL-3603	JPFWL-4203	JPFWL-4803	3"	No
JPFWL-1806	JPFWL-2406	JPFWL-3006	JPFWL-3606	JPFWL-4206	JPFWL-4806	6"	++
JPFWL-18ADJ*	JPFWL-24ADJ*	JPFWL-30ADJ*	JPFWL-36ADJ*	JPFWL-42ADJ*	JPFWL-48ADJ*	1" - 18"	Yes
16" Deep							
JPFWH-1801	JPFWH-2401	JPFWH-3001	JPFWH-3601	JPFWH-4201	JPFWH-4801	1"	No
JPFWH-1803	JPFWH-2403	JPFWH-3003	JPFWH-3603	JPFWH-4203	JPFWH-4803	3"	No
JPFWH-1806	JPFWH-2406	JPFWH-3006	JPFWH-3606	JPFWH-4206	JPFWH-4806	6"	++
JPFWH-18ADJ*	JPFWH-24ADJ*	JPFWH-30ADJ*	JPFWH-36ADJ*	JPFWH-42ADJ*	JPFWH-48ADJ*	1" - 18"	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Wall Corner Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets in a corner
- Note: modified fillers should only ordered in 1/8" increments

Cat. No.					Length	Slip Joint
25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		
13" Deep						
JPFWC-2401	JPFWC-3001	JPFWC-3601	JPFWC-4201	JPFWC-4801	1"	No
JPFWC-2403	JPFWC-3003	JPFWC-3603	JPFWC-4203	JPFWC-4803	3"	No
JPFWC-2406	JPFWC-3006	JPFWC-3606	JPFWC-4206	JPFWC-4806	6"	++
JPFWC-24ADJ*	JPFWC-30ADJ*	JPFWC-36ADJ*	JPFWC-42ADJ*	JPFWC-48ADJ*	1" - 18"	Yes
16" Deep						
JPFWD-2401	JPFWD-3001	JPFWD-3601	JPFWD-4201	JPFWD-4801	1"	No
JPFWD-2403	JPFWD-3003	JPFWD-3603	JPFWD-4203	JPFWD-4803	3"	No
JPFWD-2406	JPFWD-3006	JPFWD-3606	JPFWD-4206	JPFWD-4806	6"	++
JPFWD-24ADJ*	JPFWD-30ADJ*	JPFWD-36ADJ*	JPFWD-42ADJ*	JPFWD-48ADJ*	1" - 18"	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


* Cut to fit and includes slip fit trim angle

Light Valances for Wall Cabinets

Cat. No	For use with:
VAL-12	12” Wide Cabinet
VAL-15	15” Wide Cabinet
VAL-18	18” Wide Cabinet
VAL-21	21” Wide Cabinet
VAL-24	24” Wide Cabinet
VAL-30	30” Wide Cabinet
VAL-36	36” Wide Cabinet
VAL-42	42” Wide Cabinet
VAL-48	48” Wide Cabinet
VAL-54	54” Wide Cabinet
VAL-60	60” Wide Cabinet
VAL-66	66” Wide Cabinet

Steel Tall Cabinet Fillers

Tall Corner Filler




- For use between two tall cabinets in a corner
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.				Length	Slip Joint
16” Deep	18” Deep	22” Deep	24” Deep		
JPFTC-1601	JPFTC-1801	JPFTC-2201	JPFTC-2401	1”	No
JPFTC-1603	JPFTC-1803	JPFTC-2203	JPFTC-2403	3”	No
JPFTC-1606	JPFTC-1806	JPFTC-2206	JPFTC-2406	6”	++
JPFTC-16ADJ*	JPFTC-18ADJ*	JPFTC-22ADJ*	JPFTC-24ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Tall Front Filler



- For use between two tall cabinets
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.				Length	Slip Joint
16” Deep	18” Deep	22” Deep	24” Deep		
JPFTL-1601	JPFTL-1801	JPFTL-2201	JPFTL-2401	1”	No
JPFTL-1603	JPFTL-1803	JPFTL-2203	JPFTL-2403	3”	No
JPFTL-1606	JPFTL-1806	JPFTL-2206	JPFTL-2406	6”	++
JPFTL-16ADJ*	JPFTL-18ADJ*	JPFTL-22ADJ*	JPFTL-24ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Tall Rear Filler




- For use between a tall cabinet and the wall
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.	Length	Slip Joint
JPFTR-05	5”	No
JPFTR-07	7”	No
JPFTR-11	11”	No
JPFTR-ADJ*	1” - 18”	No

* Cut to fit and includes slip fit trim angle


Sloped Top



- Slope tops for wall cabinets or tall cabinets
- All slope tops have finished ends
- 18 gauge construction
- All slope tops are 8” tall
- Note: modified fillers should only ordered in 1/8” increments
- For corner conditions that need sloped tops, please contact your ICI representative


Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JP526-12	JP522-12	JP527-12	JP524-12	JP528-12	12”
JP526-15	JP522-15	JP527-15	JP524-15	JP528-15	15”
JP526-18	JP522-18	JP527-18	JP524-18	JP528-18	18”
JP526-21	JP522-21	JP527-21	JP524-21	JP528-21	21”
JP526-24	JP522-24	JP527-24	JP524-24	JP528-24	24”
JP526-30	JP522-30	JP527-30	JP524-30	JP528-30	30”
JP526-36	JP522-36	JP527-36	JP524-36	JP528-36	36”
JP526-42	JP522-42	JP527-42	JP524-42	JP528-42	42”
JP526-48	JP522-48	JP527-48	JP524-48	JP528-48	48”
JP526-54	JP522-54	JP527-54	JP524-54	JP528-54	54”
JP526-60	JP522-60	JP527-60	JP524-60	JP528-60	60”
JP526-66	JP522-66	JP527-66	JP524-66	JP528-66	66”
JP526-72	JP522-72	JP527-72	JP524-72	JP528-72	72”
JP526-84	JP522-84	JP527-84	JP524-84	JP528-84	84”
JP526-96	JP522-96	JP527-96	JP524-96	JP528-96	96”

Slope Top Filler Trim




Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JP57001	JP57101	JP57201	JP57301	JP57501	1”
JP57002	JP57102	JP57202	JP57302	JP57502	2”
JP57003	JP57103	JP57203	JP57303	JP57503	3”
JP57004	JP57104	JP57204	JP57304	JP57504	4”
JP57005	JP57105	JP57205	JP57305	JP57505	5”
JP57006	JP57106	JP57206	JP57306	JP57506	6”

Ceiling Filler Trim



Cat. No. 13” Deep	Length
JP58001	1”
JP58002	2”
JP58003	3”
JP58004	4”
JP58005	5”
JP58006	6”
JP580ADJ	1” - 18”

Corner Slope Top




12” Deep 16” Deep

Cat. No.	Depth
P526-C12	12”
P526-C16	16”

LAB SETUP AMERICA

Steel Accessories


Ceiling Filler



- Ceiling filler for wall cabinets or tall cabinets
- All ceiling fillers have finished ends
- Ceiling fillers are 11” tall
- 18 gauge construction
- Note: modified fillers should only ordered in 1/8” increments


Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JP530-12	JP536-12	JP537-12	JP538-12	JP532-12	12”
JP530-15	JP536-15	JP537-15	JP538-15	JP532-15	15”
JP530-18	JP536-18	JP537-18	JP538-18	JP532-18	18”
JP530-21	JP536-21	JP537-21	JP538-21	JP532-21	21”
JP530-24	JP536-24	JP537-24	JP538-24	JP532-24	24”
JP530-30	JP536-30	JP537-30	JP538-30	JP532-30	30”
JP530-36	JP536-36	JP537-36	JP538-36	JP532-36	36”
JP530-42	JP536-42	JP537-42	JP538-42	JP532-42	42”
JP530-48	JP536-48	JP537-48	JP538-48	JP532-48	48”
JP530-54	JP536-54	JP537-54	JP538-54	JP532-54	54”
JP530-60	JP536-60	JP537-60	JP538-60	JP532-60	60”
JP530-66	JP536-66	JP537-66	JP538-66	JP532-66	66”
JP530-72	JP536-72	JP537-72	JP538-72	JP532-72	72”
JP530-84	JP536-84	JP537-84	JP538-84	JP532-84	84”
JP530-96	JP536-96	JP537-96	JP538-96	JP532-96	96”

Painted Steel Shelf




Cat. No.			Length
10” Deep	12” Deep	16” Deep	
JP59224	JP59324	JP59524	24”
JP59236	JP59336	JP59536	36”
JP59248	JP59348	JP59548	48”
JP59260	JP59360	JP59560	60”
JP59272	JP59372	JP59572	72”
JP59296	JP59396	JP59596	96”

Painted Steel Shelf




Cat. No.		Length
8” Deep	12” Deep	
JP59124	JP5912412	24”
JP59130	JP5913012	30”
JP59136	JP5913612	36”
JP59148	JP5914812	48”

Fold Down Shelf




Cat. No.	Length
15” Deep	
JP51818	18”
JP51824	24”

Fold Down Top




Cat. No. 24” Deep	Length
JP59024	24”
JP59030	30”
JP59036	36”

Strut Support for Pipe Chase




Cat. No.			Length
Sitting Height 27.063” H	ADA Height 32.105” H	Standing Height 34.625” H	
JP54207	JP58207	JP51207	7”
JP54208	JP58208	JP51208	8”
JP54213	JP58213	JP51213	13”
JP54214	JP58214	JP51214	14”
JP54220	JP58220	JP51220	20”
JP54226	JP58226	JP51226	26”

Reagent Shelf Supports



Cat. No.		
8” Deep	12” Deep	16” Deep
JP51108	JP51112	JP51116

Pipe Chase



JP50924


Cat. No.	Cat. No. Dimensions	Type
JP50924	26” x 6” x 84”	Pipe Chase
JP50924U	26” x 6” x 84”	Pipe Chase with Unistrut
JP50924WHU	26” x 6” x 84”	Pipe Chase with Unistrut and Hooks

Finish Back Panels

- To be used on the back of base cabinets

Sitting Height 27.063" H	Cat. No. ADA Height 32.105" H	Standing Height 34.625" H	Length
FBL-12	FBA-12	FBH-12	12"
FBL-15	FBA-15	FBH-15	15"
FBL-18	FBA-18	FBH-18	18"
FBL-21	FBA-21	FBH-21	21"
FBL-24	FBA-24	FBH-24	24"
FBL-30	FBA-30	FBH-30	30"
FBL-36	FBA-36	FBH-36	36"
FBL-42	FBA-42	FBH-42	42"
FBL-48	FBA-48	FBH-48	48"
FBL-52	FBA-52	FBH-52	52"
FBL-58	FBA-58	FBH-58	58"
FBL-60	FBA-60	FBH-60	60"


6" Deep U-Shape Finish Back Panels



- To be used on the back of base cabinets
- For Stainless Steel, add an "S" to the end of the catalog number

Sitting Height 27.063" H Painted Steel	Cat. No. ADA Height 32.105" H Painted Steel	Standing Height 34.625" H Painted Steel	Length
FBLU-36	FBAU-36	FBHU-36	36"
FBLU-42	FBAU-42	FBHU-42	42"
FBLU-48	FBAU-48	FBHU-48	48"
FBLU-52	FBAU-52	FBHU-52	52"
FBLU-58	FBAU-58	FBHU-58	58"
FBLU-60	FBAU-60	FBHU-60	60"
FBLU-72	FBAU-72	FBHU-72	72"


6” Deep U-Shape Finish Back Panels with toe space on 3 sides



- To be used on the back of base cabinets
- For Stainless Steel, add an “S” to the end of the catalog number

Cat. No.			Length
Sitting Height 27.063” H Painted Steel	ADA Height 32.105” H Painted Steel	Standing Height 34.625” H Painted Steel	
FBLUT-52	FBAUT-52	FBHUT-52	52”
FBLUT-58	FBAUT-58	FBHUT-58	58”
FBLUT-60	FBAUT-60	FBHUT-60	60”

Sink Supports



Note:


- Add 12 to the end of the product number for sinks greater in depth than 11”. Example: JP535-1212
- Add 18 to the end of the product number for sinks greater in depth that 17”. Example: JP535-1218

- Two 12 gauge channels
- 1/4-20 rods for adjustment
- Use to support epoxy resin sink bowls.

Cat. No	For use with:
JPP535-12	12” Wide Cabinet
JPP535-15	15” Wide Cabinet
JPP535-18	18” Wide Cabinet
JPP535-21	21” Wide Cabinet
JPP535-24	24” Wide Cabinet
JPP535-30	30” Wide Cabinet
JPP535-36	36” Wide Cabinet
JPP535-42	42” Wide Cabinet
JPP535-48	48” Wide Cabinet
JPP535-52	52” Wide Cabinet
JPP535-58	58” Wide Cabinet
JPP535-60	60” Wide Cabinet


LAB SETUP AMERICA

Roll Out Trays




- For Stainless Steel, change “P” to a “S” in catalog number

Cat. No		For use with:
For Swing Door Cabinet	For Open Face Cabinet	
P520-12	P521-12	12” Wide Cabinet
P520-15	P521-15	15” Wide Cabinet
P520-18	P521-18	18” Wide Cabinet
P520-21	P521-21	21” Wide Cabinet
P520-24	P521-24	24” Wide Cabinet
P520-30	P521-30	30” Wide Cabinet
P520-36	P521-36	36” Wide Cabinet
P520-42	P521-42	42” Wide Cabinet
P520-48	P521-48	48” Wide Cabinet




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

23.0625” High Suspended Open Cabinets




Cat. No.	Length
JP801-12	12”
JP801-15	15”
JP801-18	18”
JP801-21	21”
JP801-24	24”
JP801-30	30”
JP801-36	36”
JP801-42	42”
JP801-48	48”


23.0625” High Suspended Door Cabinets




Cat. No.	Length
Left Hinged	
JP803-12	12”
JP803-15	15”
JP803-18	18”
JP803-21	21”
JP803-24	24”



Cat. No.	Length
Right Hinged	
JP802-12	12”
JP802-15	15”
JP802-18	18”
JP802-21	21”
JP802-24	24”




Cat. No.	Length
JP804-30	30”
JP804-36	36”
JP804-42	42”
JP804-48	48”




Sink cabinet with half back

Cat. No.	Length
JP881-30	30”
JP881-36	36”
JP881-42	42”
JP881-48	48”


23.0625” High Suspended Drawer Cabinets




Cat. No.	Length



Cat. No.	Length
JP818-30	30”
JP818-36	36”
JP818-42	42”
JP818-48	48”




Cat. No.	Length
JP823-30	30”
JP823-36	36”
JP823-42	42”
JP823-48	48”



Cat. No.	Length


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


23.0625” High Suspended Drawer Cabinets




Cat. No.	Length
JP820-15	15”
JP820-18	18”
JP820-21	21”
JP820-24	24”




Cat. No.	Length
JP821-15	15”
JP821-18	18”
JP821-21	21”
JP821-24	24”




Cat. No.	Length
JP827-30	30”
JP827-36	36”
JP827-42	42”
JP827-48	48”



Cat. No.	Length
JP828-30	30”
JP828-36	36”
JP828-42	42”
JP828-48	48”




Cat. No.	Length
JP822-15	15”
JP822-18	18”
JP822-21	21”
JP822-24	24”




Cat. No.	Length
JP833-15	15”
JP833-18	18”
JP833-21	21”
JP833-24	24”


23.0625” High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
JP806-15	15”
JP806-18	18”
JP806-21	21”
JP806-24	24”




Cat. No.	Length
Right Hinged	
JP805-15	15”
JP805-18	18”
JP805-21	21”
JP805-24	24”



Cat. No.	Length
JP807-30	30”
JP807-36	36”
JP807-42	42”
JP807-48	48”




Cat. No.	Length
JP808-30	30”
JP808-36	36”
JP808-42	42”
JP808-48	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


23.0625” High Suspended Combination Cabinets




Cat. No. Left Cabinet	Length
JP811-30	30”
JP811-36	36”
JP811-42	42”
JP811-48	48”



Cat. No. Right Cabinet	Length
JP810-30	30”
JP810-36	36”
JP810-42	42”
JP810-48	48”




Cat. No. Left Cabinet	Length
JP813-30	30”
JP813-36	36”
JP813-42	42”
JP813-48	48”



Cat. No. Right Cabinet	Length


23.0625” High Suspended Corner Cabinet



Cat. No. Right Hinged
JP829-32

LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- Actual product dimensions may vary slightly due to style and hardware selection


23.0625” High Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.


Slam Latch




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JP830-18SL	18”
JP830-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP830-18SLA	18”
JP830-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP830-18SLAS	18”
JP830-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JP831-18SL	18”
JP831-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP831-18SLA	18”
JP831-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP831-18SLAS	18”
JP831-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JP831-30SL	30”
JP831-36SL	36”
JP831-42SL	42”
JP831-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JP831-30SLA	30”
JP831-36SLA	36”
JP831-42SLA	42”
JP831-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP831-30SLAS	30”
JP831-36SLAS	36”
JP831-42SLAS	42”
JP831-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JP831-30SLASY	30”
JP831-36SLASY	36”
JP831-42SLASY	42”
JP831-48SLASY	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625” H - Open Suspended Cabinets




Cat. No.	Length
JP840-12	12”
JP840-15	15”
JP840-18	18”
JP840-21	21”
JP840-24	24”
JP840-30	30”
JP840-36	36”
JP840-42	42”
JP840-48	48”


30.625” H - Door Suspended Cabinets



Cat. No.	Length
Left Hinged	
JP841-12	12”
JP841-15	15”
JP841-18	18”
JP841-21	21”
JP841-24	24”




Cat. No.	Length
Right Hinged	
JP842-12	12”
JP842-15	15”
JP842-18	18”
JP842-21	21”
JP842-24	24”



Cat. No.	Length
JP843-30	30”
JP843-36	36”
JP843-42	42”
JP843-48	48”


30.625” H - Drawer Suspended Cabinets




Cat. No.	Length
JP859-15	15”
JP859-18	18”
JP859-21	21”
JP859-24	24”



Cat. No.	Length
JP860-30	30”
JP860-36	36”
JP860-42	42”
JP860-48	48”




Cat. No.	Length
JP861-30	30”
JP861-36	36”
JP861-42	42”
JP861-48	48”



Cat. No.	Length
JP865-30	30”
JP865-36	36”
JP865-42	42”
JP865-48	48”


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625” High Suspended Drawer Cabinets




Cat. No.	Length
JP866-30	30”
JP866-36	36”
JP866-42	42”
JP866-48	48”




Cat. No.	Length
JP867-30	30”
JP867-36	36”
JP867-42	42”
JP867-48	48”



Cat. No.	Length
JP862-15	15”
JP862-18	18”
JP862-21	21”
JP862-24	24”




Cat. No.	Length
JP863-15	15”
JP863-18	18”
JP863-21	21”
JP863-24	24”




Cat. No.	Length
JP864-15	15”
JP864-18	18”
JP864-21	21”
JP864-24	24”


30.625” High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
JP844-15	15”
JP844-18	18”
JP844-21	21”
JP844-24	24”




Cat. No.	Length
Right Hinged	
JP845-15	15”
JP845-18	18”
JP845-21	21”
JP845-24	24”



Cat. No.	Length




Cat. No.	Length
JP847-30	30”
JP847-36	36”
JP847-42	42”
JP847-48	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625” Hight Suspended Combination Cabinets




Cat. No.	Length
JP848-30	30”
JP848-36	36”
JP848-42	42”
JP848-48	48”




Cat. No.	Length
Left Cabinet	
JP849-30	30”
JP849-36	36”
JP849-42	42”
JP849-48	48”




Cat. No.	Length
Right Cabinet	
JP850-30	30”
JP850-36	36”
JP850-42	42”
JP850-48	48”




Cat. No.	Length
Left Cabinet	
JP851-30	30”
JP851-36	36”
JP851-42	42”
JP851-48	48”




Cat. No.	Length
Right Cabinet	
JP852-30	30”
JP852-36	36”
JP852-42	42”
JP852-48	48”




Cat. No.	Length
Left Cabinet	
JP853-30	30” L
JP853-36	36” L
JP853-42	42” L
JP853-48	48” L




Cat. No.	Length
Right Cabinet	
JP854-30	30”
JP854-36	36”
JP854-42	42”
JP854-48	48”




Cat. No.	Length
Left Cabinet	
JP855-30	30”
JP855-36	36”
JP855-42	42”
JP855-48	48”



Cat. No.	Length
Right Cabinet	
JP856-30	30” L
JP856-36	36” L
JP856-42	42” L
JP856-48	48” L




Cat. No.	Length
Left Cabinet	
JP857-30	30”
JP857-36	36”
JP857-42	42”
JP857-48	48”



Cat. No.	Length
Right Cabinet	
JP858-30	30”
JP858-36	36”
JP858-42	42”
JP858-48	48”


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625” High Suspended Corner Cabinet




Cat. No. Right Hinged
JP868-32

Suspended Pencil Drawer




- 3 7/8” tall and 22” deep
- Designed to be hung from a table system
- Each suspended cabinet furnished with complete hanging hardware

Cat. No.	Length
JPPPD1522	15”
JPPPD1822	18”
JPPPD2122	21”
JPPPD2422	24”
JPPPD3022	30”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


23.285” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JP1042-18	18”
JP1042-24	24”




Cat. No.	Length
Right Hinged	
JP1041-18	18”
JP1041-24	24”




Cat. No.	Length
JP1043-30	30”
JP1043-36	36”

23.285” High Mobile Drawer Cabinets




Cat. No.	Length
JP1059-18	18”
JP1059-24	24”




Cat. No.	Length
JP1059-30	30”
JP1059-36	36”


23.285” High Mobile Combination Cabinets



Cat. No.	Length
Left Hinged	
JP1044-24	24”




Cat. No.	Length
Right Hinged	
JP1045-24	24”



Cat. No.	Length
JP1046-30	30”

LAB SETUP AMERICA

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.


27.065” Slam Latch




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JP897-18SL	18”
JP897-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP897-18SLA	18”
JP897-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP897-18SLAS	18”
JP897-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JP899-18SL	18”
JP899-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JP899-18SLA	18”
JP899-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP899-18SLAS	18”
JP899-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JP899-30SL	30”
JP899-36SL	36”
JP899-42SL	42”
JP899-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JP899-30SLA	30”
JP899-36SLA	36”
JP899-42SLA	42”
JP899-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JP899-30SLAS	30”
JP899-36SLAS	36”
JP899-42SLAS	42”
JP899-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JP899-30SLASY	30”
JP899-36SLASY	36”
JP899-42SLASY	42”
JP899-48SLASY	48”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


27.065” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JP1076-18	18”
JP1076-24	24”




Cat. No.	Length
Right Hinged	
JP1075-18	18”
JP1075-24	24”




Cat. No.	Length
JP1063-30	30”
JP1063-36	36”


27.065” Mobile Drawer Cabinets




Cat. No.	Length
JP1070-18	18”
JP1070-24	24”




Cat. No.	Length
JP1071-18	18”
JP1071-24	24”



Cat. No.	Length
JP1072-18	18”
JP1072-24	24”




Cat. No.	Length
JP1072-30	30”
JP1072-36	36”



Cat. No.	Length
JP1073-18	18”
JP1073-24	24”


LAB SETUP AMERICA

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


27.065” Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
JP1069-15	15”
JP1069-18	18”
JP1069-24	24”




Cat. No.	Length
Right Hinged	
JP1068-15	15”
JP1068-18	18”
JP1068-24	24”




Cat. No.	Length
JP1065-30	30”
JP1065-36	36”



Cat. No.	Length
JP1083-30	30”
JP1083-36	36”
JP1083-42	42”




Cat. No.	Length
JP1082-30	30”
JP1082-36	36”
JP1082-42	42”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


32.105” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JP1003-18	18”
JP1003-24	24”




Cat. No.	Length
Right Hinged	
JP1002-18	18”
JP1002-24	24”




Cat. No.	Length
JP1003-30	30”
JP1003-36	36”
JP1003-42	42”
JP1003-48	48”


32.105” High Mobile Drawer Cabinets




Cat. No.	Length
JP1021-18	18”
JP1021-24	24”




Cat. No.	Length
JP1021-30	30”
JP1021-36	36”




Cat. No.	Length
JP1027-18	18”
JP1027-24	24”



Cat. No.	Length
JP1022-18	18”
JP1022-24	24”




Cat. No.	Length
JP1022-30	30”
JP1022-36	36”



Cat. No.	Length
JP1127-30	30”
JP1127-36	36”
JP1127-42	42”


LAB SETUP AMERICA

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


32.105” Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
JP1019-15	15”
JP1019-18	18”
JP1019-24	24”



Cat. No.	Length
Right Hinged	
JP1018-15	15”
JP1018-18	18”
JP1018-24	24”




Cat. No.	Length
JP1005-30	30”
JP1005-36	36”
JP1005-42	42”




Cat. No.	Length
JP1006-30	30”
JP1006-36	36”
JP1006-42	42”

4” High Table Frame - No Drawer



Example of 24”-48” Long Table Frame


Cat. No.		Length
22” Deep	28” Deep	
JPTBA-2422	JPTBA-2428	24”
JPTBA-3022	JPTBA-3028	30”
JPTBA-3622	JPTBA-3628	36”
JPTBA-4222	JPTBA-4228	42”
JPTBA-4822	JPTBA-4828	48”



Example of 54”-72” Long Table Frame


Cat. No.		Length
22” Deep	28” Deep	
JPTBA-5422	JPTBA-5428	54”
JPTBA-6022	JPTBA-6028	60”
JPTBA-6622	JPTBA-6628	66”
JPTBA-7222	JPTBA-7228	72”

4” High Table Frame - Single Drawer



Example of 24”-48” Long Table Frame

Cat. No.		Length
22” Deep	28” Deep	
JPTBA-2422-1	JPTBA-2428-1	24”
JPTBA-3022-1	JPTBA-3028-1	30”
JPTBA-3622-1	JPTBA-3628-1	36”
JPTBA-4222-1	JPTBA-4228-1	42”
JPTBA-4822-1	JPTBA-4828-1	48”




Example of 54”-72” Long Table Frame

Cat. No.		Length
22” Deep	28” Deep	
JPTBA-5422-1	JPTBA-5428-1	54”
JPTBA-6022-1	JPTBA-6028-1	60”
JPTBA-6622-1	JPTBA-6628-1	66”
JPTBA-7222-1	JPTBA-7228-1	72”


Steel Table Frames

4” High Table Frame - Double Drawer




Cat. No.		Length
22” Deep	28” Deep	

Apron Rails



Cat. No.		Length
2” High	4” High	
JPTBR-2402	JPTBR-2404	24”
JPTBR-3002	JPTBR-3004	30”
JPTBR-3602	JPTBR-3604	36”
JPTBR-4802	JPTBR-4804	48”
JPTBR-7202	JPTBR-7204	72”


ADA Table Frame




Chase on Left Side Shown

Cat. No.		Dimensions
Chase on Left Side	Chase on Right Side	
40587004A	40587004AR	48” W x 32.5” T x 30” D
40587005A	40587005AR	60” W x 32.5” T x 30” D
40587006A	40587006AR	72” W x 32.5” T x 30” D

Table Assemblies - No Drawer






- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required


Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBL-3024	JPTBL-3030	-	-	-	30”
JPTBL-3624	JPTBL-3630	JPTBL-3636	-	-	36”
JPTBL-4224	JPTBL-4230	JPTBL-4236	JPTBL-4242	-	42”
JPTBL-4824	JPTBL-4830	JPTBL-4836	JPTBL-4842	JPTBL-4848	48”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBH-3024	JPTBH-3030	-	-	-	30”
JPTBH-3624	JPTBH-3630	JPTBH-3636	-	-	36”
JPTBH-4224	JPTBH-4230	JPTBH-4236	JPTBH-4242	-	42”
JPTBH-4824	JPTBH-4830	JPTBH-4836	JPTBH-4842	JPTBH-4848	48”

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBL-5424	JPTBL-5430	JPTBL-5436	JPTBL-5442	JPTBL-5448	54”
JPTBL-6024	JPTBL-6030	JPTBL-6036	JPTBL-6042	JPTBL-6048	60”
JPTBL-6624	JPTBL-6630	JPTBL-6636	JPTBL-6642	JPTBL-6648	66”
JPTBL-7224	JPTBL-7230	JPTBL-7236	JPTBL-7242	JPTBL-7248	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBH-5424	JPTBH-5430	JPTBH-5436	JPTBH-5442	JPTBH-5448	54”
JPTBH-6024	JPTBH-6030	JPTBH-6036	JPTBH-6042	JPTBH-6048	60”
JPTBH-6624	JPTBH-6630	JPTBH-6636	JPTBH-6642	JPTBH-6648	66”
JPTBH-7224	JPTBH-7230	JPTBH-7236	JPTBH-7242	JPTBH-7248	72”

Steel Table Assemblies

Table Assemblies - with 1 Drawer






- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBL-3024-1	JPTBL-3030-1	-	-	-	30”
JPTBL-3624-1	JPTBL-3630-1	JPTBL-3636-1	-	-	36”
JPTBL-4224-1	JPTBL-4230-1	JPTBL-4236-1	JPTBL-4242-1	-	42”
JPTBL-4824-1	JPTBL-4830-1	JPTBL-4836-1	JPTBL-4842-1	JPTBL-4848-1	48”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBH-3024-1	JPTBH-3030-1	-	-	-	30”
JPTBH-3624-1	JPTBH-3630-1	JPTBH-3636-1	-	-	36”
JPTBH-4224-1	JPTBH-4230-1	JPTBH-4236-1	JPTBH-4242-1	-	42”
JPTBH-4824-1	JPTBH-4830-1	JPTBH-4836-1	JPTBH-4842-1	JPTBH-4848-1	48”

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBL-5424-1	JPTBL-5430-1	JPTBL-5436-1	JPTBL-5442-1	JPTBL-5448-1	54”
JPTBL-6024-1	JPTBL-6030-1	JPTBL-6036-1	JPTBL-6042-1	JPTBL-6048-1	60”
JPTBL-6624-1	JPTBL-6630-1	JPTBL-6636-1	JPTBL-6642-1	JPTBL-6648-1	66”
JPTBL-7224-1	JPTBL-7230-1	JPTBL-7236-1	JPTBL-7242-1	JPTBL-7248-1	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBH-5424-1	JPTBH-5430-1	JPTBH-5436-1	JPTBH-5442-1	JPTBH-5448-1	54”
JPTBH-6024-1	JPTBH-6030-1	JPTBH-6036-1	JPTBH-6042-1	JPTBH-6048-1	60”
JPTBH-6624-1	JPTBH-6630-1	JPTBH-6636-1	JPTBH-6642-1	JPTBH-6648-1	66”
JPTBH-7224-1	JPTBH-7230-1	JPTBH-7236-1	JPTBH-7242-1	JPTBH-7248-1	72”


Table Assemblies



- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required


Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBL-4824-2	JPTBL-4830-2	JPTBL-4836-2	JPTBL-4842-2	JPTBL-4848-2	48”
JPTBL-5424-2	JPTBL-5430-2	JPTBL-5436-2	JPTBL-5442-2	JPTBL-5448-2	54”
JPTBL-6024-2	JPTBL-6030-2	JPTBL-6036-2	JPTBL-6042-2	JPTBL-6048-2	60”
JPTBL-6624-2	JPTBL-6630-2	JPTBL-6636-2	JPTBL-6642-2	JPTBL-6648-2	66”
JPTBL-7224-2	JPTBL-7230-2	JPTBL-7236-2	JPTBL-7242-2	JPTBL-7248-2	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JPTBH-4824-2	JPTBH-4830-2	JPTBH-4836-2	JPTBH-4842-2	JPTBH-4848-2	48”
JPTBH-5424-2	JPTBH-5430-2	JPTBH-5436-2	JPTBH-5442-2	JPTBH-5448-2	54”
JPTBH-6024-2	JPTBH-6030-2	JPTBH-6036-2	JPTBH-6042-2	JPTBH-6048-2	60”
JPTBH-6624-2	JPTBH-6630-2	JPTBH-6636-2	JPTBH-6642-2	JPTBH-6648-2	66”
JPTBH-7224-2	JPTBH-7230-2	JPTBH-7236-2	JPTBH-7242-2	JPTBH-7248-2	72”

Single Leg - Right




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTSR-2822	JPTSR-3222	JPTSR-3522	22"
JPTSR-2828	JPTSR-3228	JPTSR-3528	28"
2" Bracket			
JPTSR-2822-2	JPTSR-3222-2	JPTSR-3522-2	22"
JPTSR-2828-2	JPTSR-3228-2	JPTSR-3528-2	28"

Single Leg - Left



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTSL-2822	JPTSL-3222	JPTSL-3522	22"
JPTSL-2828	JPTSL-3228	JPTSL-3528	28"
2" Bracket			
JPTSL-2822-2	JPTSL-3222-2	JPTSL-3522-2	22"
JPTSL-2828-2	JPTSL-3228-2	JPTSL-3528-2	28"


Double Leg



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTDL-2822	JPTDL-3222	JPTDL-3522	22"
JPTDL-2828	JPTDL-3228	JPTDL-3528	28"
JPTDL-2834	JPTDL-3234	JPTDL-3534	34"
JPTDL-2840	JPTDL-3240	JPTDL-3540	40"
JPTDL-2846	JPTDL-3246	JPTDL-3546	46"
2" Bracket			
JPTDL-2822-2	JPTDL-3222-2	JPTDL-3522-2	22"
JPTDL-2828-2	JPTDL-3228-2	JPTDL-3528-2	28"


Steel Legs

Double Leg with Rail




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTRL-2822	JPTRL-3222	JPTRL-3522	22"
JPTRL-2828	JPTRL-3228	JPTRL-3528	28"
JPTRL-2834	JPTRL-3234	JPTRL-3534	34"
JPTRL-2840	JPTRL-3240	JPTRL-3540	40"
JPTRL-2846	JPTRL-3246	JPTRL-3546	46"
2" Bracket			
JPTRL-2822-2	JPTRL-3222-2	JPTRL-3522-2	22"
JPTRL-2828-2	JPTRL-3228-2	JPTRL-3528-2	28"

Single Leg Center




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTSC-2822	JPTSC-3222	JPTSC-3522	22"
JPTSC-2828	JPTSC-3228	JPTSC-3528	28"
2" Bracket			
JPTSC-2822-2	JPTSC-3222-2	JPTSC-3522-2	22"
JPTSC-2828-2	JPTSC-3228-2	JPTSC-3528-2	28"

Double Leg Center




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTDC-2822	JPTDC-3222	JPTDC-3522	22"
JPTDC-2828	JPTDC-3228	JPTDC-3528	28"
JPTDC-2834	JPTDC-3234	JPTDC-3534	34"
JPTDC-2840	JPTDC-3240	JPTDC-3540	40"
JPTDC-2846	JPTDC-3246	JPTDC-3546	46"
2" Bracket			
JPTDC-2822-2	JPTDC-3222-2	JPTDC-3522-2	22"
JPTDC-2828-2	JPTDC-3228-2	JPTDC-3528-2	28"

Double Leg Center with Rail



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JPTRC-2822	JPTRC-3222	JPTRC-3522	22"
JPTRC-2828	JPTRC-3228	JPTRC-3528	28"
JPTRC-2834	JPTRC-3234	JPTRC-3534	34"
JPTRC-2840	JPTRC-3240	JPTRC-3540	40"
JPTRC-2846	JPTRC-3246	JPTRC-3546	46"
2" Bracket			
JPTRC-2822-2	JPTRC-3222-2	JPTRC-3522-2	22"
JPTRC-2828-2	JPTRC-3228-2	JPTRC-3528-2	28"


End Pedestal without Bracket 2" L



Left Side Pedestal without Bracket shown

Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JPTPO-2822L	JPTPO-2822R	JPTPO-3222L	JPTPO-3222R	JPTPO-3522L	JPTPO-3522R	22"
JPTPO-2828L	JPTPO-2828R	JPTPO-3228L	JPTPO-3228R	JPTPO-3528L	JPTPO-3528R	28"
JPTPO-2829L	JPTPO-2829R	JPTPO-3229L	JPTPO-3229R	JPTPO-3529L	JPTPO-3529R	29"

End Pedestal with Bracket




Left Side Pedestal with Bracket shown

Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
4" Bracket						
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JPTPL-2822L	JPTPL-2822R	JPTPL-3222L	JPTPL-3222R	JPTPL-3522L	JPTPL-3522R	22"
JPTPL-2828L	JPTPL-2828R	JPTPL-3228L	JPTPL-3228R	JPTPL-3528L	JPTPL-3528R	28"
JPTPL-2829L	JPTPL-2829R	JPTPL-3229L	JPTPL-3229R	JPTPL-3529L	JPTPL-3529R	29"
2" Bracket						
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JPTPL-2822-2L	JPTPL-2822-2R	JPTPL-3222-2L	JPTPL-3222-2R	JPTPL-3522-2L	JPTPL-3522-2R	22"
JPTPL-2828-2L	JPTPL-2828-2R	JPTPL-3228-2L	JPTPL-3228-2R	JPTPL-3528-2L	JPTPL-3528-2R	28"
JPTPL-2829-2L	JPTPL-2829-2R	JPTPL-3229-2L	JPTPL-3229-2R	JPTPL-3529-2L	JPTPL-3529-2R	29"

LAB SETUP AMERICA

Steel Legs


End Pedestal with Top Mounted Bracket



Left Side Pedestal with Top Mounted Bracket shown


Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JPTPT-2822L	JPTPT-2822R	JPTPT-3222L	JPTPT-3222R	JPTPT-3522L	JPTPT-3522R	22"
JPTPT-2828L	JPTPT-2828R	JPTPT-3228L	JPTPT-3228R	JPTPT-3528L	JPTPT-3528R	28"
JPTPT-2829L	JPTPT-2829R	JPTPT-3229L	JPTPT-3229R	JPTPT-3529L	JPTPT-3529R	29"

Corner Leg Support




Cat. No.	
Sitting Height 27.063" H	Standing Height 34.625" H
JP422	JP412

Angle Support




4" Bracket	2" Bracket
JPTSA04	JPTSA02

Leg Rail




Cat. No.	For use with:
JPTGL22	22" deep leg assembly
JPTGL28	28" deep leg assembly
JPTGL34	34" deep leg assembly
JPTGL40	40" deep leg assembly
JPTGL46	48" deep leg assembly

Leg Stretcher




Cat. No.	Length
JPTST24	18”
JPTST30	24”
JPTST36	30”
JPTST42	36”
JPTST48	42”
JPTST54	48”
JPTST60	54”
JPTST66	60”
JPTST72	72”

Corner Leg Support



Cat. No.	Depth
JPG1D02	23”
JPG3D02	29”

Curved Corner Leg Support



Cat. No.	Side	Dimensions (D x W x H)
JP20222-79	Right Side	18.875” x 1.5” x 23.875”
JP20222-80	Left Side	18.875” x 1.5” x 23.875”
JP22950-20	Right Side	23.875” x 1.5” x 23.875”
JP22950-21	Left Side	23.875” x 1.5” x 23.875”
JP27172-02	Right Side	29.875” x 1.5” x 23.875”
JP27172-03	Left Side	29.875” x 1.5” x 23.875”

Stainless Steel Sinks

General Information

All stainless steel work surfaces and integral sink bowls are 16 gauge Type 304 stainless steel with a #4 satin finish. All work surfaces are supported from below with hat channels. Stainless steel tops are 1 1/4” thick. All stainless steel sinks tops are 1” thick with a 1/4” marine edge.

The maximum depth of flat tops (Style A) is 46”. Tops with splashes (Styles B-L) can be a maximum depth of 42”. The maximum length for all styles of tops is 84”. Any tops longer than 84” will require a joint, contact your ICI representative for joint options.

All back and end splashes are 4” in height. Note: End splashes are not finished ends.

Tops having an integral sink bowl have a beaded edge. Each sink bowl is 20” wide, 17” front to back and 7” deep. The distance between double bowls is 1 3/4”. Faucet holes (three) are 8” on center on single bowl tops and centered between bowls on double bowl tops.

How to Order:


The style and dimensional requirements are designated by completing a fourteen (14) space code designation for each top as follows:

1. The first space is the letter “S” indicating that the top will be stainless steel. The second space is the style designation (A-L) for the top being ordered. Select the style from the configuration shown on the next page.
2. The next four spaces are used to specify the desired length of the top to the nearest 100th of an inch (00.00”). Enter the total overall length measurement including end splashes (if applicable).
3. The next four spaces are used to specify the desired depth, including the back splash, of the top to the nearest 100th of an inch (00.00”). Enter the total overall depth measurement including back splashes (if applicable).
4. The last four spaces are used to provide the centerline measurement for location of sink bowl(s) on Styles F-M to the nearest 100th of an inch (00.00”).

Example:

S	☐	☐☐☐☐	☐☐☐☐	☐☐☐☐
	Style A-M	Length 00.00”	Depth 00.00”	Corner Edge to center of sink(s) Styles F-M

Sample Top with Dimensions - Top Style F




SF960025002400


S (F) 96.00” 25.00” 24.00”

Stainless Steel Sink Styles


A




B




C




D




E




F




G




H




I




J



K



L



LAB SETUP AMERICA

Lab Reference Sources

The references in print as well as the websites listed provide a wealth of detailed information. Whether you are building a new laboratory space or updating an old one, these references will help with developing good laboratory layouts that are safe and are compliant with regulations.

Printed Resources

American Chemical Society, Safety in Academic Chemistry Laboratories
American Chemical Society
This guide is available from the American Chemical Society's Office of Society Services by calling 800-227-5558. (Note: Available free from ACS)

Laboratory Design Handbook
By: E. Crawley Cooper
The Laboratory Design Handbook describes the process, motivation, constraints, challenges, opportunities, and specific design data related to the creation of a modern research laboratory. The information presented is based on a large pool of experience in the development of new and renovated laboratory buildings for universities, teaching hospitals, pharmaceutical companies, start-up biotechnology companies, and other types of industrial technology.
CRC Press, ISBN 9780849389962 - CAT# 8996

Prudent Practices in the Laboratory: Handling and Management of Chemical Hazards
Prudent Practices in the Laboratory has served for decades as the standard for chemical laboratory safety practice. Developed by experts from academia and industry, with specialties in such areas as chemical sciences, pollution prevention, and laboratory safety. It provides guidance on planning procedures for the handling, storage, and disposal of chemicals. Designed to promote safety and includes practical information on assessing hazards, managing chemicals, disposing of wastes.
National Academies Press, ISBN 0309138647, 9780309138642

Web Resources

Lab Planning
www.labplan.org
This website (the result of a planning study performed by the National Science Foundation) suggests a planning process and offers criteria and standards that can help determine what additional or improved facilities are needed for programs. This interactive website follows the structure of the planning process and provides the tools, guidelines, and data necessary to plan and design high school science, math, and technology education teaching spaces

Americans with Disabilities Act (ADA)
www.ada.gov
Information on the ADA including relevant publications, federal resources, ADA design standards, technical assistance program, enforcements, code certification, business connections, status reports, new and proposed regulations, and the ADA program.

Occupational Safety and Health Organization (OSHA)
www.osha.gov
Complete reference source for OSHA compliance including assistance, grants, cooperative programs, safety and health topics, statistics, US-EU cooperation, and service standards.

National Science Teacher's Association
www.nsta.org
Information provided focuses on the teaching environment, from elementary to college classrooms. Paid membership enables access to journals and books. NSTA recommendations, the latest news, conventions, supplier's guide, and discussion boards.

American National Standards Institute (ANSI)
www.ansi.org
This is a paid membership website that offers documents on laboratory ventilation (Z9.5) for both rooms and fume hoods as well as information on American National Standards including procedures, guides and forms, accreditation requirements, appeals requirements, audit requirements, and governance committees. The site also provides information on IEC programs, regional programs, ISO programs, the standards boards, and panels.

National Science Education Leadership Association
www.nsela.org
This official website of the NSELA is dedicated to providing national leadership in efforts to improve science education. The quarterly newsletter is posted along with operations manuals, by-laws, career postings, and publications.


National Fire Protection Association (NFPA)
www.nfpa.org
Website dedicated to providing research information, public education, professional development as well as fire protection information, and flammable materials storage guidelines. This paid subscriber services offers many of the NFPA codes online.

Scientific Equipment and Furniture Association (SEFA)
www.sefalabs.com
This official website for SEFA gives paying members guidelines on construction and performance of laboratory equipment and furniture. Links to member companies offering laboratory products and laboratory design are provided.

General Plumbing Details

Minimum Spacing Between Fixtures

The drawing below show the allowable minimum spacing between service fittings on laboratory bench top.



Service and Rough-In Designations and Color Coding

Designation	Service	Color
E	Electric (120 Volt AC)	-
DT	Data	-
A	Air	Orange
G	Gas	Dark Blue
V	Vacuum	Yellow
N	Nitrogen	Brown
O	Oxygen	Light Green
S	Steam	Black
CW	Cold Water	Green
HW	Hot Water	Red
DW	Distilled Water	White
W	Waste	-
WV	Waste Vent	-

Recommended Supply Line Pressures

Service	Pressure
Hot and Cold Water	Local Pressure
Gas	0.216 psi
Air (Ordinary)	15 psi
Air (Air Powered Stirrer Operation)	40 psi
Vacuum (Ordinary)	18-22" of Mercury
Vacuum (High)	28.5" of Mercury
Steam (Low Pressure)	0-15 psi as required
Steam (High Pressure)	15-30 psi as required

Since ICI Scientific's inception, we have installed thousands of laboratory projects in sectors ranging from higher education, K-12, medical, pharmaceutical, industrial, and more. Our manufacturing culture of craftsmanship & design has driven the success of our laboratory projects since 1951. Experience shows through our quality.

Laboratory Products from ICI Scientific:





Fume Hoods



Adaptable Furniture



Wood Casework

SEFA MEMBER

LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America

www.lsamerica.com

08/2026