LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America



Stainless Steel Laboratory Furniture

Trust • Create • Discover

History - Since 1951

Institutional Casework Inc. (ICI Scientific) is uniquely positioned to serve your complete project needs from steel, stainless steel, or custom wood laboratory and science casework to equipment, fixtures, work surfaces and fumes hoods.

ICI is privately owned, ensuring a primary focus on quality. This focus enables us to build a strong connection with our customers, employees, distributors and suppliers.

Introducing ICI Scientific - specifically designed and positioned to meet the requirements of Tier One laboratory specifications. ICI Scientific brings your preliminary concept to life; assisting from design through installation in partnership with our world-wide distributor network; delivering post-sale service and support through the lifetime of our products.

ICI Scientific is your single source for a complete laboratory. With brands steeped in a rich history, ICI Scientific is uniquely positioned to provide the complete laboratory project. Being privately owned, we ensure our primary focus is on quality, without the distraction of fluctuating stocks. We are focused on building a strong connection with employees, dealers, distributors, customers and end users.

All levels of laboratories and learning environments are created at ICI through flexibility, function, innovation and design.

American Made

ICI's multiple manufacturing facilities comprise 450,000 sq. ft. with 250 associates; ICI Scientific is a global provider of American Made products.



Table of Contents








Category	Page Numbers
Standard Construction Details	4-6
CornerStone Cabinet Styles	7
Steel Cabinet Information	8
CornerStone Color Options	9
Steel Sitting Height Base Cabinets	10-22
Steel ADA Height Base Cabinets	23-34
Steel Standing Height Base Cabinets	35-48
Steel Wall Cabinets	49-86
Steel Tall Cabinets	87-97
Steel Base Cabinet Fillers	98
Steel Knee Space Panels	99
Steel Wall Cabinet Fillers	100-101
Steel Tall Cabinet Fillers	102
Steel Accessories	103-108
Steel Suspended Cabinets	109-116
Steel Mobile Cabinets	117-122
Steel Table Frames	123-124
Steel Table Assemblies	125-126
Steel Legs	127-131
Stainless Steel Sinks	132-133
Lab References and Standards	134-135

Base Cabinet Construction




Standard Product Features

- Modular design allows for simple field conversion from inset to overlay, door and drawer re-configurations and hardware component changes.
- Durable construction provides SEFA 8 Metal compliant load-bearing capacity for years of dependable usage.
- Flush overlay styling in steel or wood fronts; inset styling offered in steel
- 16 standard steel colors; urethane powder coating provides reliable chemical and abrasion resistance.
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes
- SEFA 8 Metal tested and approved by an independent third party.
- Manual, soft-closing
- File drawer suspension available - both 100 and 150 lb. capacity.
- Mobile interlock drawers 100 lb. capacity.


Drawer Mod Code	Drawer Head Height
3M	3.649”
4M	4.909”
6M	7.429”
8M	9.949”
9M	11.209”
10M	12.469”
Door Mod Code	**Door Height**
15M	18.769”
18M	22.549”
20M	25.069”
22M	27.589”
24M	30.109”
28M	35.149”
33M	40.189”
38M	47.749”
63M	79.249”

Wall Cabinet Construction




Standard Features

- 18 gauge steel cabinet top
- 20 gauge steel shelf
- 18 gauge steel cabinet side
- Rubber door bumpers, 4 each door
- Nylon roller catch
- 18 gauge steel cabinet bottom
- Zinc plated adjustable shelf clip
- Shelf clip mounting slots
- 18 gauge stile
- 20 gauge reinforcing channel, 1 each door
- 5 knuckle stainless steel hinges, 2 each door
- 11 gauge steel corner gusset, 4 each cabinet
- All wall cabinets furnished with a hanging rail
- Rear fillers are required at end of wall cabinet runs and sold separately
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes



LAB SETUP AMERICA

Tall Cabinet Construction



Standard Door Features

- 20 gauge interior and 18 gauge exterior panels
- Interior filled with sound deadening material
- 14 gauge steel reinforcement added at hinge locations
- 20 gauge horizontal reinforcement channel, one each door
- 3/4” thick veneer clad particleboard core with 3mm thick veneer edge banding in red oak, white maple, bamboo or other exotic veneers
- Door equipped with nylon roller catch
- Double doors with locks feature elbow catch on left door
- Stainless steel 2 3/4”, 5 knuckle institutional hinges (2 per base unit and wall case door, 3 per upper and tall case door)

Whether your laboratory is in a university or research facility, ICI Scientific Steel Casework will provide a lifetime of strength and beauty.

- Design Options: Three distinct designs allow you to tailor the appearance of your laboratory. All cabinet component parts of the sectional units are manufactured ensuring uniformity, interchangeability and accurate alignment
- Field Convertible: This design allows for conversion of cabinet door and drawer front styles, drawer suspension and cabinet horizontal and vertical rails, with use of simple hand tools.

Inset Steel

Provides slimline styling for your laboratory



Full Flush Overlay Steel

Offers a current, updated design



Full Flush Overlay Vertical Grain Match Wood

Combines the strength of steel and the aesthetics of wood



Catalog Number Explanation

Code	Description
R	Recessed Pulls
L	With Locks
JUS	Flush Overlay Stainless Steel Fronts
JSTP	Inset painted Steel Fronts and Open Cabinets
JSVP	Flush Overlay Alternate Fronts
JS	All Filler, Frames and Tables
K	Locks with Security Panels
FB	Finished Back
CK	Conversion Kit
LC	Conversion Kit with Locks

Code	Description
Pulls	
W1	Stainless Steel 4” O.C. Wire Pull
W2	Chrome Plated 4” O.C. Wire Pull
W3	Aluminum 4” O.C. Wire Pull (Standard)
R2	Black Plastic Recessed (Standard)
R3	Chameleon Plastic Recessed
R4	Sliding Black Plastic Recessed
R7	Stainless Steel Recessed
Slides	
SLIDE1	100 lb. Full Extension (Standard)
SLIDE3	100 lb. Soft Close Full Extension
SLIDE5	150 lb. Full Extension
SLIDE6	150 lb. Soft Close Full Extension
SLIDE7	Mobile Interlock Slide (not available in 150lb extension or soft close)
Glass	
LAM	Laminated Glass
TMP	Tempered Glass
FLT	Float Glass (Standard)

Inset Examples


Catalog Number	Description
JSTP176-18	Base Cabinet, Sitting Height, 1 LH Door
JSKSH-ADJ	Knee Space Panel, Adjustable to 48”, Standing Height
JSTP181-30	Sink Cabinet, 2 Door
JSTP201-2416	Wall Cabinet, 16” Deep, Open Face
JSTP203-3016	Wall Cabinet, 16” Deep, 2 Solid Swinging Doors
JSFRL-06	Rear Base Cabinet Filler, Sitting Height, 6” Wide
JSKSL-36	Knee Space Panel, Sitting Height 36” Wide

Flush Overlay Metal Front Examples

Catalog Number	Description
JUS307-42	Tall Cabinet, 22” Deep, 42” Wide, 2 Glass Swinging Doors
JUS232-306L	Wall Cabinet, 16” Deep, 30” Wide, 2 Solid Swinging Doors with Locks
JUS125-18L	Base Cabinet, Standing Height, 3 Drawer with Locks

Flush Overlay Non-Metal Front Examples


Catalog Number	Description
JSVP106-48	Base Cabinet, Standing Height, 2 Door 2 Drawer, 48” Wide
JSVP206-48	Wall Cabinet, 12” Deep, 2 Glass Swinging Doors
JSVP232-306T	Wall Cabinet 16” Deep, 2 Solid Swinging Doors with Locks
JSVP196-18T	Base Cabinet, Standing Height, 1 LH Door, Recessed Pull with Locks



472
Pearl White

scientific
WWW.ICISCIENTIFIC.COM

472
Pearl White



Some of our more popular “two tone” selections are shown on each side. The top is the cabinet color and the bottom color represents doors and drawer faces. Note the option of wood doors/drawer faces. We offer “two tones” and “textured” at an additional cost; but limit two colors per project.


Please request samples from your ICI Dealer.

If you select a color other than these standards, ICI will match your selection. Check with your ICI Dealer since we have hundreds of color formulas on file. Your ICI Dealer will confirm availability and advise should there be an up-charge.

*Slate gray is available without texture. All colors are available with texture.


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Cabinets




Cat. No.	Length
JS161-12	12”
JS161-15	15”
JS161-18	18”
JS161-21	21”
JS161-24	24”




Cat. No.	Length
JS161-30	30” L
JS161-36	36” L
JS161-42	42” L
JS161-48	48” L


Door Cabinets




Cat. No.	Length
Left Hinged	
JS176-12	12”
JS176-15	15”
JS176-18	18”
JS176-21	21”
JS176-24	24”



Cat. No.	Length
Right Hinged	
JS175-12	12”
JS175-15	15”
JS175-18	18”
JS175-21	21”
JS175-24	24”




Cat. No.	Length
JS163-30	30”
JS163-36	36”
JS163-42	42”
JS163-48	48”




Cat. No.	Length
JS160-30	30”
JS160-36	36”
JS160-42	42”
JS160-48	48”


Drawer Cabinets




Cat. No.	Length
JS071-15	15”
JS071-18	18”
JS071-21	21”
JS071-24	24”



Cat. No.	Length
JS070-15	15”
JS070-18	18”
JS070-21	21”
JS070-24	24”




Cat. No.	Length
JS174-15	15”
JS174-18	18”
JS174-21	21”
JS174-24	24”



Cat. No.	Length
JS174-30	30”
JS174-36	36”
JS174-42	42”
JS174-48	48”


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Cabinets




Cat. No.	Length
JS172-15	15”
JS172-18	18”
JS172-21	21”
JS172-24	24”




Cat. No.	Length
JS172-30	30”
JS172-36	36”
JS172-42	42”
JS172-48	48”




Cat. No.	Length
JS173-15	15”
JS173-18	18”
JS173-21	21”
JS173-24	24”




Cat. No.	Length
JS173-30	30”
JS173-36	36”
JS173-42	42”
JS173-48	48”




Cat. No.	Length
JS178-30	30”
JS178-36	36”
JS178-42	42”
JS178-48	48”




Cat. No.	Length
JS179-30	30”
JS179-36	36”
JS179-42	42”
JS179-48	48”




Cat. No.	Length
JS180-30	30”
JS180-36	36”
JS180-42	42”
JS180-48	48”




Cat. No.	Length
JS086-30	30”
JS086-36	36”
JS086-42	42”
JS086-48	48”




Cat. No.	Length
JS087-30	30” L
JS087-36	36” L
JS087-42	42” L
JS087-48	48” L



Cat. No.	Length
JS088-30	30” L
JS088-36	36” L
JS088-42	42” L
JS088-48	48” L




Cat. No.	Length
JS089-30	30” L
JS089-36	36” L
JS089-42	42” L
JS089-48	48” L



Cat. No.	Length
JS090-30	30” L
JS090-36	36” L
JS090-42	42” L
JS090-48	48” L


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Cabinets




Cat. No.	Length
JS022-15*	15”
JS022-18*	18”
JS022-21*	21”
JS022-24*	24”



Cat. No.	Length
JS022-30*	30”
JS022-36*	36”
JS022-42*	42”
JS022-48*	48”




Cat. No.	Length
JS039-15*	15”
JS039-18*	18”
JS039-21*	21”
JS039-24*	24”




Cat. No.	Length
JS039-30*	30”
JS039-36*	36”
JS039-42*	42”
JS039-48*	48”


Combination Cabinets




Cat. No. Left Hinged	Length
JS169-15	15”
JS169-18	18”
JS169-21	21”
JS169-24	24”




Cat. No. Right Hinged	Length
JS168-15	15”
JS168-18	18”
JS168-21	21”
JS168-24	24”




Cat. No.	Length
JS165-30	30”
JS165-36	36”
JS165-42	42”
JS165-48	48”




Cat. No.	Length
JS166-30	30”
JS166-36	36”
JS166-42	42”
JS166-48	48”




Cat. No. Right Cabinet	Length
JS072-30	30”
JS072-36	36”
JS072-42	42”
JS072-48	48”



Cat. No. Left Cabinet	Length
JS073-30	30”
JS073-36	36”
JS073-42	42”
JS073-48	48”



Cat. No. Right Cabinet	Length
JS074-30	30”
JS074-36	36”
JS074-42	42”
JS074-48	48”




Cat. No. Left Cabinet	Length
JS075-30	30”
JS075-36	36”
JS075-42	42”
JS075-48	48”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA


Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Combination Cabinets






Cat. No.	Length
Right Cabinet	
JS076-30	30”
JS076-36	36”
JS076-42	42”
JS076-48	48”

Cat. No.	Length
Left Cabinet	
JS077-30	30”
JS077-36	36”
JS077-42	42”
JS077-48	48”


LAB SETUP AMERICA

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink supports sold separately


Sink Cabinets




Cat. No.	Length
Left Hinged	
JS092-12	12”
JS092-15	15”
JS092-18	18”
JS092-21	21”
JS092-24	24”




Cat. No.	Length
Right Hinged	
JS091-12	12”
JS091-15	15”
JS091-18	18”
JS091-21	21”
JS091-24	24”




Cat. No.	Length
JS093-30	30”
JS093-36	36”
JS093-42	42”
JS093-48	48”




Cat. No.	Length
JS093-60	60” L




Cat. No.	Length
JS094-52	52” L
JS094-58	58” L
JS094-60	60” L




Plan view of Sink Cabinet with Inset Doors



Plan view of Sink Cabinet with Overlay Door




Plan view




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JS095-32

Corner Cabinet




Cat. No.
Right Hinged - No Shelf
JS096-32




Cat. No.
Right Hinged
with 2 Turntable Shelves
JS097-32

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Corner Sink Cabinet




Cat. No. Right Hinged
JS096-SE



Plan view of Corner Sink Cabinet with Inset Door




Plan view of Corner Sink Cabinet with Overlay Door



- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Dead End Cabinets



Cat. No.	Length
Right Cabinet	
JS099-36	36”
JS099-42	42”
JS099-48	48”


Cat. No.	Length
Left Cabinet	
JS098-36	36”
JS098-42	42”
JS098-48	48”

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JS154-12	12”
JS154-15	15”
JS154-18	18”
JS154-21	21”
JS154-24	24”




Cat. No.	Length
Right Hinged	
JS157-12	12”
JS157-15	15”
JS157-18	18”
JS157-21	21”
JS157-24	24”



Cat. No.	Length
JS157-30	30”
JS157-36	36”
JS157-42	42”
JS157-48	48”




Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JS145-15	15”
JS145-18	18”
JS145-21	21”
JS145-24	24”




Cat. No.	Length
Right Hinged	
JS146-15	15”
JS146-18	18”
JS146-21	21”
JS146-24	24”




Cat. No.	Length
JS146-30	30”
JS146-36	36”
JS146-42	42”
JS146-48	48”

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JS145-15-E	15”
JS145-18-E	18”
JS145-21-E	21”
JS145-24-E	24”

Cat. No.	Length
Right Hinged	
JS146-15-E	15”
JS146-18-E	18”
JS146-21-E	21”
JS146-24-E	24”


Cat. No.	Length
JS146-30-E	30”
JS146-36-E	36”
JS146-42-E	42”
JS146-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JSPVPC1316	18” wide cabinet
JSPVPC1916	24” wide cabinet
JSPVPC2516	30” wide cabinet
JSPVPC3116	36” wide cabinet
JSPVPC3716	42” wide cabinet
JSPVPC4316	48” wide cabinet




Section

Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- Includes a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Must be used in collaboration with a FUMEHOOD-VK or other
- Includes ACID label


Acid Storage Base Cabinets




Cat. No.	Length
Left Hinged	
JS042-12	12”
JS042-18	18”
JS042-24	24”



Cat. No.	Length
Right Hinged	
JS041-12	12”
JS041-18	18”
JS041-24	24”




Cat. No.	Length
JS041-30	30” L
JS041-36	36” L
JS041-42	42” L
JS041-48	48” L



Inside View Acid Cabinet

LAB SETUP AMERICA


Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection
- Slam latch handle shown

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165˚F.



Cat. No.	Length
Left Hinged Slam Latch Handle	
JS044-18SL	18”
JS044-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS044-18SLA	18”
JS044-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS044-18SLAS	18”
JS044-24SLAS	24”




Cat. No.	Length
Right Hinged Slam Latch Handle	
JS043-18SL	18”
JS043-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS043-18SLA	18”
JS043-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS043-18SLAS	18”
JS043-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JS043-30SL	30”
JS043-36SL	36”
JS043-42SL	42”
JS043-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JS043-30SLA	30”
JS043-36SLA	36”
JS043-42SLA	42”
JS043-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS043-30SLAS	30”
JS043-36SLAS	36”
JS043-42SLAS	42”
JS043-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JS043-30SLASY	30”
JS043-36SLASY	36”
JS043-42SLASY	42”
JS043-48SLASY	48”

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Base Cabinets




Cat. No.	Length
JS901-12	12”
JS901-15	15”
JS901-18	18”
JS901-21	21”
JS901-24	24”




Cat. No.	Length
JS901-30	30”
JS901-36	36”
JS901-42	42”
JS901-48	48”


Door Base Cabinets




Cat. No.	Length
Left Hinged	
JS996-12	12”
JS996-15	15”
JS996-18	18”
JS996-21	21”
JS996-24	24”



Cat. No.	Length
Right Hinged	
JS995-12	12”
JS995-15	15”
JS995-18	18”
JS995-21	21”
JS995-24	24”




Cat. No.	Length
JS903-30	30”
JS903-36	36”
JS903-42	42”
JS903-48	48”




Cat. No.	Length
JS900-30	30”
JS900-36	36”
JS900-42	42”
JS900-48	48”


Drawer Base Cabinets



Cat. No.	Length
JS925-15	15”
JS925-18	18”
JS925-21	21”
JS925-24	24”



Cat. No.	Length
JS999-15	15”
JS999-18	18”
JS999-21	21”
JS999-24	24”




Cat. No.	Length
JS928-15	15”
JS928-18	18”
JS928-21	21”
JS928-24	24”



Cat. No.	Length
JS928-30	30”
JS928-36	36”
JS928-42	42”
JS928-48	48”


LAB SETUP AMERICA

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets




Cat. No.	Length
JS930-15	15”
JS930-18	18”
JS930-21	21”
JS930-24	24”




Cat. No.	Length
JS931-15	15”
JS931-18	18”
JS931-21	21”
JS931-24	24”




Cat. No.	Length
JS931-30	30”
JS931-36	36”
JS931-42	42”
JS931-48	48”




Cat. No.	Length
JS924-30	30”
JS924-36	36”
JS924-42	42”
JS924-48	48”




Cat. No.	Length
JS934-30	30”
JS934-36	36”
JS934-42	42”
JS934-48	48”




Cat. No.	Length
JS937-30	30”
JS937-36	36”
JS937-42	42”
JS937-48	48”




Cat. No.	Length
JS927-30	30”
JS927-36	36”
JS927-42	42”
JS927-48	48”




Cat. No.	Length
JS938-30	30”
JS938-36	36”
JS938-42	42”
JS938-48	48”




Cat. No.	Length
JS949-12*	12”
JS949-15*	15”
JS949-18*	18”
JS949-21*	21”
JS949-24*	24”



Cat. No.	Length
JS949-30*	30”
JS949-36*	36”
JS949-42*	42”
JS949-48*	48”



Cat. No.	Length
JS922-12*	12”
JS922-15*	15”
JS922-18*	18”
JS922-21*	21”
JS922-24*	24”




Cat. No.	Length
JS922-30*	30”
JS922-36*	36”
JS922-42*	42”
JS922-48*	48”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets



Cat. No.	Length
JS939-12*	12”
JS939-15*	15”
JS939-18*	18”
JS939-21*	21”
JS939-24*	24”




Cat. No.	Length
JS939-30*	30”
JS939-36*	36”
JS939-42*	42”
JS939-48*	48”




Cat. No.	Length
JS926-15	15”
JS926-18	18”
JS926-21	21”
JS926-24	24”


Combination Base Cabinets




Cat. No.	Length
Left Hinged	
JS919-15	15”
JS919-18	18”
JS919-21	21”
JS919-24	24”




Cat. No.	Length
Right Hinged	
JS918-15	15”
JS918-18	18”
JS918-21	21”
JS918-24	24”




Cat. No.	Length
JS906-30	30”
JS906-36	36”
JS906-42	42”
JS906-48	48”




Cat. No.	Length
JS905-30	30”
JS905-36	36”
JS905-42	42”
JS905-48	48”




Cat. No.	Length
Left Cabinet	
JS948-30	30”
JS948-36	36”
JS948-42	42”
JS948-48	48”



Cat. No.	Length
Right Cabinet	
JS917-30	30”
JS917-36	36”
JS917-42	42”
JS917-48	48”



Cat. No.	Length
Left Cabinet	
JS936-30	30”
JS936-36	36”
JS936-42	42”
JS936-48	48”




Cat. No.	Length
Right Cabinet	
JS913-30	30”
JS913-36	36”
JS913-42	42”
JS913-48	48”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No.	Length
Left Cabinet	
JS916-30	30”
JS916-36	36”
JS916-42	42”
JS916-48	48”




Cat. No.	Length
Right Cabinet	
JS910-30	30”
JS910-36	36”
JS910-42	42”
JS910-48	48”



Cat. No.	Length
Left Cabinet	
JS935-30	30”
JS935-36	36”
JS935-42	42”
JS935-48	48”




Cat. No.	Length
Right Cabinet	
JS912-30	30”
JS912-36	36”
JS912-42	42”
JS912-48	48”




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports sold separately


Sink Base Cabinets




Cat. No.	Length
JS981ACC-36	36” L
JS981ACC-42	42” L
JS981ACC-48	48” L
JS981ACC-54	54” L




Cat. No.	Length
JS981ACC-58	58” L
JS981ACC-60	60” L
JS981ACC-66	66” L
JS981ACC-72	72” L




Section View of ADA Sink Cabinet with sink




Cat. No.	Length
Left Hinged	
JS994-12	12”
JS994-15	15”
JS994-18	18”
JS994-21	21”
JS994-24	24”




Cat. No.	Length
Right Hinged	
JS993-12	12”
JS993-15	15”
JS993-18	18”
JS993-21	21”
JS993-24	24”




Cat. No.	Length
JS981-30	30”
JS981-36	36”
JS981-42	42”
JS981-48	48”




Cat. No.	Length
JS981-60	60”



Cat. No.	Length
JS986-52	52”
JS986-58	58”
JS986-60	60”





Plan view of Sink Cabinet with Inset Doors



Plan view of Sink Cabinet with Overlay Door


Steel ADA Height Base Cabinets






- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JS997-32


Corner Cabinet



Cat. No.
Right Hinged - No Shelf
JS990-32




Cat. No
Right Hinged
with 2 Turntable Shelves
JS991-32




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Dead Corner Cabinets




Cat. No.	Length
Right Cabinet	
JS998-36	36”
JS998-42	42”
JS998-48	48”




Cat. No.	Length
Left Cabinet	
JS992-36	36”
JS992-42	42”
JS992-48	48”

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JS964-12	12”
JS964-15	15”
JS964-18	18”
JS964-21	21”
JS964-24	24”




Cat. No.	Length
Right Hinged	
JS967-12	12”
JS967-15	15”
JS967-18	18”
JS967-21	21”
JS967-24	24”



Cat. No.	Length
JS967-30	30”
JS967-36	36”
JS967-42	42”
JS967-48	48”




Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JS954-15	15”
JS954-18	18”
JS954-21	21”
JS954-24	24”




Cat. No.	Length
Right Hinged	
JS955-15	15”
JS955-18	18”
JS955-21	21”
JS955-24	24”



Cat. No.	Length
JS955-30	30”
JS955-36	36”
JS955-42	42”
JS955-48	48”


LAB SETUP AMERICA

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**

Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JS954-15-E	15”
JS954-18-E	18”
JS954-21-E	21”
JS954-24-E	24”




Elevation




Elevation with no doors or front panel

Cat. No.	Length
Right Hinged	
JS955-15-E	15”
JS955-18-E	18”
JS955-21-E	21”
JS955-24-E	24”




Elevation



Elevation with no doors or front panel


Cat. No.	Length
JS955-30-E	30”
JS955-36-E	36”
JS955-42-E	42”
JS955-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JSPVPC1316	18” wide cabinet
JSPVPC1916	24” wide cabinet
JSPVPC2516	30” wide cabinet
JSPVPC3116	36” wide cabinet
JSPVPC3716	42” wide cabinet
JSPVPC4316	48” wide cabinet




Section

Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- They have a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker


Acid Storage Base Cabinets




Cat. No.	Length
Left Hinged	
JS942-12	12”
JS942-18	18”
JS942-24	24”



Cat. No.	Length
Right Hinged	
JS941-12	12”
JS941-18	18”
JS941-24	24”




Cat. No.	Length
JS941-30	30”
JS941-36	36”
JS941-42	42”
JS941-48	48”



Inside View Acid Cabinet

LAB SETUP AMERICA


Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.



Cat. No.	Length
Left Hinged Slam Latch Handle	
JS944-18SL	18”
JS944-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS944-18SLA	18”
JS944-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS944-18SLAS	18”
JS944-24SLAS	24”




Cat. No.	Length
Right Hinged Slam Latch Handle	
JS943-18SL	18”
JS943-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS943-18SLA	18”
JS943-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS943-18SLAS	18”
JS943-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JS943-30SL	30”
JS943-36SL	36”
JS943-42SL	42”
JS943-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JS943-30SLA	30”
JS943-36SLA	36”
JS943-42SLA	42”
JS943-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS943-30SLAS	30”
JS943-36SLAS	36”
JS943-42SLAS	42”
JS943-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JS943-30SLASY	30”
JS943-36SLASY	36”
JS943-42SLASY	42”
JS943-48SLASY	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

Open Base Cabinets




Cat. No.	Length
JS101-12	12”
JS101-15	15”
JS101-18	18”
JS101-21	21”
JS101-24	24”




Cat. No.	Length
JS101-30	30”
JS101-36	36”
JS101-42	42”
JS101-48	48”


Door Base Cabinets




Cat. No.	Length
Left Hinged	
JS196-12	12”
JS196-15	15”
JS196-18	18”
JS196-21	21”
JS196-24	24”



Cat. No.	Length
Right Hinged	
JS195-12	12”
JS195-15	15”
JS195-18	18”
JS195-21	21”
JS195-24	24”




Cat. No.	Length
JS103-30	30”
JS103-36	36”
JS103-42	42”
JS103-48	48”




Cat. No.	Length
JS100-30	30”
JS100-36	36”
JS100-42	42”
JS100-48	48”


Drawer Base Cabinets




Cat. No.	Length
JS125-15	15”
JS125-18	18”
JS125-21	21”
JS125-24	24”



Cat. No.	Length
JS126-15	15”
JS126-18	18”
JS126-21	21”
JS126-24	24”




Cat. No.	Length
JS199-15	15”
JS199-18	18”
JS199-21	21”
JS199-24	24”



Cat. No.	Length
JS122-15	15”
JS122-18	18”
JS122-21	21”
JS122-24	24”


LAB SETUP AMERICA

Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets



Cat. No.	Length
JS128-15	15”
JS128-18	18”
JS128-21	21”
JS128-24	24”




Cat. No.	Length
JS128-30	30”
JS128-36	36”
JS128-42	42”
JS128-48	48”




Cat. No.	Length
JS130-15	15”
JS130-18	18”
JS130-21	21”
JS130-24	24”



Cat. No.	Length
JS130-30	30”
JS130-36	36”
JS130-42	42”
JS130-48	48”




Cat. No.	Length
JS131-15	15”
JS131-18	18”
JS131-21	21”
JS131-24	24”




Cat. No.	Length
JS131-30	30”
JS131-36	36”
JS131-42	42”
JS131-48	48”




Cat. No.	Length
JS121-30	30”
JS121-36	36”
JS121-42	42”
JS121-48	48”




Cat. No.	Length
JS124-30	30”
JS124-36	36”
JS124-42	42”
JS124-48	48”



Cat. No.	Length
JS137-30	30”
JS137-36	36”
JS137-42	42”
JS137-48	48”



Cat. No.	Length
JS129-30	30”
JS129-36	36”
JS129-42	42”
JS129-48	48”




Cat. No.	Length
JS134-30	30”
JS134-36	36”
JS134-42	42”
JS134-48	48”




Cat. No.	Length
JS123-30	30”
JS123-36	36”
JS123-42	42”
JS123-48	48”

Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Drawer Base Cabinets




Cat. No.	Length
JS149-15	15”
JS149-18	18”
JS149-21	21”
JS149-24	24”




Cat. No.	Length
JS149-30	30”
JS149-36	36”
JS149-42	42”
JS149-48	48”




Cat. No.	Length
JS159-30	30”
JS159-36	36”
JS159-42	42”
JS159-48	48”




Cat. No.	Length
JS127-30	30”
JS127-36	36”
JS127-42	42”
JS127-48	48”




Cat. No.	Length
JS138-30	30”
JS138-36	36”
JS138-42	42”
JS138-48	48”




Cat. No.	Length
JS139-30	30”
JS139-36	36”
JS139-42	42”
JS139-48	48”



Cat. No.	Length
JS142-15*	15”
JS142-18*	18”
JS142-21*	21”
JS142-24*	24”



Cat. No.	Length
JS142-30*	30”
JS142-36*	36”
JS142-42*	42”
JS142-48*	48”




Cat. No.	Length
JS153-15	15”
JS153-18	18”

*Custom height drawers. Only available on this cabinet


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No.	Length
Left Hinged	
JS119-15	15”
JS119-18	18”
JS119-21	21”
JS119-24	24”




Cat. No.	Length
Right Hinged	
JS118-15	15”
JS118-18	18”
JS118-21	21”
JS118-24	24”




Cat. No.	Length
JS105-30	30”
JS105-36	36”
JS105-42	42”
JS105-48	48”




Cat. No.	Length
JS106-30	30”
JS106-36	36”
JS106-42	42”
JS106-48	48”




Cat. No.	Length
Left Hinged	
JS133-15	15”
JS133-18	18”
JS133-21	21”
JS133-24	24”




Cat. No.	Length
Right Hinged	
JS132-15	15”
JS132-18	18”
JS132-21	21”
JS132-24	24”




Cat. No.	Length
JS108-30	30”
JS108-36	36”
JS108-42	42”
JS108-48	48”




Cat. No.	Length
Left Cabinet	
JS148-30	30”
JS148-36	36”
JS148-42	42”
JS148-48	48”



Cat. No.	Length
Right Cabinet	
JS117-30	30”
JS117-36	36”
JS117-42	42”
JS117-48	48”




Cat. No.	Length
Left Cabinet	
JS136-30	30”
JS136-36	36”
JS136-42	42”
JS136-48	48”




Cat. No.	Length
Right Cabinet	
JS113-30	30”
JS113-36	36”
JS113-42	42”
JS113-48	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Combination Base Cabinets




Cat. No. Left Cabinet	Length
JS140-30	30”
JS140-36	36”
JS140-42	42”
JS140-48	48”




Cat. No. Right Cabinet	Length
JS114-30	30”
JS114-36	36”
JS114-42	42”
JS114-48	48”




Cat. No. Left Cabinet	Length
JS147-30	30”
JS147-36	36”
JS147-42	42”
JS147-48	48”




Cat. No. Right Cabinet	Length
JS115-30	30”
JS115-36	36”
JS115-42	42”
JS115-48	48”




Cat. No. Left Cabinet	Length
JS116-30	30”
JS116-36	36”
JS116-42	42”
JS116-48	48”




Cat. No. Right Cabinet	Length
JS110-30	30”
JS110-36	36”
JS110-42	42”
JS110-48	48”




Cat. No. Left Cabinet	Length
JS120-30	30”
JS120-36	36”
JS120-42	42”
JS120-48	48”



Cat. No. Right Cabinet	Length
JS111-30	30”
JS111-36	36”
JS111-42	42”
JS111-48	48”




Cat. No. Left Cabinet	Length
JS135-30	30”
JS135-36	36”
JS135-42	42”
JS135-48	48”



Cat. No. Right Cabinet	Length
JS112-30	30”
JS112-36	36”
JS112-42	42”
JS112-48	48”


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports are sold separately


Sink Base Cabinets




Cat. No.	Length
Left Hinged	
JS194-12	12”
JS194-15	15”
JS194-18	18”
JS194-21	21”
JS194-24	24”




Cat. No.	Length
Right Hinged	
JS193-12	12”
JS193-15	15”
JS193-18	18”
JS193-21	21”
JS193-24	24”




Cat. No.	Length
JS181-30	30”
JS181-36	36”
JS181-42	42”
JS181-48	48”




Cat. No.	Length
JS181-60	60”




Cat. No.	Length
JS186-52	52”
JS186-58	58”
JS186-60	60”




Plan view of Sink Cabinet with Inset Doors




Plan view of Sink Cabinet with Overlay Door






- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Open Corner Cabinet




Cat. No.
Open Cabinet - No Shelf
JS197-32

Corner Cabinet




Cat. No.
Right Hinged - No Shelf
JS190-32



Cat. No.
Right Hinged
with 2 Turntable Shelves
JS191-32


LAB SETUP AMERICA

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Corner Sink Cabinet




Cat. No. Right Hinged
JS190-SE



Plan view of Corner Sink Cabinet with Inset Door




Plan view of Corner Sink Cabinet with Overlay Door




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Dead Corner Base Cabinets




Cat. No.	Length
Right Cabinet	
JS198-36	36”
JS198-42	42”
JS198-48	48”




Cat. No.	Length
Left Cabinet	
JS192-36	36”
JS192-42	42”
JS192-48	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


Fume Hood Base Cabinets - Removable Half Back




Cat. No.	Length
Left Hinged	
JS184-12	12”
JS184-15	15”
JS184-18	18”
JS184-21	21”
JS184-24	24”




Cat. No.	Length
Right Hinged	
JS187-12	12”
JS187-15	15”
JS187-18	18”
JS187-21	21”
JS187-24	24”




Cat. No.	Length
JS187-30	30”
JS187-36	36”
JS187-42	42”
JS187-48	48”
JS187-60	60”



Plan view of Base Cabinet with Inset Doors




Plan view of Base Cabinet with Overlay Door




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets



Cat. No.	Length
Left Hinged	
JS177-15	15”
JS177-18	18”
JS177-21	21”
JS177-24	24”




Cat. No.	Length
Right Hinged	
JS182-15	15”
JS182-18	18”
JS182-21	21”
JS182-24	24”




Cat. No.	Length
JS182-30	30”
JS182-36	36”
JS182-42	42”
JS182-48	48”

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

Cat. No.	Length
Left Hinged	
JS177-15-E	15”
JS177-18-E	18”
JS177-21-E	21”
JS177-24-E	24”

Cat. No.	Length
Right Hinged	
JS182-15-E	15”
JS182-18-E	18”
JS182-21-E	21”
JS182-24-E	24”


Cat. No.	Length
JS182-30-E	30”
JS182-36-E	36”
JS182-42-E	42”
JS182-48-E	48”

Pump Carts




Sized assuming both doors open 180°

Cat. No.	For use with:
JSPVPC1316	18” wide cabinet
JSPVPC1916	24” wide cabinet
JSPVPC2516	30” wide cabinet
JSPVPC3116	36” wide cabinet
JSPVPC3716	42” wide cabinet
JSPVPC4316	48” wide cabinet




Section

Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8” thick polyethylene
- They have a chemical resistant 3/16” thick molded polyethylene lining with coved corners and a 2” lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker


Acid Storage Base Cabinets



Cat. No.	Length
Left Hinged	
JS185-12	12”
JS185-18	18”
JS185-24	24”




Cat. No.	Length
Right Hinged	
JS188-12	12”
JS188-18	18”
JS188-24	24”



Cat. No.	Length
JS188-30	30”
JS188-36	36”
JS188-42	42”
JS188-48	48”


Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125” tall with leveling bolt zeroed out and 22” deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

Flammable Storage Base Cabinets - Slam Latch


- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165˚F.




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JS183-18SL	18”
JS183-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS183-18SLA	18”
JS183-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS183-18SLAS	18”
JS183-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JS189-18SL	18”
JS189-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS189-18SLA	18”
JS189-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS189-18SLAS	18”
JS189-24SLAS	24”



Cat. No.	Length
Slam Latch Handle	
JS189-30SL	30”
JS189-36SL	36”
JS189-42SL	42”
JS189-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JS189-30SLA	30”
JS189-36SLA	36”
JS189-42SLA	42”
JS189-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS189-30SLAS	30”
JS189-36SLAS	36”
JS189-42SLAS	42”
JS189-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JS189-30SLASY	30”
JS189-36SLASY	36”
JS189-42SLASY	42”
JS189-48SLASY	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

19.298” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS268-15	JS268-1516	15”
JS268-18	JS268-1816	18”
JS268-21	JS268-2116	21”
JS268-24	JS268-2416	24”

25.598” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS228-15	JS228-1516	15”
JS228-18	JS228-1816	18”
JS228-21	JS228-2116	21”
JS228-24	JS228-2416	24”

30.638” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS201-15	JS201-1516	15”
JS201-18	JS201-1816	18”
JS201-21	JS201-2116	21”
JS201-24	JS201-2416	24”

35.678” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS238-15	JS238-1516	15”
JS238-18	JS238-1816	18”
JS238-21	JS238-2116	21”
JS238-24	JS238-2416	24”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

41.978” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS248-15	JS248-1516	15”
JS248-18	JS248-1816	18”
JS248-21	JS248-2116	21”
JS248-24	JS248-2416	24”

48.278” High Wall Cabinet - Open Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JS258-15	JS258-1516	15”
JS258-18	JS258-1816	18”
JS258-21	JS258-2116	21”
JS258-24	JS258-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

19.298” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS268-30	JS268-3016	30”
JS268-36	JS268-3616	36”
JS268-42	JS268-4216	42”
JS268-48	JS268-4816	48”

25.598” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS228-30	JS228-3016	30”
JS228-36	JS228-3616	36”
JS228-42	JS228-4216	42”
JS228-48	JS228-4816	48”

30.638” High Wall Cabinet - Open Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JS201-30	JS201-3016	30”
JS201-36	JS201-3616	36”
JS201-42	JS201-4216	42”
JS201-48	JS201-4816	48”


35.678” High Wall Cabinet - Open Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JS238-30	JS238-3016	30”
JS238-36	JS238-3616	36”
JS238-42	JS238-4216	42”
JS238-48	JS238-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/ drawer cabinet

41.978” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS248-30	JS248-3016	30”
JS248-36	JS248-3616	36”
JS248-42	JS248-4216	42”
JS248-48	JS248-4816	48”

48.278” High Wall Cabinet - Open Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS258-30	JS258-3016	30”
JS258-36	JS258-3616	36”
JS258-42	JS258-4216	42”
JS258-48	JS258-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS260-15	JS260-1516	15”
JS260-18	JS260-1816	18”
JS260-21	JS260-2116	21”
JS260-24	JS260-2416	24”

25.598” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS221-15	JS221-1516	15”
JS221-18	JS221-1816	18”
JS221-21	JS221-2116	21”
JS221-24	JS221-2416	24”

30.638” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS217-15	JS217-1516	15”
JS217-18	JS217-1816	18”
JS217-21	JS217-2116	21”
JS217-24	JS217-2416	24”


35.678” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS230-15	JS230-1516	15”
JS230-18	JS230-1816	18”
JS230-21	JS230-2116	21”
JS230-24	JS230-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS240-15	JS240-1516	15”
JS240-18	JS240-1816	18”
JS240-21	JS240-2116	21”
JS240-24	JS240-2416	24”

48.278” High Wall Cabinet - Solid Door Cabinet, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS250-15	JS250-1516	15”
JS250-18	JS250-1816	18”
JS250-21	JS250-2116	21”
JS250-24	JS250-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS261-15	JS261-1516	15”
JS261-18	JS261-1816	18”
JS261-21	JS261-2116	21”
JS261-24	JS261-2416	24”

25.598” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS222-15	JS222-1516	15”
JS222-18	JS222-1816	18”
JS222-21	JS222-2116	21”
JS222-24	JS222-2416	24”

30.638” High Wall Cabinet - Solid Door Cabinet, Left Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS218-15	JS218-1516	15”
JS218-18	JS218-1816	18”
JS218-21	JS218-2116	21”
JS218-24	JS218-2416	24”


35.678” High Wall Cabinet - Solid Door Cabinet, Left Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS231-15	JS231-1516	15”
JS231-18	JS231-1816	18”
JS231-21	JS231-2116	21”
JS231-24	JS231-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS241-15	JS241-1516	15”
JS241-18	JS241-1816	18”
JS241-21	JS241-2116	21”
JS241-24	JS241-2416	24”

48.278” High Wall Cabinet - Solid Door Cabinet, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS251-15	JS251-1516	15”
JS251-18	JS251-1816	18”
JS251-21	JS251-2116	21”
JS251-24	JS251-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS262-30	JS262-3016	30”
JS262-36	JS262-3616	36”
JS262-42	JS262-4216	42”
JS262-48	JS262-4816	48”

25.598” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS220-30	JS220-3016	30”
JS220-36	JS220-3616	36”
JS220-42	JS220-4216	42”
JS220-48	JS220-4816	48”

30.638” High Wall Cabinet - Solid Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JS203-30	JS203-3016	30”
JS203-36	JS203-3616	36”
JS203-42	JS203-4216	42”
JS203-48	JS203-4816	48”


35.678” High Wall Cabinet - Solid Door Cabinet



Cat. No.		Length
13” Deep	16” Deep	
JS232-30	JS232-3016	30”
JS232-36	JS232-3616	36”
JS232-42	JS232-4216	42”
JS232-48	JS232-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS242-30	JS242-3016	30”
JS242-36	JS242-3616	36”
JS242-42	JS242-4216	42”
JS242-48	JS242-4816	48”

48.278” High Wall Cabinet - Solid Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS252-30	JS252-3016	30”
JS252-36	JS252-3616	36”
JS252-42	JS252-4216	42”
JS252-48	JS252-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS263-15	JS263-1516	15”
JS263-18	JS263-1816	18”
JS263-21	JS263-2116	21”
JS263-24	JS263-2416	24”

25.598” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS223-15	JS223-1516	15”
JS223-18	JS223-1816	18”
JS223-21	JS223-2116	21”
JS223-24	JS223-2416	24”

30.638” High Wall Cabinet - Framed Glass Door, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS210-15	JS210-1516	15”
JS210-18	JS210-1816	18”
JS210-21	JS210-2116	21”
JS210-24	JS210-2416	24”


35.678” High Wall Cabinet - Framed Glass Door, Right Hinged



Cat. No.		Length
13” Deep	16” Deep	
JS233-15	JS233-1516	15”
JS233-18	JS233-1816	18”
JS233-21	JS233-2116	21”
JS233-24	JS233-2416	24”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS243-15	JS243-1516	15”
JS243-18	JS243-1816	18”
JS243-21	JS243-2116	21”
JS243-24	JS243-2416	24”

48.278” High Wall Cabinet - Framed Glass Door, Right Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS253-15	JS253-1516	15”
JS253-18	JS253-1816	18”
JS253-21	JS253-2116	21”
JS253-24	JS253-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS264-15	JS264-1516	15”
JS264-18	JS264-1816	18”
JS264-21	JS264-2116	21”
JS264-24	JS264-2416	24”

25.598” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS224-15	JS224-1516	15”
JS224-18	JS224-1816	18”
JS224-21	JS224-2116	21”
JS224-24	JS224-2416	24”

30.638” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS211-15	JS211-1516	15”
JS211-18	JS211-1816	18”
JS211-21	JS211-2116	21”
JS211-24	JS211-2416	24”

35.678” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS234-15	JS234-1516	15”
JS234-18	JS234-1816	18”
JS234-21	JS234-2116	21”
JS234-24	JS234-2416	24”

LAB SETUP AMERICA




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS244-15	JS244-1516	15”
JS244-18	JS244-1816	18”
JS244-21	JS244-2116	21”
JS244-24	JS244-2416	24”

48.278” High Wall Cabinet - Framed Glass Door, Left Hinged




Cat. No.		Length
13” Deep	16” Deep	
JS254-15	JS254-1516	15”
JS254-18	JS254-1816	18”
JS254-21	JS254-2116	21”
JS254-24	JS254-2416	24”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS265-30	JS265-3016	30”
JS265-36	JS265-3616	36”
JS265-42	JS265-4216	42”
JS265-48	JS265-4816	48”

25.598” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS225-30	JS225-3016	30”
JS225-36	JS225-3616	36”
JS225-42	JS225-4216	42”
JS225-48	JS225-4816	48”

30.638” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS206-30	JS206-3016	30”
JS206-36	JS206-3616	36”
JS206-42	JS206-4216	42”
JS206-48	JS206-4816	48”

35.678” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS235-30	JS235-3016	30”
JS235-36	JS235-3616	36”
JS235-42	JS235-4216	42”
JS235-48	JS235-4816	48”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS245-30	JS245-3016	30”
JS245-36	JS245-3616	36”
JS245-42	JS245-4216	42”
JS245-48	JS245-4816	48”

48.278” High Wall Cabinet - Framed Glass Door Cabinet




Cat. No.		Length
13” Deep	16” Deep	
JS255-30	JS255-3016	30”
JS255-36	JS255-3616	36”
JS255-42	JS255-4216	42”
JS255-48	JS255-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

19.298” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS266-30	JS266-3016	30”
JS266-36	JS266-3616	36”
JS266-42	JS266-4216	42”
JS266-48	JS266-4816	48”

25.598” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS226-30	JS226-3016	30”
JS226-36	JS226-3616	36”
JS226-42	JS226-4216	42”
JS226-48	JS226-4816	48”

30.638” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS205-30	JS205-3016	30”
JS205-36	JS205-3616	36”
JS205-42	JS205-4216	42”
JS205-48	JS205-4816	48”

35.678” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS236-30	JS236-3016	30”
JS236-36	JS236-3616	36”
JS236-42	JS236-4216	42”
JS236-48	JS236-4816	48”

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

41.978” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS246-30	JS246-3016	30”
JS246-36	JS246-3616	36”
JS246-42	JS246-4216	42”
JS246-48	JS246-4816	48”

48.278” High Wall Cabinet - Solid Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS256-30	JS256-3016	30”
JS256-36	JS256-3616	36”
JS256-42	JS256-4216	42”
JS256-48	JS256-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

19.298” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS267-30	JS267-3016	30”
JS267-36	JS267-3616	36”
JS267-42	JS267-4216	42”
JS267-48	JS267-4816	48”

25.598” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS227-30	JS227-3016	30”
JS227-36	JS227-3616	36”
JS227-42	JS227-4216	42”
JS227-48	JS227-4816	48”

30.638” High Wall Cabinet - Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JS219-30	JS219-3016	30”
JS219-36	JS219-3616	36”
JS219-42	JS219-4216	42”
JS219-48	JS219-4816	48”


35.678” High Wall Cabinet - Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JS237-30	JS237-3016	30”
JS237-36	JS237-3616	36”
JS237-42	JS237-4216	42”
JS237-48	JS237-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

41.978” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS247-30	JS247-3016	30”
JS247-36	JS247-3616	36”
JS247-42	JS247-4216	42”
JS247-48	JS247-4816	48”

48.278” High Wall Cabinet - Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS257-30	JS257-3016	30”
JS257-36	JS257-3616	36”
JS257-42	JS257-4216	42”
JS257-48	JS257-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

19.298” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS269-30	JS269-3016	30”
JS269-36	JS269-3616	36”
JS269-42	JS269-4216	42”
JS269-48	JS269-4816	48”

25.598” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS229-30	JS229-3016	30”
JS229-36	JS229-3616	36”
JS229-42	JS229-4216	42”
JS229-48	JS229-4816	48”

30.638” High Wall Cabinet - Framed Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JS208-30	JS208-3016	30”
JS208-36	JS208-3616	36”
JS208-42	JS208-4216	42”
JS208-48	JS208-4816	48”


35.678” High Wall Cabinet - Framed Glass Sliding Doors



Cat. No.		Length
13” Deep	16” Deep	
JS239-30	JS239-3016	30”
JS239-36	JS239-3616	36”
JS239-42	JS239-4216	42”
JS239-48	JS239-4816	48”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

41.978” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS249-30	JS249-3016	30”
JS249-36	JS249-3616	36”
JS249-42	JS249-4216	42”
JS249-48	JS249-4816	48”

48.278” High Wall Cabinet - Framed Glass Sliding Doors




Cat. No.		Length
13” Deep	16” Deep	
JS259-30	JS259-3016	30”
JS259-36	JS259-3616	36”
JS259-42	JS259-4216	42”
JS259-48	JS259-4816	48”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS286-30	JS286-3016	30”

30.638” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS287-30	JS287-3016	30”

35.678” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS288-30	JS288-3016	30”

41.978” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS202-30	JS202-3016	30”

LAB SETUP AMERICA




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS289-30	JS289-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS282-30	JS282-3016	30”

30.638” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS283-30	JS283-3016	30”

35.678” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS284-30	JS284-3016	30”

41.978” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS200-30	JS200-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS285-30	JS285-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS294-30	JS294-3016	30”

30.638” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS295-30	JS295-3016	30”

35.678” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS296-30	JS296-3016	30”

41.978” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS299-30	JS299-3016	30”

LAB SETUP AMERICA




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

48.278” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS297-30	JS297-3016	30”




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.

25.598” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS290-30	JS290-3016	30”

30.638” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS291-30	JS291-3016	30”

35.678” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge



Cat. No.		Length
13” Deep	16” Deep	
JS292-30	JS292-3016	30”


41.978” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge



Cat. No.		Length
13” Deep	16” Deep	
JS298-30	JS298-3016	30”


LAB SETUP AMERICA

Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16” deep cabinet, the cabinet needs to be offset 3” from the wall. A filler is recommended.


48.278” High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




Cat. No.		Length
13” Deep	16” Deep	
JS293-30	JS293-3016	30”



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JS270-25	JS270-2516

30.638” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JS271-25	JS271-2516

35.678” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JS272-25	JS272-2516

41.978” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	16” Deep
JS204-25	JS204-2516


LAB SETUP AMERICA



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet


48.278” High Wall Cabinet - Open Cabinet




Cat. No.	
13” Deep	**16” Deep**
JS273-25	JS273-2516



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS274-25	JS274-2516

30.638” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS275-25	JS275-2516

35.678” High Wall Cabinet - Solid Door, Right Hinge Only



Cat. No.	
13” Deep	16” Deep
JS276-25	JS276-2516


41.978” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS207-25	JS207-2516

LAB SETUP AMERICA


Steel Wall Cabinets



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet


48.278” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	**16” Deep**
JS277-25	JS277-2516



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

25.598” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS278-25	JS278-2516

30.638” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS279-25	JS279-2516

35.678” High Wall Cabinet - Solid Door, Right Hinge Only



Cat. No.	
13” Deep	16” Deep
JS280-25	JS280-2516


41.978” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	16” Deep
JS209-25	JS209-2516

LAB SETUP AMERICA


Steel Wall Cabinets



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall 3/4” in both directions, due to hanger bracket




Plan View
13” Deep Corner Wall Cabinet




Plan View
16” Deep Corner Wall Cabinet

48.278” High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.	
13” Deep	**16” Deep**
JS281-25	JS281-2516




- Pass Thru wall cabinets are 30.638” tall
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Glass Sliding Door Wall Cabinets come standard with float glass

30.638” High Wall Cabinet - Solid Swinging Door Pass-Thru Cabinets




Cat. No.		Length
13” Deep	16” Deep	
JSTPT203-30	JSTPT203-3016	30”
JSTPT203-36	JSTPT203-3616	36”
JSTPT203-42	JSTPT203-4216	42”
JSTPT203-48	JSTPT203-4816	48”

30.638” High Wall Cabinet - Glass Sliding Door Pass-Thru Cabinets




Cat. No.		Length
13” Deep	16” Deep	
JSTPT219-30	JSTPT219-3016	30”
JSTPT219-36	JSTPT219-3616	36”
JSTPT219-42	JSTPT219-4216	42”
JSTPT219-48	JSTPT219-4816	48”

Steel Wall Cabinets



- (2) mirrored interior sides
- (1) UV Light, ensures up to a 99.2% kill rate of germs, bacteria, mold, fungus and virus contaminants from eye wear surfaces.
- (8) adjustable shelves each hole up to (5) goggles or (6) safety glasses
- Lock prevents accidental exposure to UV rays and secures storage
- Timer control with 4 settings (2 minute, 5 minute, 10 minute and 15 minute)
- Goggles and glasses not included


Goggle Cabinet



Cat. No.	Dimensions
JSTP614-240L	24” x 34”




Open Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS351-18	JS338-18	JS301-18	JS348-18	18”
JS351-24	JS338-24	JS301-24	JS348-24	24”
JS351-30	JS338-30	JS301-30	JS348-30	30”
JS351-36	JS338-36	JS301-36	JS348-36	36”
JS351-42	JS338-42	JS301-42	JS348-42	42”
JS351-48	JS338-48	JS301-48	JS348-48	48”

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Door Tall Cabinet - Left Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS320-18	JS331-18	JS314-18	JS341-18	18”
JS320-24	JS331-24	JS314-24	JS341-24	24”

Solid Door Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS319-18	JS330-18	JS313-18	JS340-18	18”
JS319-24	JS330-24	JS313-24	JS340-24	24”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Swinging Door Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS353-30	JS332-30	JS303-30	JS342-30	30”
JS353-36	JS332-36	JS303-36	JS342-36	36”
JS353-42	JS332-42	JS303-42	JS342-42	42”
JS353-48	JS332-48	JS303-48	JS342-48	48”


LAB SETUP AMERICA

Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Solid Sliding Door Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS355-30	JS336-30	JS305-30	JS346-30	30”
JS355-36	JS336-36	JS305-36	JS346-36	36”
JS355-42	JS336-42	JS305-42	JS346-42	42”
JS355-48	JS336-48	JS305-48	JS346-48	48”




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass Door Cabinet - Left Hinged



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS322-18	JS334-18	JS316-18	JS344-18	18”
JS322-24	JS334-24	JS316-24	JS344-24	24”

Framed Glass Door Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS321-18	JS333-18	JS315-18	JS343-18	18”
JS321-24	JS333-24	JS315-24	JS343-24	24”

Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass Swinging Door Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS357-30	JS335-30	JS307-30	JS345-30	30”
JS357-36	JS335-36	JS307-36	JS345-36	36”
JS357-42	JS335-42	JS307-42	JS345-42	42”
JS357-48	JS335-48	JS307-48	JS345-48	48”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Sliding Tall Cabinets come standard with float glass

Framed Glass Sliding Door Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS358-30	JS337-30	JS308-30	JS347-30	30”
JS358-36	JS337-36	JS308-36	JS347-36	36”
JS358-42	JS337-42	JS308-42	JS347-42	42”
JS358-48	JS337-48	JS308-48	JS347-48	48”


LAB SETUP AMERICA

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass and Solid Door Instrument Cabinet - Left Hinged



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS324-18	JS362-18	JS318-18	JS365-18	18”
JS324-24	JS362-24	JS318-24	JS365-24	24”

Framed Glass and Solid Door Instrument Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS323-18	JS361-18	JS317-18	JS364-18	18”
JS323-24	JS361-24	JS317-24	JS364-24	24”




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

Framed Glass and Solid Door Instrument Cabinet




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS359-30	JS363-30	JS309-30	JS366-30	30”
JS359-36	JS363-36	JS309-36	JS366-36	36”
JS359-42	JS363-42	JS309-42	JS366-42	42”
JS359-48	JS363-48	JS309-48	JS366-48	48”

Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Swinging Door Wardrobe Cabinet - Left Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS671-18	JS674-18	JS624-18	JS677-18	18”
JS671-24	JS674-24	JS624-24	JS677-24	24”

Swinging Door Wardrobe Cabinet - Right Hinged




Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS670-18	JS673-18	JS623-18	JS676-18	18”
JS670-24	JS673-24	JS623-24	JS676-24	24”



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

Swinging Door Wardrobe Cabinet



Cat. No.				Length
16” Deep	18” Deep	22” Deep	24” Deep	
JS672-30	JS675-30	JS622-30	JS678-30	30”
JS672-36	JS675-36	JS622-36	JS678-36	36”
JS672-42	JS675-42	JS622-42	JS678-42	42”
JS672-48	JS675-48	JS622-48	JS678-48	48”

LAB SETUP AMERICA

Steel Base Cabinet Fillers

Base Filler with Toe Space




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between adjacent base cabinets or between a cabinet and the wall
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JSFFL-01	JSFFA-01	JSFFH-01	1”	No
JSFFL-03	JSFFA-03	JSFFH-03	3”	No
JSFFL-06	JSFFA-06	JSFFH-06	6”	++
JSFFL-ADJ*	JSFFA-ADJ*	JSFFH-ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


Rear/Center Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back-to-back base cabinets or to close space at the rear of the cabinet
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JSFRL-01	JSFRA-01	JSFRH-01	1”	No
JSFRL-02	JSFRA-02	JSFRH-02	2”	No
JSFRL-06	JSFRA-06	JSFRH-06	6”	No
JSFRL-07	JSFRA-07	JSFRH-07	7”	No
JSFRL-08	JSFRA-08	JSFRH-08	8”	No
JSFRL-14	JSFRA-14	JSFRH-14	14”	No
JSFRL-ADJ	JSFRA-ADJ	JSFRH-ADJ	1” - 18”	Yes
JSFRL-20	JSFRA-20	JSFRH-20	20”	No

Base Corner Filler




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two cabinets in a corner
- Custom fillers available, contact your ICI Representative

Cat. No.			Length	Slip Joint
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”		
JSFCL-01	JSFCA-01	JSFCH-01	1”	No
JSFCL-03	JSFCA-03	JSFCH-03	3”	No
JSFCL-06	JSFCA-06	JSFCH-06	6”	++
JSFCL-ADJ*	JSFCA-ADJ*	JSFCH-ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

* Cut to fit and includes slip fit trim angle


Knee Space Panel for use with Apron Rail



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron rail
- Custom fillers available, contact your ICI Representative

Cat. No.			Length
Sitting Height 27.063”	ADA Height 32.102”	Standing Height 34.625”	
JSKSL-12	JSKSA-12	JSKSH-12	12”
JSKSL-15	JSKSA-15	JSKSH-15	15”
JSKSL-18	JSKSA-18	JSKSH-18	18”
JSKSL-21	JSKSA-21	JSKSH-21	21”
JSKSL-24	JSKSA-24	JSKSH-24	24”
JSKSL-30	JSKSA-30	JSKSH-30	30”
JSKSL-36	JSKSA-36	JSKSH-36	36”
JSKSL-42	JSKSA-42	JSKSH-42	42”
JSKSL-48	JSKSA-48	JSKSH-48	48”
JSKSL-54	JSKSA-54	JSKSH-54	54”
JSKSL-60	JSKSA-60	JSKSH-60	60”
JSKSL-66	JSKSA-66	JSKSH-66	66”
JSKSL-72	JSKSA-72	JSKSH-72	72”
JSKSL-ADJ*	JSKSA-ADJ*	JSKSH-ADJ*	1” - 48”

Knee Space Panel for use with Apron Frame



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron frame
- Custom fillers available, contact your ICI Representative

Cat. No.			Length
Sitting Height 23.038”	ADA Height 28.078”	Standing Height 30.598”	
JSKSL-1204	JSKSA-1204	JSKSH-1204	12”
JSKSL-1504	JSKSA-1504	JSKSH-1504	15”
JSKSL-1804	JSKSA-1804	JSKSH-1804	18”
JSKSL-2104	JSKSA-2104	JSKSH-2104	21”
JSKSL-2404	JSKSA-2404	JSKSH-2404	24”
JSKSL-3004	JSKSA-3004	JSKSH-3004	30”
JSKSL-3604	JSKSA-3604	JSKSH-3604	36”
JSKSL-4204	JSKSA-4204	JSKSH-4204	42”
JSKSL-4804	JSKSA-4804	JSKSH-4804	48”
JSKSL-5404	JSKSA-5404	JSKSH-5404	54”
JSKSL-6004	JSKSA-6004	JSKSH-6004	60”
JSKSL-6604	JSKSA-6604	JSKSH-6604	66”
JSKSL-7204	JSKSA-7204	JSKSH-7204	72”
JSKSL-ADJ04*	JSKSA-ADJ04*	JSKSH-ADJ04*	1” - 48”

* Cut to fit and includes slip fit trim angle

LAB SETUP AMERICA


Wall Rear Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back of wall cabinet and the wall

Cat. No.						Length	
19.298" Tall	25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		Slip Joint
JSFWR-18	JSFWR-24	JSFWR-30	JSFWR-36	JSFWR-42	JSFWR-48	1"	No

Wall Front Filler




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets
- Note: modified fillers should only ordered in 1/8" increments

Cat. No.						Length	
19.298" Tall	25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		Slip Joint
13" Deep							
JSFWL-1801	JSFWL-2401	JSFWL-3001	JSFWL-3601	JSFWL-4201	JSFWL-4801	1"	No
JSFWL-1803	JSFWL-2403	JSFWL-3003	JSFWL-3603	JSFWL-4203	JSFWL-4803	3"	No
JSFWL-1806	JSFWL-2406	JSFWL-3006	JSFWL-3606	JSFWL-4206	JSFWL-4806	6"	++
JSFWL-18ADJ*	JSFWL-24ADJ*	JSFWL-30ADJ*	JSFWL-36ADJ*	JSFWL-42ADJ*	JSFWL-48ADJ*	1" - 18"	Yes
16" Deep							
JSFWH-1801	JSFWH-2401	JSFWH-3001	JSFWH-3601	JSFWH-4201	JSFWH-4801	1"	No
JSFWH-1803	JSFWH-2403	JSFWH-3003	JSFWH-3603	JSFWH-4203	JSFWH-4803	3"	No
JSFWH-1806	JSFWH-2406	JSFWH-3006	JSFWH-3606	JSFWH-4206	JSFWH-4806	6"	++
JSFWH-18ADJ*	JSFWH-24ADJ*	JSFWH-30ADJ*	JSFWH-36ADJ*	JSFWH-42ADJ*	JSFWH-48ADJ*	1" - 18"	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Wall Corner Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets in a corner
- Note: modified fillers should only ordered in 1/8" increments

Cat. No.					Length	Slip Joint
25.598" Tall	30.638" Tall	35.678" Tall	41.978" Tall	48.278" Tall		
13" Deep						
JSFWC-2401	JSFWC-3001	JSFWC-3601	JSFWC-4201	JSFWC-4801	1"	No
JSFWC-2403	JSFWC-3003	JSFWC-3603	JSFWC-4203	JSFWC-4803	3"	No
JSFWC-2406	JSFWC-3006	JSFWC-3606	JSFWC-4206	JSFWC-4806	6"	++
JSFWC-24ADJ*	JSFWC-30ADJ*	JSFWC-36ADJ*	JSFWC-42ADJ*	JSFWC-48ADJ*	1" - 18"	Yes
16" Deep						
JSFWD-2401	JSFWD-3001	JSFWD-3601	JSFWD-4201	JSFWD-4801	1"	No
JSFWD-2403	JSFWD-3003	JSFWD-3603	JSFWD-4203	JSFWD-4803	3"	No
JSFWD-2406	JSFWD-3006	JSFWD-3606	JSFWD-4206	JSFWD-4806	6"	++
JSFWD-24ADJ*	JSFWD-30ADJ*	JSFWD-36ADJ*	JSFWD-42ADJ*	JSFWD-48ADJ*	1" - 18"	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


* Cut to fit and includes slip fit trim angle

Light Valances for Wall Cabinets

Cat. No	For use with:
VAL-12	12” Wide Cabinet
VAL-15	15” Wide Cabinet
VAL-18	18” Wide Cabinet
VAL-21	21” Wide Cabinet
VAL-24	24” Wide Cabinet
VAL-30	30” Wide Cabinet
VAL-36	36” Wide Cabinet
VAL-42	42” Wide Cabinet
VAL-48	48” Wide Cabinet
VAL-54	54” Wide Cabinet
VAL-60	60” Wide Cabinet
VAL-66	66” Wide Cabinet

Steel Tall Cabinet Fillers

Tall Corner Filler




- For use between two tall cabinets in a corner
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.				Length	Slip Joint
16” Deep	18” Deep	22” Deep	24” Deep		
JSFTC-1601	JSFTC-1801	JSFTC-2201	JSFTC-2401	1”	No
JSFTC-1603	JSFTC-1803	JSFTC-2203	JSFTC-2403	3”	No
JSFTC-1606	JSFTC-1806	JSFTC-2206	JSFTC-2406	6”	++
JSFTC-16ADJ*	JSFTC-18ADJ*	JSFTC-22ADJ*	JSFTC-24ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Tall Front Filler



- For use between two tall cabinets
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.				Length	Slip Joint
16” Deep	18” Deep	22” Deep	24” Deep		
JSFTL-1601	JSFTL-1801	JSFTL-2201	JSFTL-2401	1”	No
JSFTL-1603	JSFTL-1803	JSFTL-2203	JSFTL-2403	3”	No
JSFTL-1606	JSFTL-1806	JSFTL-2206	JSFTL-2406	6”	++
JSFTL-16ADJ*	JSFTL-18ADJ*	JSFTL-22ADJ*	JSFTL-24ADJ*	1” - 18”	Yes

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

Tall Rear Filler




- For use between a tall cabinet and the wall
- Note: modified fillers should only ordered in 1/8” increments

Cat. No.	Length	Slip Joint
JSFTR-05	5”	No
JSFTR-07	7”	No
JSFTR-11	11”	No
JSFTR-ADJ*	1” - 18”	No

* Cut to fit and includes slip fit trim angle


Sloped Top



- Slope tops for wall cabinets or tall cabinets
- All slope tops have finished ends
- 18 gauge construction
- All slope tops are 8” tall
- Note: modified fillers should only ordered in 1/8” increments
- For corner conditions that need sloped tops, please contact your ICI representative


Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JS526-12	JS522-12	JS527-12	JS524-12	JS528-12	12”
JS526-15	JS522-15	JS527-15	JS524-15	JS528-15	15”
JS526-18	JS522-18	JS527-18	JS524-18	JS528-18	18”
JS526-21	JS522-21	JS527-21	JS524-21	JS528-21	21”
JS526-24	JS522-24	JS527-24	JS524-24	JS528-24	24”
JS526-30	JS522-30	JS527-30	JS524-30	JS528-30	30”
JS526-36	JS522-36	JS527-36	JS524-36	JS528-36	36”
JS526-42	JS522-42	JS527-42	JS524-42	JS528-42	42”
JS526-48	JS522-48	JS527-48	JS524-48	JS528-48	48”
JS526-54	JS522-54	JS527-54	JS524-54	JS528-54	54”
JS526-60	JS522-60	JS527-60	JS524-60	JS528-60	60”
JS526-66	JS522-66	JS527-66	JS524-66	JS528-66	66”
JS526-72	JS522-72	JS527-72	JS524-72	JS528-72	72”
JS526-84	JS522-84	JS527-84	JS524-84	JS528-84	84”
JS526-96	JS522-96	JS527-96	JS524-96	JS528-96	96”

Slope Top Filler Trim




Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JS57001	JS57101	JS57201	JS57301	JS57501	1”
JS57002	JS57102	JS57202	JS57302	JS57502	2”
JS57003	JS57103	JS57203	JS57303	JS57503	3”
JS57004	JS57104	JS57204	JS57304	JS57504	4”
JS57005	JS57105	JS57205	JS57305	JS57505	5”
JS57006	JS57106	JS57206	JS57306	JS57506	6”

Ceiling Filler Trim



Cat. No. 13” Deep	Length
JS58001	1”
JS58002	2”
JS58003	3”
JS58004	4”
JS58005	5”
JS58006	6”
JS580ADJ	1” - 18”

Corner Slope Top




12” Deep 16” Deep

Cat. No.	Depth
P526-C12	12”
P526-C16	16”

LAB SETUP AMERICA

Steel Accessories


Ceiling Filler



- Ceiling filler for wall cabinets or tall cabinets
- All ceiling fillers have finished ends
- Ceiling fillers are 11” tall
- 18 gauge construction
- Note: modified fillers should only ordered in 1/8” increments


Cat. No.					Length
13” Deep	16” Deep	18” Deep	22” Deep	24” Deep	
JS530-12	JS536-12	JS537-12	JS538-12	JS532-12	12”
JS530-15	JS536-15	JS537-15	JS538-15	JS532-15	15”
JS530-18	JS536-18	JS537-18	JS538-18	JS532-18	18”
JS530-21	JS536-21	JS537-21	JS538-21	JS532-21	21”
JS530-24	JS536-24	JS537-24	JS538-24	JS532-24	24”
JS530-30	JS536-30	JS537-30	JS538-30	JS532-30	30”
JS530-36	JS536-36	JS537-36	JS538-36	JS532-36	36”
JS530-42	JS536-42	JS537-42	JS538-42	JS532-42	42”
JS530-48	JS536-48	JS537-48	JS538-48	JS532-48	48”
JS530-54	JS536-54	JS537-54	JS538-54	JS532-54	54”
JS530-60	JS536-60	JS537-60	JS538-60	JS532-60	60”
JS530-66	JS536-66	JS537-66	JS538-66	JS532-66	66”
JS530-72	JS536-72	JS537-72	JS538-72	JS532-72	72”
JS530-84	JS536-84	JS537-84	JS538-84	JS532-84	84”
JS530-96	JS536-96	JS537-96	JS538-96	JS532-96	96”

Stainless Steel Shelf




Cat. No.			Length
10” Deep	12” Deep	16” Deep	
JS59224	JS59324	JS59524	24”
JS59236	JS59336	JS59536	36”
JS59248	JS59348	JS59548	48”
JS59260	JS59360	JS59560	60”
JS59272	JS59372	JS59572	72”
JS59296	JS59396	JS59596	96”

Stainless Steel Shelf




Cat. No.		Length
8” Deep	12” Deep	
JS59124	JS5912412	24”
JS59130	JS5913012	30”
JS59136	JS5913612	36”
JS59148	JS5914812	48”

Fold Down Shelf




Cat. No.	Length
15” Deep	
JS51818	18”
JS51824	24”

Fold Down Top




Cat. No. 24” Deep	Length
JS59024	24”
JS59030	30”
JS59036	36”

Strut Support for Pipe Chase




Cat. No.			Length
Sitting Height 27.063” H	ADA Height 32.105” H	Standing Height 34.625” H	
JS54207	JS58207	JS51207	7”
JS54208	JS58208	JS51208	8”
JS54213	JS58213	JS51213	13”
JS54214	JS58214	JS51214	14”
JS54220	JS58220	JS51220	20”
JS54226	JS58226	JS51226	26”

Reagent Shelf Supports



Cat. No.		
8” Deep	12” Deep	16” Deep
JS51108	JS51112	JS51116

Pipe Chase



JS50924


Cat. No.	Cat. No. Dimensions	Type
JS50924	26” x 6” x 84”	Pipe Chase
JS50924U	26” x 6” x 84”	Pipe Chase with Unistrut
JS50924WHU	26” x 6” x 84”	Pipe Chase with Unistrut and Hooks

Finish Back Panels

- To be used on the back of base cabinets

Sitting Height 27.063” H	Cat. No. ADA Height 32.105” H	Standing Height 34.625” H	Length
FBL-12	FBA-12	FBH-12	12”
FBL-15	FBA-15	FBH-15	15”
FBL-18	FBA-18	FBH-18	18”
FBL-21	FBA-21	FBH-21	21”
FBL-24	FBA-24	FBH-24	24”
FBL-30	FBA-30	FBH-30	30”
FBL-36	FBA-36	FBH-36	36”
FBL-42	FBA-42	FBH-42	42”
FBL-48	FBA-48	FBH-48	48”
FBL-52	FBA-52	FBH-52	52”
FBL-58	FBA-58	FBH-58	58”
FBL-60	FBA-60	FBH-60	60”


6” Deep U-Shape Finish Back Panels



- To be used on the back of base cabinets

Sitting Height 27.063” H Stainless Steel	Cat. No. ADA Height 32.105” H Stainless Steel	Standing Height 34.625” H Stainless Steel	Length
FBLU-36	FBAU-36	FBHU-36	36”
FBLU-42	FBAU-42	FBHU-42	42”
FBLU-48	FBAU-48	FBHU-48	48”
FBLU-52	FBAU-52	FBHU-52	52”
FBLU-58	FBAU-58	FBHU-58	58”
FBLU-60	FBAU-60	FBHU-60	60”
FBLU-72	FBAU-72	FBHU-72	72”


6” Deep U-Shape Finish Back Panels with toe space on 3 sides



- To be used on the back of base cabinets

Sitting Height 27.063” H Stainless Steel	Cat. No. ADA Height 32.105” H Stainless Steel	Standing Height 34.625” H Stainless Steel	Length
FBLUT-52	FBAUT-52	FBHUT-52	52”
FBLUT-58	FBAUT-58	FBHUT-58	58”
FBLUT-60	FBAUT-60	FBHUT-60	60”

Sink Supports




Note:

- Add 12 to the end of the product number for sinks greater in depth than 11”. Example: JS535-1212
- Add 18 to the end of the product number for sinks greater in depth that 17”. Example: JS535-1218

- Two 12 gauge channels
- 1/4-20 rods for adjustment
- Use to support epoxy resin sink bowls.


Cat. No	For use with:
JSP535-12	12” Wide Cabinet
JSP535-15	15” Wide Cabinet
JSP535-18	18” Wide Cabinet
JSP535-21	21” Wide Cabinet
JSP535-24	24” Wide Cabinet
JSP535-30	30” Wide Cabinet
JSP535-36	36” Wide Cabinet
JSP535-42	42” Wide Cabinet
JSP535-48	48” Wide Cabinet
JSP535-52	52” Wide Cabinet
JSP535-58	58” Wide Cabinet
JSP535-60	60” Wide Cabinet

Roll Out Trays




- For Stainless Steel, change “P” to a “S” in catalog number

Cat. No		For use with:
For Swing Door Cabinet	For Open Face Cabinet	
P520-12	P521-12	12” Wide Cabinet
P520-15	P521-15	15” Wide Cabinet
P520-18	P521-18	18” Wide Cabinet
P520-21	P521-21	21” Wide Cabinet
P520-24	P521-24	24” Wide Cabinet
P520-30	P521-30	30” Wide Cabinet
P520-36	P521-36	36” Wide Cabinet
P520-42	P521-42	42” Wide Cabinet
P520-48	P521-48	48” Wide Cabinet




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

23.0625” High Suspended Open Cabinets




Cat. No.	Length
JS801-12	12”
JS801-15	15”
JS801-18	18”
JS801-21	21”
JS801-24	24”
JS801-30	30”
JS801-36	36”
JS801-42	42”
JS801-48	48”


23.0625” High Suspended Door Cabinets




Cat. No.	Length
Left Hinged	
JS803-12	12”
JS803-15	15”
JS803-18	18”
JS803-21	21”
JS803-24	24”



Cat. No.	Length
Right Hinged	
JS802-12	12”
JS802-15	15”
JS802-18	18”
JS802-21	21”
JS802-24	24”




Cat. No.	Length
JS804-30	30”
JS804-36	36”
JS804-42	42”
JS804-48	48”




Sink cabinet with half back

Cat. No.	Length
JS881-30	30”
JS881-36	36”
JS881-42	42”
JS881-48	48”


23.0625” High Suspended Drawer Cabinets




Cat. No.	Length



Cat. No.	Length
JS818-30	30”
JS818-36	36”
JS818-42	42”
JS818-48	48”




Cat. No.	Length
JS823-30	30”
JS823-36	36”
JS823-42	42”
JS823-48	48”



Cat. No.	Length


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


23.0625” High Suspended Drawer Cabinets




Cat. No.	Length
JS820-15	15”
JS820-18	18”
JS820-21	21”
JS820-24	24”




Cat. No.	Length
JS821-15	15”
JS821-18	18”
JS821-21	21”
JS821-24	24”




Cat. No.	Length
JS827-30	30”
JS827-36	36”
JS827-42	42”
JS827-48	48”



Cat. No.	Length
JS828-30	30”
JS828-36	36”
JS828-42	42”
JS828-48	48”




Cat. No.	Length
JS822-15	15”
JS822-18	18”
JS822-21	21”
JS822-24	24”




Cat. No.	Length
JS833-15	15”
JS833-18	18”
JS833-21	21”
JS833-24	24”


23.0625” High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
JS806-15	15”
JS806-18	18”
JS806-21	21”
JS806-24	24”




Cat. No.	Length
Right Hinged	
JS805-15	15”
JS805-18	18”
JS805-21	21”
JS805-24	24”



Cat. No.	Length
JS807-30	30”
JS807-36	36”
JS807-42	42”
JS807-48	48”




Cat. No.	Length
JS808-30	30”
JS808-36	36”
JS808-42	42”
JS808-48	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


23.0625” High Suspended Combination Cabinets




Cat. No. Left Cabinet	Length
JS811-30	30”
JS811-36	36”
JS811-42	42”
JS811-48	48”



Cat. No. Right Cabinet	Length
JS810-30	30”
JS810-36	36”
JS810-42	42”
JS810-48	48”




Cat. No. Left Cabinet	Length
JS813-30	30”
JS813-36	36”
JS813-42	42”
JS813-48	48”




Cat. No. Right Cabinet	Length

23.0625” High Suspended Corner Cabinet



Cat. No. Right Hinged
JS829-32

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- Actual product dimensions may vary slightly due to style and hardware selection


23.0625” High Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.


Slam Latch




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JS830-18SL	18”
JS830-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS830-18SLA	18”
JS830-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS830-18SLAS	18”
JS830-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JS831-18SL	18”
JS831-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS831-18SLA	18”
JS831-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS831-18SLAS	18”
JS831-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JS831-30SL	30”
JS831-36SL	36”
JS831-42SL	42”
JS831-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JS831-30SLA	30”
JS831-36SLA	36”
JS831-42SLA	42”
JS831-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS831-30SLAS	30”
JS831-36SLAS	36”
JS831-42SLAS	42”
JS831-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JS831-30SLASY	30”
JS831-36SLASY	36”
JS831-42SLASY	42”
JS831-48SLASY	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625” H - Open Suspended Cabinets




Cat. No.	Length
JS840-12	12”
JS840-15	15”
JS840-18	18”
JS840-21	21”
JS840-24	24”
JS840-30	30”
JS840-36	36”
JS840-42	42”
JS840-48	48”


30.625” H - Door Suspended Cabinets



Cat. No.	Length
Left Hinged	
JS841-12	12”
JS841-15	15”
JS841-18	18”
JS841-21	21”
JS841-24	24”




Cat. No.	Length
Right Hinged	
JS842-12	12”
JS842-15	15”
JS842-18	18”
JS842-21	21”
JS842-24	24”



Cat. No.	Length
JS843-30	30”
JS843-36	36”
JS843-42	42”
JS843-48	48”


30.625” H - Drawer Suspended Cabinets




Cat. No.	Length
JS859-15	15”
JS859-18	18”
JS859-21	21”
JS859-24	24”



Cat. No.	Length
JS860-30	30”
JS860-36	36”
JS860-42	42”
JS860-48	48”




Cat. No.	Length
JS861-30	30”
JS861-36	36”
JS861-42	42”
JS861-48	48”



Cat. No.	Length
JS865-30	30”
JS865-36	36”
JS865-42	42”
JS865-48	48”


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625” High Suspended Drawer Cabinets




Cat. No.	Length
JS866-30	30”
JS866-36	36”
JS866-42	42”
JS866-48	48”




Cat. No.	Length
JS867-30	30”
JS867-36	36”
JS867-42	42”
JS867-48	48”



Cat. No.	Length
JS862-15	15”
JS862-18	18”
JS862-21	21”
JS862-24	24”




Cat. No.	Length
JS863-15	15”
JS863-18	18”
JS863-21	21”
JS863-24	24”




Cat. No.	Length
JS864-15	15”
JS864-18	18”
JS864-21	21”
JS864-24	24”


30.625” High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
JS844-15	15”
JS844-18	18”
JS844-21	21”
JS844-24	24”




Cat. No.	Length
Right Hinged	
JS845-15	15”
JS845-18	18”
JS845-21	21”
JS845-24	24”



Cat. No.	Length




Cat. No.	Length
JS847-30	30”
JS847-36	36”
JS847-42	42”
JS847-48	48”




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625” Hight Suspended Combination Cabinets




Cat. No.	Length
JS848-30	30”
JS848-36	36”
JS848-42	42”
JS848-48	48”




Cat. No.	Length
Left Cabinet	
JS849-30	30”
JS849-36	36”
JS849-42	42”
JS849-48	48”




Cat. No.	Length
Right Cabinet	
JS850-30	30”
JS850-36	36”
JS850-42	42”
JS850-48	48”




Cat. No.	Length
Left Cabinet	
JS851-30	30”
JS851-36	36”
JS851-42	42”
JS851-48	48”




Cat. No.	Length
Right Cabinet	
JS852-30	30”
JS852-36	36”
JS852-42	42”
JS852-48	48”




Cat. No.	Length
Left Cabinet	
JS853-30	30” L
JS853-36	36” L
JS853-42	42” L
JS853-48	48” L




Cat. No.	Length
Right Cabinet	
JS854-30	30”
JS854-36	36”
JS854-42	42”
JS854-48	48”




Cat. No.	Length
Left Cabinet	
JS855-30	30”
JS855-36	36”
JS855-42	42”
JS855-48	48”



Cat. No.	Length
Right Cabinet	
JS856-30	30” L
JS856-36	36” L
JS856-42	42” L
JS856-48	48” L




Cat. No.	Length
Left Cabinet	
JS857-30	30”
JS857-36	36”
JS857-42	42”
JS857-48	48”



Cat. No.	Length
Right Cabinet	
JS858-30	30”
JS858-36	36”
JS858-42	42”
JS858-48	48”


LAB SETUP AMERICA

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625” High Suspended Corner Cabinet




Cat. No. Right Hinged
JS868-32

Suspended Pencil Drawer




- 3 7/8” tall and 22” deep
- Designed to be hung from a table system
- Each suspended cabinet furnished with complete hanging hardware

Cat. No.	Length
JSPPD1522	15”
JSPPD1822	18”
JSPPD2122	21”
JSPPD2422	24”
JSPPD3022	30”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


23.285” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JS1042-18	18”
JS1042-24	24”




Cat. No.	Length
Right Hinged	
JS1041-18	18”
JS1041-24	24”




Cat. No.	Length
JS1043-30	30”
JS1043-36	36”

23.285” High Mobile Drawer Cabinets




Cat. No.	Length
JS1059-18	18”
JS1059-24	24”




Cat. No.	Length
JS1059-30	30”
JS1059-36	36”


23.285” High Mobile Combination Cabinets



Cat. No.	Length
Left Hinged	
JS1044-24	24”




Cat. No.	Length
Right Hinged	
JS1045-24	24”



Cat. No.	Length
JS1046-30	30”

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2” deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.


27.065” Slam Latch




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
JS897-18SL	18”
JS897-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS897-18SLA	18”
JS897-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS897-18SLAS	18”
JS897-24SLAS	24”



Cat. No.	Length
Right Hinged	
Slam Latch Handle	
JS899-18SL	18”
JS899-24SL	24”
Slam Latch Handle and Auto-closing Mechanism	
JS899-18SLA	18”
JS899-24SLA	24”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS899-18SLAS	18”
JS899-24SLAS	24”




Cat. No.	Length
Slam Latch Handle	
JS899-30SL	30”
JS899-36SL	36”
JS899-42SL	42”
JS899-48SL	48”
Slam Latch Handle and Auto-closing Mechanism	
JS899-30SLA	30”
JS899-36SLA	36”
JS899-42SLA	42”
JS899-48SLA	48”
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
JS899-30SLAS	30”
JS899-36SLAS	36”
JS899-42SLAS	42”
JS899-48SLAS	48”
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
JS899-30SLASY	30”
JS899-36SLASY	36”
JS899-42SLASY	42”
JS899-48SLASY	48”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


27.065” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JS1076-18	18”
JS1076-24	24”




Cat. No.	Length
Right Hinged	
JS1075-18	18”
JS1075-24	24”




Cat. No.	Length
JS1063-30	30”
JS1063-36	36”


27.065” Mobile Drawer Cabinets




Cat. No.	Length
JS1070-18	18”
JS1070-24	24”




Cat. No.	Length
JS1071-18	18”
JS1071-24	24”



Cat. No.	Length
JS1072-18	18”
JS1072-24	24”




Cat. No.	Length
JS1072-30	30”
JS1072-36	36”




Cat. No.	Length
JS1073-18	18”
JS1073-24	24”

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


27.065” Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
JS1069-15	15”
JS1069-18	18”
JS1069-24	24”




Cat. No.	Length
Right Hinged	
JS1068-15	15”
JS1068-18	18”
JS1068-24	24”




Cat. No.	Length
JS1065-30	30”
JS1065-36	36”



Cat. No.	Length
JS1083-30	30”
JS1083-36	36”
JS1083-42	42”




Cat. No.	Length
JS1082-30	30”
JS1082-36	36”
JS1082-42	42”




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


32.105” High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
JS1003-18	18”
JS1003-24	24”




Cat. No.	Length
Right Hinged	
JS1002-18	18”
JS1002-24	24”




Cat. No.	Length
JS1003-30	30”
JS1003-36	36”
JS1003-42	42”
JS1003-48	48”


32.105” High Mobile Drawer Cabinets




Cat. No.	Length
JS1021-18	18”
JS1021-24	24”




Cat. No.	Length
JS1021-30	30”
JS1021-36	36”




Cat. No.	Length
JS1027-18	18”
JS1027-24	24”



Cat. No.	Length
JS1022-18	18”
JS1022-24	24”




Cat. No.	Length
JS1022-30	30”
JS1022-36	36”



Cat. No.	Length
JS1127-30	30”
JS1127-36	36”
JS1127-42	42”


LAB SETUP AMERICA

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


32.105” Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
JS1019-15	15”
JS1019-18	18”
JS1019-24	24”



Cat. No.	Length
Right Hinged	
JS1018-15	15”
JS1018-18	18”
JS1018-24	24”




Cat. No.	Length
JS1005-30	30”
JS1005-36	36”
JS1005-42	42”




Cat. No.	Length
JS1006-30	30”
JS1006-36	36”
JS1006-42	42”

4” High Table Frame - No Drawer



Example of 24”-48” Long Table Frame


Cat. No.		Length
22” Deep	28” Deep	
JSTBA-2422	JSTBA-2428	24”
JSTBA-3022	JSTBA-3028	30”
JSTBA-3622	JSTBA-3628	36”
JSTBA-4222	JSTBA-4228	42”
JSTBA-4822	JSTBA-4828	48”



Example of 54”-72” Long Table Frame


Cat. No.		Length
22” Deep	28” Deep	
JSTBA-5422	JSTBA-5428	54”
JSTBA-6022	JSTBA-6028	60”
JSTBA-6622	JSTBA-6628	66”
JSTBA-7222	JSTBA-7228	72”

4” High Table Frame - Single Drawer



Example of 24”-48” Long Table Frame

Cat. No.		Length
22” Deep	28” Deep	
JSTBA-2422-1	JSTBA-2428-1	24”
JSTBA-3022-1	JSTBA-3028-1	30”
JSTBA-3622-1	JSTBA-3628-1	36”
JSTBA-4222-1	JSTBA-4228-1	42”
JSTBA-4822-1	JSTBA-4828-1	48”




Example of 54”-72” Long Table Frame

Cat. No.		Length
22” Deep	28” Deep	
JSTBA-5422-1	JSTBA-5428-1	54”
JSTBA-6022-1	JSTBA-6028-1	60”
JSTBA-6622-1	JSTBA-6628-1	66”
JSTBA-7222-1	JSTBA-7228-1	72”

LAB SETUP AMERICA


Steel Table Frames

4” High Table Frame - Double Drawer




Cat. No.		Length
22” Deep	28” Deep	

Apron Rails



Cat. No.		Length
2” High	4” High	
JSTBR-2402	JSTBR-2404	24”
JSTBR-3002	JSTBR-3004	30”
JSTBR-3602	JSTBR-3604	36”
JSTBR-4802	JSTBR-4804	48”
JSTBR-7202	JSTBR-7204	72”


ADA Table Frame




Chase on Left Side Shown

Cat. No.		Dimensions
Chase on Left Side	Chase on Right Side	
40587004A	40587004AR	48” W x 32.5” T x 30” D
40587005A	40587005AR	60” W x 32.5” T x 30” D
40587006A	40587006AR	72” W x 32.5” T x 30” D

Table Assemblies - No Drawer






- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required


Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBL-3024	JSTBL-3030	-	-	-	30”
JSTBL-3624	JSTBL-3630	JSTBL-3636	-	-	36”
JSTBL-4224	JSTBL-4230	JSTBL-4236	JSTBL-4242	-	42”
JSTBL-4824	JSTBL-4830	JSTBL-4836	JSTBL-4842	JSTBL-4848	48”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBH-3024	JSTBH-3030	-	-	-	30”
JSTBH-3624	JSTBH-3630	JSTBH-3636	-	-	36”
JSTBH-4224	JSTBH-4230	JSTBH-4236	JSTBH-4242	-	42”
JSTBH-4824	JSTBH-4830	JSTBH-4836	JSTBH-4842	JSTBH-4848	48”

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBL-5424	JSTBL-5430	JSTBL-5436	JSTBL-5442	JSTBL-5448	54”
JSTBL-6024	JSTBL-6030	JSTBL-6036	JSTBL-6042	JSTBL-6048	60”
JSTBL-6624	JSTBL-6630	JSTBL-6636	JSTBL-6642	JSTBL-6648	66”
JSTBL-7224	JSTBL-7230	JSTBL-7236	JSTBL-7242	JSTBL-7248	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBH-5424	JSTBH-5430	JSTBH-5436	JSTBH-5442	JSTBH-5448	54”
JSTBH-6024	JSTBH-6030	JSTBH-6036	JSTBH-6042	JSTBH-6048	60”
JSTBH-6624	JSTBH-6630	JSTBH-6636	JSTBH-6642	JSTBH-6648	66”
JSTBH-7224	JSTBH-7230	JSTBH-7236	JSTBH-7242	JSTBH-7248	72”

Steel Table Assemblies

Table Assemblies - with 1 Drawer






- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBL-3024-1	JSTBL-3030-1	-	-	-	30”
JSTBL-3624-1	JSTBL-3630-1	JSTBL-3636-1	-	-	36”
JSTBL-4224-1	JSTBL-4230-1	JSTBL-4236-1	JSTBL-4242-1	-	42”
JSTBL-4824-1	JSTBL-4830-1	JSTBL-4836-1	JSTBL-4842-1	JSTBL-4848-1	48”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBH-3024-1	JSTBH-3030-1	-	-	-	30”
JSTBH-3624-1	JSTBH-3630-1	JSTBH-3636-1	-	-	36”
JSTBH-4224-1	JSTBH-4230-1	JSTBH-4236-1	JSTBH-4242-1	-	42”
JSTBH-4824-1	JSTBH-4830-1	JSTBH-4836-1	JSTBH-4842-1	JSTBH-4848-1	48”

Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBL-5424-1	JSTBL-5430-1	JSTBL-5436-1	JSTBL-5442-1	JSTBL-5448-1	54”
JSTBL-6024-1	JSTBL-6030-1	JSTBL-6036-1	JSTBL-6042-1	JSTBL-6048-1	60”
JSTBL-6624-1	JSTBL-6630-1	JSTBL-6636-1	JSTBL-6642-1	JSTBL-6648-1	66”
JSTBL-7224-1	JSTBL-7230-1	JSTBL-7236-1	JSTBL-7242-1	JSTBL-7248-1	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBH-5424-1	JSTBH-5430-1	JSTBH-5436-1	JSTBH-5442-1	JSTBH-5448-1	54”
JSTBH-6024-1	JSTBH-6030-1	JSTBH-6036-1	JSTBH-6042-1	JSTBH-6048-1	60”
JSTBH-6624-1	JSTBH-6630-1	JSTBH-6636-1	JSTBH-6642-1	JSTBH-6648-1	66”
JSTBH-7224-1	JSTBH-7230-1	JSTBH-7236-1	JSTBH-7242-1	JSTBH-7248-1	72”


Table Assemblies



- Casters are available for only 24” and 30” deep table. Leg Rails and Stretchers will be required


Cat. No.					Length
Sitting Height - 27.063”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBL-4824-2	JSTBL-4830-2	JSTBL-4836-2	JSTBL-4842-2	JSTBL-4848-2	48”
JSTBL-5424-2	JSTBL-5430-2	JSTBL-5436-2	JSTBL-5442-2	JSTBL-5448-2	54”
JSTBL-6024-2	JSTBL-6030-2	JSTBL-6036-2	JSTBL-6042-2	JSTBL-6048-2	60”
JSTBL-6624-2	JSTBL-6630-2	JSTBL-6636-2	JSTBL-6642-2	JSTBL-6648-2	66”
JSTBL-7224-2	JSTBL-7230-2	JSTBL-7236-2	JSTBL-7242-2	JSTBL-7248-2	72”
Standing Height - 34.625”					
24” Deep	30” Deep	36” Deep	42” Deep	48” Deep	
JSTBH-4824-2	JSTBH-4830-2	JSTBH-4836-2	JSTBH-4842-2	JSTBH-4848-2	48”
JSTBH-5424-2	JSTBH-5430-2	JSTBH-5436-2	JSTBH-5442-2	JSTBH-5448-2	54”
JSTBH-6024-2	JSTBH-6030-2	JSTBH-6036-2	JSTBH-6042-2	JSTBH-6048-2	60”
JSTBH-6624-2	JSTBH-6630-2	JSTBH-6636-2	JSTBH-6642-2	JSTBH-6648-2	66”
JSTBH-7224-2	JSTBH-7230-2	JSTBH-7236-2	JSTBH-7242-2	JSTBH-7248-2	72”

Single Leg - Right




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTSR-2822	JSTSR-3222	JSTSR-3522	22"
JSTSR-2828	JSTSR-3228	JSTSR-3528	28"
2" Bracket			
JSTSR-2822-2	JSTSR-3222-2	JSTSR-3522-2	22"
JSTSR-2828-2	JSTSR-3228-2	JSTSR-3528-2	28"

Single Leg - Left



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTSL-2822	JSTSL-3222	JSTSL-3522	22"
JSTSL-2828	JSTSL-3228	JSTSL-3528	28"
2" Bracket			
JSTSL-2822-2	JSTSL-3222-2	JSTSL-3522-2	22"
JSTSL-2828-2	JSTSL-3228-2	JSTSL-3528-2	28"


Double Leg



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTDL-2822	JSTDL-3222	JSTDL-3522	22"
JSTDL-2828	JSTDL-3228	JSTDL-3528	28"
JSTDL-2834	JSTDL-3234	JSTDL-3534	34"
JSTDL-2840	JSTDL-3240	JSTDL-3540	40"
JSTDL-2846	JSTDL-3246	JSTDL-3546	46"
2" Bracket			
JSTDL-2822-2	JSTDL-3222-2	JSTDL-3522-2	22"
JSTDL-2828-2	JSTDL-3228-2	JSTDL-3528-2	28"


Steel Legs

Double Leg with Rail




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTRL-2822	JSTRL-3222	JSTRL-3522	22"
JSTRL-2828	JSTRL-3228	JSTRL-3528	28"
JSTRL-2834	JSTRL-3234	JSTRL-3534	34"
JSTRL-2840	JSTRL-3240	JSTRL-3540	40"
JSTRL-2846	JSTRL-3246	JSTRL-3546	46"
2" Bracket			
JSTRL-2822-2	JSTRL-3222-2	JSTRL-3522-2	22"
JSTRL-2828-2	JSTRL-3228-2	JSTRL-3528-2	28"

Single Leg Center




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTSC-2822	JSTSC-3222	JSTSC-3522	22"
JSTSC-2828	JSTSC-3228	JSTSC-3528	28"
2" Bracket			
JSTSC-2822-2	JSTSC-3222-2	JSTSC-3522-2	22"
JSTSC-2828-2	JSTSC-3228-2	JSTSC-3528-2	28"

Double Leg Center




Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTDC-2822	JSTDC-3222	JSTDC-3522	22"
JSTDC-2828	JSTDC-3228	JSTDC-3528	28"
JSTDC-2834	JSTDC-3234	JSTDC-3534	34"
JSTDC-2840	JSTDC-3240	JSTDC-3540	40"
JSTDC-2846	JSTDC-3246	JSTDC-3546	46"
2" Bracket			
JSTDC-2822-2	JSTDC-3222-2	JSTDC-3522-2	22"
JSTDC-2828-2	JSTDC-3228-2	JSTDC-3528-2	28"

Double Leg Center with Rail



Cat. No.			Depth
Sitting Height 27.063" H	ADA Height 32.105" H	Standing Height 34.625" H	
4" Bracket			
JSTRC-2822	JSTRC-3222	JSTRC-3522	22"
JSTRC-2828	JSTRC-3228	JSTRC-3528	28"
JSTRC-2834	JSTRC-3234	JSTRC-3534	34"
JSTRC-2840	JSTRC-3240	JSTRC-3540	40"
JSTRC-2846	JSTRC-3246	JSTRC-3546	46"
2" Bracket			
JSTRC-2822-2	JSTRC-3222-2	JSTRC-3522-2	22"
JSTRC-2828-2	JSTRC-3228-2	JSTRC-3528-2	28"


End Pedestal without Bracket 2" L



Left Side Pedestal without Bracket shown

Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JSTPO-2822L	JSTPO-2822R	JSTPO-3222L	JSTPO-3222R	JSTPO-3522L	JSTPO-3522R	22"
JSTPO-2828L	JSTPO-2828R	JSTPO-3228L	JSTPO-3228R	JSTPO-3528L	JSTPO-3528R	28"
JSTPO-2829L	JSTPO-2829R	JSTPO-3229L	JSTPO-3229R	JSTPO-3529L	JSTPO-3529R	29"

End Pedestal with Bracket




Left Side Pedestal with Bracket shown

Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
4" Bracket						
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JSTPL-2822L	JSTPL-2822R	JSTPL-3222L	JSTPL-3222R	JSTPL-3522L	JSTPL-3522R	22"
JSTPL-2828L	JSTPL-2828R	JSTPL-3228L	JSTPL-3228R	JSTPL-3528L	JSTPL-3528R	28"
JSTPL-2829L	JSTPL-2829R	JSTPL-3229L	JSTPL-3229R	JSTPL-3529L	JSTPL-3529R	29"
2" Bracket						
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JSTPL-2822-2L	JSTPL-2822-2R	JSTPL-3222-2L	JSTPL-3222-2R	JSTPL-3522-2L	JSTPL-3522-2R	22"
JSTPL-2828-2L	JSTPL-2828-2R	JSTPL-3228-2L	JSTPL-3228-2R	JSTPL-3528-2L	JSTPL-3528-2R	28"
JSTPL-2829-2L	JSTPL-2829-2R	JSTPL-3229-2L	JSTPL-3229-2R	JSTPL-3529-2L	JSTPL-3529-2R	29"

Steel Legs


End Pedestal with Top Mounted Bracket



Left Side Pedestal with Top Mounted Bracket shown


Cat. No.						Depth
Sitting Height 27.063" H		ADA Height 32.105" H		Standing Height 34.625" H		
Left Side	Right Side	Left Side	Right Side	Left Side	Right Side	
JSTPT-2822L	JSTPT-2822R	JSTPT-3222L	JSTPT-3222R	JSTPT-3522L	JSTPT-3522R	22"
JSTPT-2828L	JSTPT-2828R	JSTPT-3228L	JSTPT-3228R	JSTPT-3528L	JSTPT-3528R	28"
JSTPT-2829L	JSTPT-2829R	JSTPT-3229L	JSTPT-3229R	JSTPT-3529L	JSTPT-3529R	29"

Corner Leg Support




Cat. No.	
Sitting Height 27.063" H	Standing Height 34.625" H
JS422	JS412

Angle Support




4" Bracket	2" Bracket
JSTSA04	JSTSA02

Leg Rail




Cat. No.	For use with:
JSTGL22	22" deep leg assembly
JSTGL28	28" deep leg assembly
JSTGL34	34" deep leg assembly
JSTGL40	40" deep leg assembly
JSTGL46	48" deep leg assembly

Leg Stretcher




Cat. No.	Length
JSTST24	18”
JSTST30	24”
JSTST36	30”
JSTST42	36”
JSTST48	42”
JSTST54	48”
JSTST60	54”
JSTST66	60”
JSTST72	72”

Corner Leg Support



Cat. No.	Depth
JSG1D02	23”
JSG3D02	29”

Curved Corner Leg Support



Cat. No.	Side	Dimensions (D x W x H)
JS20222-79	Right Side	18.875” x 1.5” x 23.875”
JS20222-80	Left Side	18.875” x 1.5” x 23.875”
JS22950-20	Right Side	23.875” x 1.5” x 23.875”
JS22950-21	Left Side	23.875” x 1.5” x 23.875”
JS27172-02	Right Side	29.875” x 1.5” x 23.875”
JS27172-03	Left Side	29.875” x 1.5” x 23.875”

LAB SETUP AMERICA

Stainless Steel Sinks

General Information

All stainless steel work surfaces and integral sink bowls are 16 gauge Type 304 stainless steel with a #4 satin finish. All work surfaces are supported from below with hat channels. Stainless steel tops are 1 1/4” thick. All stainless steel sinks tops are 1” thick with a 1/4” marine edge.

The maximum depth of flat tops (Style A) is 46”. Tops with splashes (Styles B-L) can be a maximum depth of 42”. The maximum length for all styles of tops is 84”. Any tops longer than 84” will require a joint, contact your ICI representative for joint options.

All back and end splashes are 4” in height. Note: End splashes are not finished ends.

Tops having an integral sink bowl have a beaded edge. Each sink bowl is 20” wide, 17” front to back and 7” deep. The distance between double bowls is 1 3/4”. Faucet holes (three) are 8” on center on single bowl tops and centered between bowls on double bowl tops.

How to Order:


The style and dimensional requirements are designated by completing a fourteen (14) space code designation for each top as follows:

1. The first space is the letter “S” indicating that the top will be stainless steel. The second space is the style designation (A-L) for the top being ordered. Select the style from the configuration shown on the next page.
2. The next four spaces are used to specify the desired length of the top to the nearest 100th of an inch (00.00”). Enter the total overall length measurement including end splashes (if applicable).
3. The next four spaces are used to specify the desired depth, including the back splash, of the top to the nearest 100th of an inch (00.00”). Enter the total overall depth measurement including back splashes (if applicable).
4. The last four spaces are used to provide the centerline measurement for location of sink bowl(s) on Styles F-M to the nearest 100th of an inch (00.00”).

Example:

S	☐	☐☐☐☐	☐☐☐☐	☐☐☐☐
	Style A-M	Length 00.00”	Depth 00.00”	Corner Edge to center of sink(s) Styles F-M

Sample Top with Dimensions - Top Style F




SF960025002400


S (F) 96.00” 25.00” 24.00”

Stainless Steel Sink Styles


A




B




C




D




E




F




G




H




I




J



K



L



LAB SETUP AMERICA

Lab Reference Sources

The references in print as well as the websites listed provide a wealth of detailed information. Whether you are building a new laboratory space or updating an old one, these references will help with developing good laboratory layouts that are safe and are compliant with regulations.

Printed Resources

American Chemical Society, Safety in Academic Chemistry Laboratories
American Chemical Society
This guide is available from the American Chemical Society's Office of Society Services by calling 800-227-5558. (Note: Available free from ACS)

Laboratory Design Handbook
By: E. Crawley Cooper
The Laboratory Design Handbook describes the process, motivation, constraints, challenges, opportunities, and specific design data related to the creation of a modern research laboratory. The information presented is based on a large pool of experience in the development of new and renovated laboratory buildings for universities, teaching hospitals, pharmaceutical companies, start-up biotechnology companies, and other types of industrial technology.
CRC Press, ISBN 9780849389962 - CAT# 8996

Prudent Practices in the Laboratory: Handling and Management of Chemical Hazards
Prudent Practices in the Laboratory has served for decades as the standard for chemical laboratory safety practice. Developed by experts from academia and industry, with specialties in such areas as chemical sciences, pollution prevention, and laboratory safety. It provides guidance on planning procedures for the handling, storage, and disposal of chemicals. Designed to promote safety and includes practical information on assessing hazards, managing chemicals, disposing of wastes.
National Academies Press, ISBN 0309138647, 9780309138642

Web Resources

Lab Planning
www.labplan.org
This website (the result of a planning study performed by the National Science Foundation) suggests a planning process and offers criteria and standards that can help determine what additional or improved facilities are needed for programs. This interactive website follows the structure of the planning process and provides the tools, guidelines, and data necessary to plan and design high school science, math, and technology education teaching spaces

Americans with Disabilities Act (ADA)
www.ada.gov
Information on the ADA including relevant publications, federal resources, ADA design standards, technical assistance program, enforcements, code certification, business connections, status reports, new and proposed regulations, and the ADA program.

Occupational Safety and Health Organization (OSHA)
www.osha.gov
Complete reference source for OSHA compliance including assistance, grants, cooperative programs, safety and health topics, statistics, US-EU cooperation, and service standards.

National Science Teacher's Association
www.nsta.org
Information provided focuses on the teaching environment, from elementary to college classrooms. Paid membership enables access to journals and books. NSTA recommendations, the latest news, conventions, supplier's guide, and discussion boards.

American National Standards Institute (ANSI)
www.ansi.org
This is a paid membership website that offers documents on laboratory ventilation (Z9.5) for both rooms and fume hoods as well as information on American National Standards including procedures, guides and forms, accreditation requirements, appeals requirements, audit requirements, and governance committees. The site also provides information on IEC programs, regional programs, ISO programs, the standards boards, and panels.

National Science Education Leadership Association
www.nsela.org
This official website of the NSELA is dedicated to providing national leadership in efforts to improve science education. The quarterly newsletter is posted along with operations manuals, by-laws, career postings, and publications.


National Fire Protection Association (NFPA)
www.nfpa.org
Website dedicated to providing research information, public education, professional development as well as fire protection information, and flammable materials storage guidelines. This paid subscriber services offers many of the NFPA codes online.

Scientific Equipment and Furniture Association (SEFA)
www.sefalabs.com
This official website for SEFA gives paying members guidelines on construction and performance of laboratory equipment and furniture. Links to member companies offering laboratory products and laboratory design are provided.

General Plumbing Details

Minimum Spacing Between Fixtures

The drawing below show the allowable minimum spacing between service fittings on laboratory bench top.



Service and Rough-In Designations and Color Coding

Designation	Service	Color
E	Electric (120 Volt AC)	-
DT	Data	-
A	Air	Orange
G	Gas	Dark Blue
V	Vacuum	Yellow
N	Nitrogen	Brown
O	Oxygen	Light Green
S	Steam	Black
CW	Cold Water	Green
HW	Hot Water	Red
DW	Distilled Water	White
W	Waste	-
WV	Waste Vent	-

Recommended Supply Line Pressures

Service	Pressure
Hot and Cold Water	Local Pressure
Gas	0.216 psi
Air (Ordinary)	15 psi
Air (Air Powered Stirrer Operation)	40 psi
Vacuum (Ordinary)	18-22" of Mercury
Vacuum (High)	28.5" of Mercury
Steam (Low Pressure)	0-15 psi as required
Steam (High Pressure)	15-30 psi as required

Since ICI Scientific's inception, we have installed thousands of laboratory projects in sectors ranging from higher education, K-12, medical, pharmaceutical, industrial, and more. Our manufacturing culture of craftsmanship & design has driven the success of our laboratory projects since 1951. Experience shows through our quality.

Laboratory Products from ICI Scientific:





Fume Hoods



Adaptable Furniture



Wood Casework

SEFA MEMBER

LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America

www.lsamerica.com

08/2026