
LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America




Wood Vocational Furniture

School Furniture | ICI Scientific

Trust • Create • Discover


www.lsamerica.com

Darkroom Cabinet



- Has removable 3/4” plywood dividers


Catalog Number: 3917			
Dimensions of Components	Width	Height	Depth
Overall	40 3/4”	27 1/2”	22 1/2”
(3) Compartments	4 3/16”	20”	18 3/4”
(5) Compartments	4 3/16”	9 5/8”	18 3/4”



- Has removable 3/4” plywood dividers


Catalog Number: 3919			
Dimensions of Components	Width	Height	Depth
Overall	47 3/4”	27 1/2”	28 1/2”
(3) Compartments	5 1/16”	20”	18 3/4”
(5) Compartments	5 1/16”	9 5/8”	18 3/4”

Catalog Number: 3920
Same as 3919 except dividers are removed and unit has (2) hinged doors




- Has removable 3/4” plywood dividers

Catalog Number: 3921			
Dimensions of Components	Width	Height	Depth
Overall	49 7/8”	28 5/8”	22 1/2”
(6) Compartments	4 7/8”	21 1/8”	20 3/4”
(1) Sink Cabinet	15 5/16”	-	22 1/2”



- Has removable 3/4” plywood dividers

Catalog Number: 3923			
Dimensions of Components	Width	Height	Depth
Overall	47 3/4”	27 1/2”	28 1/2”
(3) Compartments	5 1/16”	20”	18 3/4”
(5) Compartments	5 1/16”	9 5/8”	18 3/4”




- Has removable 3/4” plywood dividers

Catalog Number: 3923			
Dimensions of Components	Width	Height	Depth
Overall	24”	35”	22 1/2”
(2) Compartments	5 1/16”	29 1/14”	21 1/4”
(2) Compartments	5 1/16”	14 1/4”	21 1/4”
(1) Compartment	5 1/16”	9 1/2”	21 1/4”
(1) Compartment	5 1/16”	19”	21 1/4”

Catalog Number: 3927
Same as 3925 except opposite hand

LAB SETUP AMERICA

Printing Table




Equipment:

- (2) duplex AC receptacles with switches
- (1) sliding shelf in kneespace
- (1) full depth adjustable shelf in cupboard
- Top, fixture panel and shelf are 1” thick - material to be specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6612			
Dimensions of Components	Width	Height	Depth
Overall	96”	36”	30”
(2) Base Cabinets (O.D.)	35 1/4”	35”	28 3/4”
Cupboard (I.D.)	33 3/4”	29 1/4”	26 3/4”
(4) Drawers (I.D.)	14 1/2”	6”	17”
(2) Drawers (I.D.)	31 3/4”	6”	17”
(1) Drawer (I.D.)	13”	2 1/4”	15”
Fixture Panel & Shelf	96”	5 1/2”	8”

Photography Sink and Storage




Equipment:

- (1) combination hot and cold water gooseneck faucet
- (1) each amber and red safe light with switch behind fixture panel
- (2) duplex AC receptacles with switches
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 6” polypropylene overflow
- Top, fixture panel and ledge cap are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6614			
Dimensions of Components	Width	Height	Depth
Overall	72”	36”	30”
(2) Base Cabinets (O.D.)	24”	35”	22 1/2”
(1) Sink Cabinet (O.D.)	21”	35”	22 1/2”
Cupboard (I.D.)	19 1/2”	21 3/4”	20 3/4”
(2) Tray Compartments (I.D.)	5 1/16”	9 1/2”	21 1/4”
(2) Tray Compartments (I.D.)	5 1/16”	19”	21 1/4”
(4) Tray Compartments (I.D.)	5 1/16”	14 1/4”	21 1/4”
(4) Tray Compartments (I.D.)	5 1/16”	29 1/4”	21 1/4”
Fixture Panel & Shelf	72”	18”	10 1/2”
Sink Depth	8”	-	12”

Photography Sink and Storage




Equipment:

- (1) combination hot and cold water swing spout mixing faucet with soap dish
- (1) duplex AC receptacle
- (1) drying light and switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 6” polypropylene beehive overflow
- (3) adjustable print drying frames
- Top, fixture panel and shelf are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6616			
Dimensions of Components	Width	Height	Depth
Overall	61”	36”	30”
(1) Base Cabinet (O.D.)	24”	35”	28 3/4”
(1) Base Cabinet (O.D.)	35 1/4”	35”	28 3/4”
(4) Drawers (I.D.)	20 1/2”	6”	17”
(2) Tray Compartments (I.D.)	3 3/8”	18 3/4”	14 1/2”
(4) Tray Compartments (I.D.)	3 3/8”	9”	14 1/2”
(1) Drying Compartment (I.D.)	14 3/4”	20 1/4”	14 1/2”
Fixture Panel & Shelf	61”	8”	5 1/2”
Sink Depth	8 3/4”	-	20”

Developing Table




Equipment:

- (1) combination hot and cold water swing spout mixing faucet with soap dish
- (1) duplex AC receptacle
- (1) drying light and switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 6” polypropylene overflow
- (3) adjustable print drying frames
- Top, fixture panel and shelf are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6618			
Dimensions of Components	Width	Height	Depth
Overall	72”	36”	30”
(1) Base Cabinet (O.D.)	35 1/4”	35”	28 3/4”
(1) Base Cabinet (O.D.)	35 1/4”	35”	28 3/4”
(4) Drawers (I.D.)	14 1/2”	6”	17”
(2) Drawers (I.D.)	31 3/4”	6”	17”
(2) Tray Compartments (I.D.)	3 3/8”	18 3/4”	14 1/2”
(4) Tray Compartments (I.D.)	3 3/8”	9”	14 1/2”
(1) Drying Compartment (I.D.)	14 3/4”	20 1/4”	14 1/2”
Fixture Panel & Shelf	72”	8”	5 1/2”
Sink	8 3/4”	-	20”

Developing Table




Equipment:

- (1) combination hot and cold water gooseneck faucet
- (1) cold water bibb faucet
- (1) duplex AC receptacle with switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 4” polypropylene overflow
- (2) full depth adjustable shelves
- (1) wall shelf with (3) graduated racks
- Top, fixture panel and shelf are 1” thick Rhearock unless specified
- Wall shelf is 1” thick phenolic resin with solid oak wall brackets

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6619			
Dimensions of Components	Width	Height	Depth
Overall	78 3/4”	36”	30”
(2) Base Cabinets (O.D.)	18”	35”	28 3/4”
(1) Tray Cabinet (O.D.)	40 3/4”	27 1/2”	22 1/2”
(2) Drawers (I.D.)	14 1/2”	6”	17”
(2) Cupboards (I.D.)	16 1/2”	21 3/4”	26 3/4”
(5) Tray Compartments (I.D.)	4 1/4”	9 5/8”	18 3/4”
(3) Tray Compartments (I.D.)	4 1/4”	20”	18 3/4”
Fixture Panel & Shelf	78 3/4”	10”	4 3/4”
Wall Shelf	78 3/4”	-	12”
Epoxy Resin Sink (O.D.) (Sink Depth: 7 1/2”)	40 3/4”	-	26”

Developing Table



Equipment:


- (1) combination hot and cold water gooseneck faucet
- (1) cold water bibb faucet
- (1) duplex AC receptacle with switch
- (1) epoxy resin sink with (1) polypropylene sink outlet with 4” polypropylene overflow
- (2) full depth adjustable shelves
- (1) wall shelf with (3) graduated racks
- Top, fixture panel and shelf are 1” thick Rhearock unless specified
- Wall shelf is 1” thick phenolic resin with solid oak wall brackets

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6620			
Dimensions of Components	Width	Height	Depth
Overall	96”	36”	30”
(1) Base Cabinets (O.D.)	18”	35”	28 3/4”
(1) Cupboard (I.D.)	16 1/2”	29 1/4”	26 3/4”
(1) Tray Cabinet (O.D.)	40 3/4”	27 1/2”	22 1/2”
(1) Base Cabinet (O.D.)	35 1/4”	35”	28 3/4”
(2) Drawers (I.D.)	14 1/2”	6”	17”
(1) Cupboard (I.D.)	33 3/4”	21 3/4”	26 3/4”
(5) Tray Compartments (I.D.)	4 1/4”	9 5/8”	18 3/4”
(3) Tray Compartments (I.D.)	4 1/4”	20”	18 3/4”
Fixture Panel & Shelf	96”	10”	4 3/4”
Wall Shelf	96”	-	12”
Epoxy Resin Sink (O.D.) (Sink Depth: 7 1/2”)	40 3/4”	-	26”
Catalog Number: 6621			

Same as 6620 except 66 3/4” long and base cabinets are 12” W x 22 1/2” D x 35” H

Developing Table




Equipment:

- (1) combination hot and cold water gooseneck faucet
- (1) combination hot and cold swing spout faucet with soap dish
- (1) duplex AC receptacle with switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 4” polypropylene overflow
- (1) full depth adjustable shelf
- Top, fixture panel and ledge cap are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6622			
Dimensions of Components	Width	Height	Depth
Overall	96”	36”	30”
(1) Tray Cabinet (O.D.)	47 3/4”	27 1/2”	22 1/2”
(1) Base Cabinet (O.D.)	47 1/4”	35”	28 3/4”
(2) Drawers (I.D.)	20 1/2”	6”	17”
(1) Cupboard (I.D.)	45 3/4”	21 3/4”	26 3/4”
(5) Tray Compartments (I.D.)	5 1/8”	9 5/8”	18 3/4”
(3) Tray Compartments (I.D.)	5 1/8”	20”	18 3/4”
Fixture Panel & Shelf	96”	10”	4 3/4”
Sink (O.D.) (Sink Depth: 7 1/2”)	47 3/4”	-	26”

Catalog Number: 8139
Same as 6622 except opposite hand




Equipment:

- (1) combination hot and cold water gooseneck faucet
- (1) combination hot and cold swing spout faucet with soap dish
- (1) duplex AC receptacle with switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet with 4” polypropylene overflow
- (2) full depth adjustable shelves
- Top, fixture panel and ledge cap are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6623			
Dimensions of Components	Width	Height	Depth
Overall	89 1/8”	36”	30”
(1) Base Cabinet (O.D.)	12 3/8”	35”	28 3/4”
(1) Base Cabinet (O.D.)	27”	35”	28 3/4”
(1) Sink Cabinet (O.D.)	47 3/4”	27 1/2”	22 1/2”
(2) Drawers (I.D.)	10 3/8”	6”	17”
Fixture Panel & Shelf	88 1/4”	10”	4 3/4”
Sink (O.D.) (Sink Depth: 7 1/2”)	47 3/4”	-	26”

Developing Table




Equipment:

- (1) combination hot and cold water gooseneck faucet
- (2) combination hot and cold water swing spout faucets with soap dishes
- (1) duplex AC receptacle with switch
- (1) large epoxy resin sink in center
- (1) large epoxy sink in sink cabinet
- (2) polypropylene sinks outlets: (1) 4”, (1) 8” polypropylene overflows
- (1) light proof drawer on upper left side
- Top, fixture panel & shelf are 1” Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6624			
Dimensions of Components	Width	Height	Depth
Overall	11’ 2 1/4”	36”	30”
(1) Tray Cabinet (O.D.)	34 9/16”	28 5/8”	22 1/2”
(1) Base Cabinet (O.D.)	15 15/16”	28 5/8”	22 1/2”
(1) Cupboard (I.D.)	13 13/16”	19 1/4”	20 3/4”
(1) Sink Cabinet (O.D)	35 1/4”	35”	28 3/4”
(1) Cupboard	33 3/4”	21 3/4”	26 3/4”
(1) Base Cabinet (O.D.)	47 1/4”	35”	28 3/4”
(1) Drawer (I.D.)	20 1/2”	6”	17”
(2) Drawers (I.D.)	20 1/2”	2 1/4”	17”
(3) Drawers (I.D.)	43 3/4”	6”	17”
(6) Tray Compartments (I.D.)	4 7/8”	21 1/8”	20 3/4”
Fixture Panel & Shelf	11’ 2 1/4”	10”	4 3/4”
(1) Sink (I.D.) (Sink Depth: 5 5/8”	48 3/4”	-	24 5/8”
(1) Sink (I.D.) (Sink Depth: 10”)	25”	-	15”

Developing Table



Equipment:


- (2) hot and cold water swing spout faucets with soap dishes
- (1) duplex AC receptacle with switch
- (1) epoxy resin sink
- (1) polypropylene sink outlet and 4” polypropylene overflow
- (2) full-depth adjustable shelves
- (1) wall shelf
- Wall shelf is 1” thick phenolic resin with solid oak brackets
- Top fixture panel and shelf are 1” thick Rhearock unless specified

Note: Traps, drain lines, service piping and electric conduit are not included.

Catalog Number: 6624			
Dimensions of Components	Width	Height	Depth
Overall	7’ 4”	36”	30”
(2) Base Cabinets (O.D.)	18”	35”	28 3/4”
(2) Cupboards (I.D.)	16 1/2”	21 3/4”	26 3/4”
(1) Tray Cabinet (O.D.)	36 9/16”	28 5/8”	22 1/2”
(1) Base Cabinet (O.D.)	15 15/16”	28 5/8”	22 1/2”
(1) Cupboard (I.D.)	13 13/16”	19 1/4”	20 3/4”
(2) Drawers (I.D.)	14 1/2”	6”	17”
(6) Tray Compartments (I.D.)	4 7/8”	21 1/8”	20 3/4”
Fixture Panel & Shelf	7’ 4”	10”	4 3/4”
(1) Sink (I.D.) (Sink Depth: 5 5/8”	48 3/4”	-	24 5/8”
Wall Shelf	7’ 4”	-	12”

Wood Vocational Furniture


Heavy Duty Project Bench



Equipment:
- Solid oak construction including shelf rails
- Shelves provide storage for large quantities of 48” x 30” flat stock
- Top is 1 1/4” thick Rhearesin


Catalog Number: 6793			
Dimensions of Components	Width	Height	Depth
Overall	60”	36 1/4”	42”

Apparatus Shop Bench




Equipment:
- (1) adjustable shelf in cupboard
- (1) #7352A wood working vise with 4” x 7” jaw face, 9” maximum opening and rapid acting nut
- Top is 1 3/4” laminated hard maple

Catalog Number: 6794			
Dimensions of Components	Width	Height	Depth
Overall	72”	36 3/4”	24”
(1) Base Cabinet (O.D.)	35 1/4”	35”	22 1/2”
(2) Drawers (I.D.)	14 1/2”	6”	17”
(1) Cupboard (I.D.)	33 3/4”	21 3/4”	20 3/4”



Equipment:
- (4) #7352A wood working vises each with 4” x 7” jaw face, 9” maximum opening and rapid acting nut
- (12) individual lockers: (6) on each side
- (12) master keyed locks
- Top is 2 1/4” laminated hard maple


Catalog Number: 6796			
Dimensions of Components	Width	Height	Depth
Overall	36”	31 1/4”	54”
(2) Base Cabinets (O.D.)	35 1/4”	29”	22 1/2”
(12) Lockers (I.D.)	10 1/2”	11 1/4”	19 1/4”



Equipment:
- Base cabinet has unfinished back
- (1) adjustable shelf in cabinet
- (2) drawers
- (1) 7352A wood working vise
- Top is 1 3/4” laminated hard maple

Catalog Number: 7300			
Dimensions of Components	Width	Height	Depth
Overall	72”	36 3/4”	24”
(1) Base Cabinets (O.D.)	35 1/4”	35”	22 1/2”

Student Work Bench




Equipment:

- Base cabinet has (12) individual lockers, master keyed
- (4) 7352A wood working vises with aluminum handles
- Top is 2 1/4” laminated hard maple

Catalog Number: 7302			
Dimensions of Components	Width	Height	Depth
Overall	54”	31 1/4”	48”
(2) Base Cabinets (O.D.)	35 1/4”	29”	22 1/2”
(12) Lockers (I.D.)	10 1/2”	11 1/4”	19 1/4”

Electronic Work Bench




Equipment:

- (1) 21” W x 22 1/2” D (4) drawer base cabinet
- (1) sliding door storage with (2) adjustable shelves
- (1) shelf assembly 8” W x 17” H
- (2) gang duplex AC receptacles, finished black
- (1) gang duplex AC receptacles with switch
- Top is 1” thick Rheatex

Catalog Number: 7304			
Dimensions of Components	Width	Height	Depth
Overall	72”	36”	30”

Tool Storage Case




Equipment:

- (1) cubicle at bottom with adjustable shelf
- (1) fixed storage shelf at top
- Pegboard back and sides in center section with (2) pivoting pegboard panels
- Doors are equipped with 3-point latching system

Catalog Number: 7318			
Dimensions of Components	Width	Height	Depth
Overall	35 1/4”	84”	22 1/2”

Catalog Number: 7320
Same as 7318 except 47 1/4” wide

Tool Storage Case




Equipment:

- (4) compartments to accommodate (4) #6344 plastic tote trays (included)
- (3) tiers: (2) adjustable shelves and (1) adjustable shelf and adjustable tool holders

Catalog Number: 7321			
Dimensions of Components	Width	Height	Depth
Overall	47 1/4”	84”	22 1/2”

Shop Storage




Equipment:

- Upper section is pegboard lined
- Lower section has (2) adjustable shelves and fixed vertical divider
- Double doors have 3-point latching system

Catalog Number: 8115			
Dimensions of Components	Width	Height	Depth
Overall	41 1/4”	84”	22 1/2”


Woodworker's Vise



7" woodworker's vise with 2 1/2" clamping area on the left side where it is needed most. Clamping area is 20% larger than that of a conventional 7" woodworkers vise. Dog type front jaw for use with bench stops. Vise has rapid acting power slide mechanism which incorporates a controlled friction clutch.
Counterclockwise operation disengages threads, permits fast jaw movement. Clockwise operation engages threads, producing continuous jaw movement and high pressure nonslip holding power. Strong, light metal handles of zinc coated tubular steel won't stain hands or work. Equipped with polyethylene washers. Jaw is 4" x 7" with a maximum opening of 9". Includes mounting template with instructions for pre-drilling four mounting holes.

Catalog Number: 7352A

Metal & Utility Workshop Vise



Vise has heavy duty steel front jaw beam with covers screw; extra large back jaw anvil and anvil horn. Screw formed from cold rolled steel; handle balls forged from handle stock. Vise features an Acme threaded replaceable, malleable iron nut and replaceable compressed powdered metal jaw faces.
Permanent pipe jaws, positive "Tri-Grip" design, with positive locking swivel base, slip handle and lock nut. Jaws are polished, and the anvil has a bright red finish. Screw, handle and lock nut have bright zinc plated finish.
Jaw width is 4" with a maximum opening of 5". Pipe capacity is from 1/8" to 2".

Catalog Number: 7352B

School Furniture from ICI Scientific

Lab Setup America supplies ICI Scientific furniture for schools, colleges and laboratories. Our team can help you select, configure and install the right furniture for your space.

Also available from Lab Setup America:

- Wood Life Skills Furniture Brochure
- Wood Art & Craft Furniture Brochure
- Wood Music Furniture Brochure
- Wood Athletics & Cubbies Brochure
- Wood Mailboxes Brochure
- Wood Library Furniture Brochure
- Customized Seating Brochure

LAB SETUP AMERICA

Authorized Distributor for ICI Scientific: Lab Setup America

www.lsamerica.com